




MoGua

米游社 2.44.1.APK 分析报告



APP名称:

米游社

包名:	com.mihoyo.hyperion
域名线索:	172条
URL线索:	136条
邮箱线索:	3条
分析日期:	2025年7月11日
分析平台:	摸瓜APK反编译平台

文件名: mihoyobbs_2.44.1_gf.apk
文件大小: 110.23MB
MD5值: bee552e77538a4aa11d1cd60d6d5f042
SHA1值: 6673383bf548540538778b9594a94b5ac5341d47
SHA256值: 67355ba627b532c939b46e9a7f11ef3be63217a7e591c46282a208eba23b3f0a

i APP 信息

App名称: 米游社
包名: com.mihoyo.hyperion
主活动Activity: com.mihoyo.hyperion.ui.SplashActivity
安卓版本名称: 2.44.1
安卓版本: 2044001

🔍 域名线索

域名	服务器信息
devbbs.miyoushe.com	IP: 101.133.147.111 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
long.open.weixin.qq.com	IP: 109.244.217.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.weibo.com	IP: 49.7.37.118 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397232
user.miyoushe.com	IP: 42.81.21.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
api-sdk.mihoyo.com	IP: 203.107.36.87 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
greenrobot.org	IP: 85.13.129.145 所属国家: Germany 地区: Thuringen 城市: Friedersdorf 纬度: 50.604919 经度: 11.035770
dev-api-a.miyoushe.com	IP: 47.101.29.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
api-e189.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311390 经度: 120.618057

jsoup.org	IP: 172.67.132.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
log.geetest.com	IP: 47.100.115.221 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.jivesoftware.com	IP: 141.193.213.11 所属国家: United States of America 地区: Texas 城市: Austin 纬度: 30.271158 经度: -97.741699
nav.cn.ronghub.com	IP: 123.57.16.61 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
app.mihoyo.com	没有服务器地理信息.
grs.dbankcloud.eu	没有服务器地理信息.

devbbs.mihoyo.com	IP: 101.133.147.111 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
bbs-api-v6.mihoyo.com	没有服务器地理信息.
preapi-takumi-static.mihoyo.com	没有服务器地理信息.
test.account.miyoushe.com	IP: 203.107.60.62 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw.alipay.com	IP: 203.209.250.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
passport-api.mihoyo.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
bbs-api-beta.miyoushe.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

bbs-api-static.miyoushe.com	IP: 42.81.21.244 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
opencloud.wostore.cn	IP: 116.128.209.136 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
devapi-static.miyoushe.com	IP: 42.81.21.248 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
prembbs.miyoushe.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
minor-api-os.hoyoverse.com	IP: 47.242.34.135 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong

	纬度: 22.285521 经度: 114.157692
webapi.account.miyoushe.com	IP: 203.107.60.62 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
auth.wosms.cn	IP: 123.125.99.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
player.bilibili.com	IP: 221.229.202.194 所属国家: China 地区: Jiangsu 城市: Xuzhou 纬度: 34.266666 经度: 117.166664
devop-data-takumi.mihoyo.com	没有服务器地理信息.

img-static.miyoushe.com	IP: 42.81.21.248 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
ptsop-data-takumi.mihoyo.com	没有服务器地理信息.
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.bilibili.com	IP: 61.147.236.46 所属国家: China 地区: Jiangsu 城市: Nantong 纬度: 32.030281 经度: 120.874718
bbs-api-beta-static.miyoushe.com	IP: 42.81.21.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
	IP: 94.74.88.100 所属国家: Singapore

metrics-dra.dt.hicloud.com	地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
dev-api.miyoushe.com	IP: 47.101.29.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
cn.register.xmpush.xiaomi.com	IP: 220.181.106.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
feross.org	IP: 50.116.11.184 所属国家: United States of America 地区: California 城市: Fremont 纬度: 37.548271 经度: -121.988571
openmobile.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

resolver.msg.global.xiaomi.net	IP: 8.219.162.1 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
devlog-upload.mihoyo.com	IP: 203.107.60.128 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
user-test.mihoyo.com	IP: 42.81.21.248 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
ue-account.mihoyo.com	IP: 47.102.48.199 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
astat.bugly.qcloud.com	IP: 150.109.27.253 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
resolver.msg.xiaomi.net	IP: 120.92.96.13 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397232
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
webstatic-test.mihoyo.com	IP: 106.14.228.122 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
play.google.com	IP: 8.7.198.46 所属国家: United States of America 地区: Louisiana 城市: Monroe 纬度: 32.548328 经度: -92.045235
market.m.taobao.com	IP: 124.238.245.244 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
public-data-api.mihoyo.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
images.weserv.nl	IP: 172.64.206.34 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.374031 经度: 4.889690
bbs-api.miyoushe.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
issuetracker.google.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
idmb.register.xmpush.global.xiaomi.com	IP: 13.235.176.185 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.014410 经度: 72.847939
metrics1.data.hicloud.com	IP: 114.115.188.159 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397232
vodreport.qcloud.com	IP: 42.81.114.56 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
ynuf.aliapp.org	IP: 203.119.169.141 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
h5.m.taobao.com	IP: 124.238.245.243 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
open.weibo.cn	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 109.244.144.48 所属国家: China

open.weixin.qq.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cdn-mum.alibabachengdun.com	IP: 42.81.21.243 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
grs.platform.dbankcloud.ru	没有服务器地理信息.
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
119.29.29.99	IP: 119.29.29.99 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.m.miyoushe.com	没有服务器地理信息.
image.cnamedomain.com	没有服务器地理信息.

mobilegw-1-64.test.alipay.net	没有服务器地理信息.
grs.dbankcloud.asia	没有服务器地理信息.
s3.amazonaws.com	IP: 52.217.223.0 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.043720 经度: -77.487488
grs.dbankcloud.com	IP: 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wappaygw.alipay.com	IP: 220.181.135.236 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
abtest-api-data.mihoyo.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
underscorejs.org	IP: 104.21.25.112 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
www.miyoushe.com	IP: 42.81.21.242 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
stats.cn.ronghub.com	IP: 123.57.72.224 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
minor-api.mihoyo.com	IP: 47.103.63.219 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
wap.cmpassport.com	IP: 120.197.235.27 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
plat-registry-npm.mihoyo.com	IP: 106.15.219.229 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161423
login.sina.com.cn	IP: 202.108.0.130 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
quilljs.com	IP: 216.24.57.253 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
webstatic-pre.mihoyo.com	IP: 42.81.21.240 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
api-takumi-record.mihoyo.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
user-pre.mihoyo.com	IP: 42.81.21.241 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
	IP: 104.18.22.19 所属国家: United States of America

www.w3.org	地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
miyoushe.com	IP: 42.81.21.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
plat-static-test.oss-cn-shanghai.aliyuncs.com	IP: 106.14.228.122 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
cgi.connect.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
preapi-takumi.miyoushe.com	IP: 203.107.36.87 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
open.e.189.cn	IP: 42.123.76.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

dev-api.mihoyo.com	没有服务器地理信息.
webstatic-test.miyoushe.com	IP: 106.14.228.122 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
devapi-takumi.miyoushe.com	IP: 47.101.29.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
bbs.mihoyo.com	IP: 220.181.158.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
user.mihoyo.com	IP: 42.81.21.248 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
log-upload-os.hoyoverse.com	IP: 13.227.62.65 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
	IP: 49.7.40.134 所属国家: China

service.weibo.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
pre-webapi.account.miyoushe.com	IP: 8.133.233.202 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
h.trace.qq.com	IP: 109.244.244.244 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mclient.alipay.com	IP: 220.181.135.236 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
api-community.mihoyo.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
developer.android.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
passport-api-static.mihoyo.com	IP: 42.81.21.240 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
webstatic.mihoyo.com	IP: 220.181.158.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
webstatic.miyoushe.com	IP: 42.81.22.248 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220

	经度: 117.176666
grs.dbankcloud.cn	IP: 121.36.119.243 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
admin.mihoyo.com	没有服务器地理信息.
static.geetest.com	IP: 220.181.135.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
devapi-takumi.mihoyo.com	IP: 47.101.29.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
sandbox-bbs-takumi.mihoyo.com	IP: 47.102.48.199 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
api-takumi.mihoyo.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

pre-verify-cloud.alibaba-inc.com	IP: 59.82.17.247 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.bilibili.com	IP: 118.116.2.142 所属国家: China 地区: Sichuan 城市: Chengdu 纬度: 30.666670 经度: 104.066673
m.alipay.com	IP: 203.209.245.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
huatuocode.huatuo.qq.com	没有服务器地理信息.
cgi.qplus.com	没有服务器地理信息.
testapi-data.mihoyo.com	IP: 47.103.90.133 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
nav2-cn.ronghub.com	IP: 101.133.161.64 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

openjsf.org	IP: 23.185.0.1 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.792030 经度: -122.406853
api-takumi.miyoushe.com	IP: 203.107.60.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
momentjs.com	IP: 104.16.153.25 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
sy.cl2009.com	IP: 47.101.5.82 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
webstatic-pre.miyoushe.com	IP: 42.81.21.240 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
a-za-z0-9.-mihoyo	没有服务器地理信息.
	IP: 170.106.135.32 所属国家: United States of America

astat.bugly.cros.wr.pvp.net	地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
pre-op-data-takumi.mihoyo.com	没有服务器地理信息.
oss.aliyuncs.com	IP: 118.178.29.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
test.account.mihoyo.com	IP: 203.107.60.62 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
render.alipay.com	IP: 220.181.135.244 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
feedback.cn.ronghub.com	IP: 101.200.58.95 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
fr.register.xmpush.global.xiaomi.com	IP: 18.197.187.121 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main

	纬度: 50.115520 经度: 8.684170
upload-bbs.miyoushe.com	IP: 42.81.21.241 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
login.imgcache.qq.com	IP: 182.254.59.182 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298
appsupport.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
npms.io	IP: 104.21.4.104 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
cro-dualstack.cn-hangzhou.aliyuncs.com	IP: 101.37.132.1 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
	IP: 109.244.244.35

android.bugly.qq.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.geetest.com	IP: 220.181.158.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
dldir1.qq.com	IP: 61.156.216.19 所属国家: China 地区: Shandong 城市: Yantai 纬度: 37.533329 经度: 121.400002
lodash.com	IP: 35.198.196.16 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
mobilegw.aaa.alipay.net	没有服务器地理信息.
sysdk.cl2009.com	IP: 101.133.104.19 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.bh3.com	IP: 220.181.158.227 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397232
mihoyo-community-web.oss-cn-shanghai.aliyuncs.com	IP: 180.163.44.43 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
preapi-takumi.mihoyo.com	IP: 47.102.39.4 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw.stable.alipay.net	没有服务器地理信息.
m.miyoushe.com	IP: 42.81.21.243 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
ns.adobe.com	没有服务器地理信息.
mcgw.alipay.com	IP: 220.181.135.236 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow

	纬度: 55.752220 经度: 37.615559
m.bbs.mihoyo.com	IP: 220.181.158.227 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
oss-cn-.aliyuncs.comor	没有服务器地理信息.
kjur.github.io	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
schemas.android.com	没有服务器地理信息.
developer.yahoo.com	IP: 69.147.80.15 所属国家: United States of America 地区: New York 城市: New York City 纬度: 40.731323 经度: -73.990089
devapi-static.mihoyo.com	IP: 220.181.158.225 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397232
log-upload.mihoyo.com	IP: 47.101.45.196 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
loggw-exsdk.alipay.com	IP: 110.76.3.1 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

 URL线索

URL信息	Url所在文件
https://minor-api.mihoyo.com/	o8/a.java
https://minor-api-os.hoyoverse.com/	o8/a.java
https://devapi-takumi.mihoyo.com/	o8/a.java
https://minor-api-os.hoyoverse.com/common/h5log/log/batch?topic=plat_crash_sdk	o8/a.java
https://minor-api.mihoyo.com/common/h5log/log/batch?topic=plat_crash_sdk	o8/a.java
https://[-A-Za-z0-9+&@	bc/r.java
https://minor-api.mihoyo.com/common/	q8/b.java

https://devapi-takumi.mihoyo.com/common/	q8/b.java
https://devapi-takumi.mihoyo.com/common/h5log/log/batch	q8/b.java
https://minor-api.mihoyo.com/common/h5log/log/batch	q8/b.java
https://mobilegw.alipay.com/mgw.htm	j4/a.java
https://mobilegw.alipaydev.com/mgw.htm	j4/a.java
https://mcgw.alipay.com/sdklog.do	j4/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	j4/a.java
http://m.alipay.com/?action=h5quit	j4/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	j4/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	j4/a.java
https://greenrobot.org/greendao/documentation/database-encryption/	org/greenrobot/greendao/database/DatabaseOpenHelper.java
https://app.mihoyo.com	j9/c0.java
https://stats.cn.ronghub.com/active.json	io/rong/imlib/RongCoreClientImpl.java
http://%s/active.json	io/rong/imlib/RongCoreClientImpl.java
https://feedback.cn.ronghub.com	io/rong/imlib/navigation/NavigationCacheHelper.java
https://nav2-cn.ronghub.com/navi.json	io/rong/imlib/navigation/NavigationClient.java
http://nav2-cn.ronghub.com/navi.json	io/rong/imlib/navigation/NavigationClient.java

https://nav.cn.ronghub.com/navi.json	io/rong/imlib/navigation/NavigationClient.java
http://nav.cn.ronghub.com/navi.json	io/rong/imlib/navigation/NavigationClient.java
http://%s/%s	io/rong/imlib/navigation/NavigationClient.java
http://%s	io/rong/imlib/httpdns/HttpDnsClient.java
http://%s/%s	io/rong/imlib/statistics/delivery/PushDeliveryUpload.java
http://s3.amazonaws.com/doc/2006-03-01/	io/rong/imlib/filetransfer/StcSliceCompleteRequest.java
http://%s/	io/rong/rtlog/upload/RtLogUploadManager.java
http://%s/	io/rong/rtlog/upload/RtLogTimingUploadConfig.java
https://stats.cn.ronghub.com	io/rong/libcore/BuildConfig.java
http://%s/%s	io/rong/push/core/PushNaviClient.java
http://%s/%s	io/rong/push/pushconfig/PushRequestManager.java
http://nav.cn.ronghub.com/navipush.json	io/rong/push/common/PushConst.java
https://feedback.cn.ronghub.com	io/rong/common/dlog/LogEntity.java
https://feedback.cn.ronghub.com	io/rong/common/rlog/RLogConfig.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/PlatformPlugin.java
https://github.com/flutter/flutter/issues/2897).It	io/flutter/plugin/platform/PlatformViewsController.java
https://img-static.miyoushe.com/avatar/avatar	z8/k.java
https://app.mihoyo.com	dg/j.java

https://119.29.29.99/d?dn=	ek/e.java
https://devop-data-takumi.mihoyo.com	co/b.java
https://ptsop-data-takumi.mihoyo.com	co/b.java
https://pre-op-data-takumi.mihoyo.com	co/b.java
https://public-data-api.mihoyo.com	co/b.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	bt/d.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	bt/f.java
https://issuetracker.google.com/issues/new?component=413107&template=1096568	e3/a.java
http://'	wz/e.java
https://'	wz/e.java
https://jsoup.org/cookbook/extracting-data/working-with-urls	wz/e.java
http://undefined/	wz/e.java
http://ns.adobe.com/xap/1.0/\u0000	w1/a.java
https://devlog-upload.mihoyo.com/	a8/k.java
https://log-upload.mihoyo.com/	a8/k.java
https://log-upload-os.hoyoverse.com/	a8/k.java
https://api-community.mihoyo.com/	gp/o.java

https://bbs.mihoyo.com/favicon.ico	fn/u.java
https://www.miyoushe.com/dby/agreement?type=villa_chat_room_service	fn/q1.java
https://m.miyoushe.com/villa.html?bbs_presentation_style=no_header	fn/q1.java
http://%s:%d/%s	u6/i.java
http://%s:%d/%s	u6/n.java
https://github.com/danikula/AndroidVideoCache/issues/134.	u6/n.java
https://github.com/danikula/AndroidVideoCache/issues/43.	u6/k.java
https://github.com/danikula/AndroidVideoCache/issues.	u6/k.java
https://github.com/danikula/AndroidVideoCache/issues/88.	u6/k.java
https://images.weserv.nl/?url=	zj/e.java
https://render.alipay.com/p/s/i?scheme=%s	h4/b.java
https://m.miyoushe.com/bh3/?type=noHeader&type=inApp	cb/a.java
https://img-static.miyoushe.com/	cb/a.java
https://bbs.mihoyo.com/	cb/a.java
https://m.bbs.mihoyo.com/	cb/a.java
http://bbs.mihoyo.com/	cb/a.java
http://m.bbs.mihoyo.com/	cb/a.java
http://miyoushe.com/	cb/a.java

https://miyoushe.com/	cb/a.java
http://www.miyoushe.com/	cb/a.java
https://www.miyoushe.com/	cb/a.java
https://m.miyoushe.com/	cb/a.java
http://m.miyoushe.com/	cb/a.java
https://www.m.miyoushe.com/	cb/a.java
http://www.m.miyoushe.com/	cb/a.java
http://devbbs.mihoyo.com/	cb/a.java
https://webstatic-test.mihoyo.com	cb/a.java
https://devbbs.mihoyo.com/	cb/a.java
http://devbbs.miyoushe.com/	cb/a.java
https://webstatic-test.miyoushe.com	cb/a.java
https://devbbs.miyoushe.com/	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemFE/index.html	cb/a.java
https://webstatic-test.mihoyo.com/	cb/a.java
https://user.mihoyo.com	cb/a.java
https://webstatic.mihoyo.com	cb/a.java

https://webstatic-pre.mihoyo.com	cb/a.java
https://user.miyoushe.com	cb/a.java
https://m.miyoushe.com	cb/a.java
https://webstatic.miyoushe.com	cb/a.java
https://webstatic-pre.miyoushe.com	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemPreFE/index.html	cb/a.java
https://user.mihoyo.com/	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/communityFE/bh3.html?type=noHeader&type=inApp	cb/a.java
https://devapi-takumi.miyoushe.com?type=noHeader&type=inApp	cb/a.java
https://bbs-api-beta.miyoushe.com?type=noHeader&type=inApp	cb/a.java
https://webstatic.miyoushe.com/app	cb/a.java
https://webstatic-test.miyoushe.com/app	cb/a.java
https://webstatic-pre.miyoushe.com/preapp	cb/a.java
https://webstatic-test.mihoyo.com/ueapp	cb/a.java
https://m.miyoushe.com/bh3/	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/communityFE/bh3.html	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityPreFE/bh3.html	cb/a.java

https://webstatic-test.miyoushe.com/mihoyo/common/communityFE/bh3.html	cb/a.java
https://m.miyoushe.com/ys/	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityPreFE/ys.html	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityFE/ys.html	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemFE	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemPreFE	cb/a.java
https://webstatic-test.mihoyo.com/app	cb/a.java
https://webstatic-pre.mihoyo.com/preapp	cb/a.java
https://webstatic.mihoyo.com/app	cb/a.java
https://prembbs.miyoushe.com/appAuth.html?id=	cb/a.java
https://m.miyoushe.com/appAuth.html?id=	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityFE/appAuth.html?id=	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityFE/	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityPreFE/	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/communityFE/	cb/a.java
https://prembbs.miyoushe.com	cb/a.java
https://webstatic-test.mihoyo.com/mihoyo/common/community-sandbox	cb/a.java

https://webstatic-test.miyoushe.com/mihoyo/common/communityFE	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityFE/bh3.html?type=noHeader&type=inApp	cb/a.java
https://m.miyoushe.com/bh3.html?type=noHeader&type=inApp	cb/a.java
https://webstatic-test.miyoushe.com/mihoyo/common/communityPreFE/bh3.html?type=noHeader&type=inApp	cb/a.java
https://m.miyoushe.com/bh3?type=noHeader&type=inApp/	cb/a.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	vs/s.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	vs/b0.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	vs/l.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	vs/c.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	vs/k0.java
https://sysdk.cl2009.com/	m6/c.java
https://sy.cl2009.com/	m6/c.java
https://sysdk.cl2009.com/flash/fdr/v3	m6/d.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	m6/d.java
https://wap.cmpassport.com/resources/html/contract.html	m6/d.java
https://auth.wosms.cn/html/oauth/protocol2.html	m6/d.java
https://sy.cl2009.com/	m6/d.java

https://sysdk.cl2009.com/	m6/d.java
https://sy.cl2009.com/flash/accountInit/v3	m6/d.java
https://sy.cl2009.com/flash/accountInit/v4	m6/d.java
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/chinatelecom/account/api/e/g.java
https://api-e189.21cn.com/gw/client/accountMsg.do	cn/com/chinatelecom/account/api/e/g.java
https://login.sina.com.cn/visitor/signin	com/weibo/ssosdk/WeiboSsoSdk.java
https://log.geetest.com/logger/mobile/log	com/geetest/sdk/a.java
https://static.geetest.com/static/appweb/app3-index.html	com/geetest/sdk/dialog/views/WebViewBuilder.java
http://www.geetest.com/first_page	com/geetest/sdk/views/GT3GeetestButton.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gn.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gv.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fq.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cv.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/u.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/u.java

https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/u.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/u.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/u.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bw.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bw.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/cmhc/gen/sdk/view/GenLoginAuthActivity.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java

https://api.weibo.com/oauth2/access_token	com/sina/weibo/sdk/a/e.java
https://service.weibo.com/share/mobilesdk_upplic.php	com/sina/weibo/sdk/a/d.java
https://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/WebActivity.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/web/WebActivity.java
https://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/b/d.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/auth/a.java
https://ynuf.aliapp.org/repTd.json?	com/alibaba/wireless/security/framework/SGApmMonitorManager.java
http://cdn-mum.alibabachengdun.com/sg7sX1/rYxU/pDDw/	com/alibaba/wireless/security/framework/SGApmMonitorManager.java
https://market.m.taobao.com/app/msd/m-rp-h5/cloud.html	com/alibaba/security/realidentity/RPVerify.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/security/realidentity/build/ca.java
https://market.m.taobao.com/app/msd/m-rp-h5/cloud.html	com/alibaba/security/realidentity/build/j.java
http://oss.aliyuncs.com	com/alibaba/security/realidentity/build/dd.java
http://127.0.0.1	com/alibaba/security/realidentity/build/dd.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/security/realidentity/build/dd.java
http://image.cnamedomain.com'!	com/alibaba/security/realidentity/build/dd.java
https://ip.	com/alibaba/security/realidentity/build/bv.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/security/realidentity/build/bv.java

http://image.cnamedomain.com/!	com/alibaba/security/realidentity/build/bv.java
https://cro-dualstack.cn-hangzhou.aliyuncs.com	com/alibaba/security/realidentity/http/BaseHttpManager.java
http://pre-verify-cloud.alibaba-inc.com	com/alibaba/security/realidentity/http/BaseHttpManager.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xmlpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://ue-account.mihoyo.com	com/mihoyo/platform/account/sdk/SDKInfo.java
https://user-test.mihoyo.com/login-platform-test/mobile.html	com/mihoyo/platform/account/sdk/risk/web/RiskWebHost.java
https://user-pre.mihoyo.com/login-platform-pre/mobile.html	com/mihoyo/platform/account/sdk/risk/web/RiskWebHost.java
https://user.mihoyo.com/login-platform/mobile.html	com/mihoyo/platform/account/sdk/risk/web/RiskWebHost.java
https://user.mihoyo.com/login-platform-ue/mobile.html	com/mihoyo/platform/account/sdk/risk/web/RiskWebHost.java
https://user.mihoyo.com/?hideTitle=true	com/mihoyo/platform/account/sdk/constant/SDKConst.java

https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemFE/sdk-appeal.html	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemPreFE/sdk-appeal.html	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://user.mihoyo.com/sdk-appeal.html	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic.mihoyo.com/mihoyo/common/accountSystemUeFE/sdk-appeal.html	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://devapi-static.mihoyo.com/takumi/	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://preapi-takumi-static.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://passport-api-static.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://ue-account.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemFE/index.html	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemPreFE/index.html	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://user.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic.mihoyo.com/mihoyo/common/accountSystemUeFE/	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemFE/index.html?hideTitle=true	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemPreFE/index.html?hideTitle=true	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://user.mihoyo.com?hideTitle=true	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic.mihoyo.com/mihoyo/common/accountSystemUeFE/?hideTitle=true	com/mihoyo/platform/account/sdk/constant/SDKHost.java

https://devapi-takumi.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://preapi-takumi.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://passport-api.mihoyo.com	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://devlog-upload.mihoyo.com/client/event/	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://log-upload.mihoyo.com/loginsdk/	com/mihoyo/platform/account/sdk/constant/SDKHost.java
https://webstatic.mihoyo.com/payment/payment-shell/index.html	com/mihoyo/sdk/payplatform/cashier/ContentWebView.java
https://www.bilibili.com/video/av	com/mihoyo/hyperion/richtext/views/RichTextVideoView.java
https://bbs.mihoyo.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://m.bbs.mihoyo.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://bbs.mihoyo.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://m.bbs.mihoyo.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://www.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://www.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://m.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://m.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java

https://www.m.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://www.m.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://devbbs.mihoyo.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://devbbs.mihoyo.com/	com/mihoyo/hyperion/utils/AppUtils.java
http://devbbs.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://devbbs.miyoushe.com/	com/mihoyo/hyperion/utils/AppUtils.java
https://webstatic-test.mihoyo.com	com/mihoyo/hyperion/utils/AppUtils.java
https://webstatic-test.miyoushe.com	com/mihoyo/hyperion/utils/AppUtils.java
https://player.bilibili.com/player.html?aid=	com/mihoyo/hyperion/utils/AppUtils.java
https://webstatic.mihoyo.com/bh3/event/e20200511toolBox/index.html?game_biz=ys_cn&bbs_show_back=true&bbs_auth_required=true	com/mihoyo/hyperion/widget/GenshinWidgetProvider.java
https://webstatic-test.mihoyo.com/bh3/event/e20200511toolBox/index.html?game_biz=ys_cn&bbs_show_back=true&bbs_auth_required=true	com/mihoyo/hyperion/widget/GenshinWidgetProvider.java
https://webstatic.mihoyo.com/app/community-game-records/index.html?mhy_presentation_style=fullscreen&bbs_auth_required=true	com/mihoyo/hyperion/widget/GenshinWidgetProvider.java
https://webstatic-test.mihoyo.com/app/community-game-records/index.html?mhy_presentation_style=fullscreen&bbs_auth_required=true	com/mihoyo/hyperion/widget/GenshinWidgetProvider.java
https://devlog-upload.mihoyo.com/log/bbs_app/upload	com/mihoyo/hyperion/app/tasks/TrackInitTask.java
https://log-upload.mihoyo.com/log/bbs_app/upload/v2	com/mihoyo/hyperion/app/tasks/TrackInitTask.java
https://vodreport.qcloud.com/ugcupload_new	com/mihoyo/hyperion/video/upload/sdk/impl/d.java

http://upload-bbs.miyoushe.com/vila/category_icon/category_icon_0.png	com/mihoyo/hyperion/villa/chat/bean/VillaConfig.java
https://m.miyoushe.com/bh3/?type=noHeader&type=inApp	com/mihoyo/hyperion/ui/UserProtocolDialogActivity.java
https://m.miyoushe.com/bh3/?type=noHeader&type=inApp	com/mihoyo/hyperion/views/StartUserAgreeDialog.java
http://dldir1.qq.com/qqmi/aphone_p2p/TencentVideo_V6.0.0.14297_848.apk	com/mihoyo/hyperion/debug/MiHoYoDebugPage.java
https://img-static.miyoushe.com/	com/mihoyo/hyperion/editor/post/PostTextEditActivity.java
https://abtest-api-data.mihoyo.com	com/mihoyo/sora/sdk/abtest/bean/AbTestApi.java
https://testapi-data.mihoyo.com	com/mihoyo/sora/sdk/abtest/bean/AbTestApi.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/r.java
http://xmlpull.org/v1/doc/features.html	com/tencent/qcloud/qcloudxml/core/QCloudXml.java
https://openmobile.qq.com/oauth2.0/me	com/tencent/connect/UnionInfo.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/connect/common/BaseApi.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/common/BaseApi.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java

https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/a.java
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApilml.java
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApilml.java
https://login.imgcache.qq.com	com/tencent/open/SocialApilml.java
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApilml.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utils/g.java
https://cgi.qplus.com/report/report	com/tencent/open/utils/l.java
https://huatuocode.huatuo.qq.com	com/tencent/open/a/d.java
https://open.weixin.qq.com/connect/sdk/qrconnect? appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
http://xmlpull.org/v1/doc/features.html	com/tencent/cos/xml/transfer/XmlBuilder.java
http://www.w3.org/2001/XMLSchema-instance	com/tencent/cos/xml/transfer/XmlBuilder.java
http://xmlpull.org/v1/doc/features.html	com/tencent/cos/xml/transfer/XmlSlimBuilder.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unikuwei/mianmi/account/shield/d/b.java

https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unikuwei/mianmi/account/shield/c/a.java
https://opencloud.wostore.cn/client/sdk/receive	com/unikuwei/mianmi/account/shield/e/f.java
https://([A-Za-z0-9.-]*)(mihoyo	fc/b.java
https://api-takumi.mihoyo.com	ba/b.java
https://sandbox-bbs-takumi.mihoyo.com	ba/b.java
http://admin.mihoyo.com:8082/	wc/i.java
https://h5.m.taobao.com/mlapp/olist.html	k4/a.java
http://schemas.android.com/apk/res/android	k0/k.java
https://bbs-api.miyoushe.com	bg/n.java
http://api.bilibili.com/	bg/e.java
https://bbs-api-v6.mihoyo.com/	bg/e.java
https://webapi.account.miyoushe.com	bg/b.java
https://api-takumi.miyoushe.com	bg/b.java
https://bbs-api-static.miyoushe.com	bg/b.java
https://api-sdk.mihoyo.com	bg/b.java
https://mihoyo-community-web.oss-cn-shanghai.aliyuncs.com	bg/b.java
https://api-takumi-record.mihoyo.com	bg/b.java

https://test.account.miyoushe.com	bg/b.java
https://dev-api.miyoushe.com	bg/b.java
https://plat-static-test.oss-cn-shanghai.aliyuncs.com	bg/b.java
https://dev-api.mihoyo.com	bg/b.java
https://devapi-takumi.miyoushe.com	bg/b.java
https://devapi-static.miyoushe.com/takumi	bg/b.java
https://test.account.mihoyo.com	bg/b.java
https://sandbox-bbs-takumi.mihoyo.com	bg/b.java
https://pre-webapi.account.miyoushe.com	bg/b.java
https://bbs-api-beta.miyoushe.com	bg/b.java
https://preapi-takumi.miyoushe.com	bg/b.java
https://bbs-api-beta-static.miyoushe.com	bg/b.java
https://test.account.miyoushe.com/	bg/b.java
https://dev-api-a.miyoushe.com/	bg/b.java
https://plat-static-test.oss-cn-shanghai.aliyuncs.com/	bg/b.java
https://app.mihoyo.com	bg/c.java
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1

https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2
https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
<a);"="" href="https://webstatic.mihoyo.com/dora/lib/vconsole/3.2.0/vconsole.min.js">https://webstatic.mihoyo.com/dora/lib/vconsole/3.2.0/vconsole.min.js");	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://grs.platform.dbankcloud.ru	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2
https://github.com/Tencent/vConsole	Mogua Engine V2
https://github.com/Tencent/vConsole.git	Mogua Engine V2

http://www.w3.org/1999/xlink	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
http://www.w3.org/1998/Math/MathML	Mogua Engine V2
https://quilljs.com/	Mogua Engine V2
https://quilljs.com	Mogua Engine V2
http://momentjs.com/guides/	Mogua Engine V2
">https://lodash.com/>	Mogua Engine V2
">https://openjsf.org/>	Mogua Engine V2
">https://lodash.com/license>	Mogua Engine V2
">http://underscorejs.org/LICENSE>	Mogua Engine V2
https://npms.io/search?q=ponyfill.	Mogua Engine V2
">https://feross.org>	Mogua Engine V2
">http://feross.org>	Mogua Engine V2
">https://feross.org/opensource>	Mogua Engine V2
https://test.account.	Mogua Engine V2
https://webapi.account.	Mogua Engine V2
https://devapi-takumi.	Mogua Engine V2
https://preapi-takumi.	Mogua Engine V2

https://api-takumi.	Mogua Engine V2
https://webstatic-test.mihoyo.com/mihoyo/common/accountSystemFE/index.html	Mogua Engine V2
https://user.mihoyo.com/	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://developer.yahoo.com/yui/license.html	Mogua Engine V2
https://kjur.github.io/jsrsasign/license/	Mogua Engine V2
https://devapi-os-takumi.	Mogua Engine V2
https://api-os-takumi.	Mogua Engine V2
http://plat-registry-npm.mihoyo.com/weekstart/-/weekstart-1.0.1.tgz	Mogua Engine V2
https://github.com/gamtiq/weekstart/issues	Mogua Engine V2
https://github.com/gamtiq/weekstart	Mogua Engine V2
https://player.bilibili.com/player.html?	Mogua Engine V2
https://www.bh3.com	Mogua Engine V2
http://devapi.	Mogua Engine V2
http://test.account.	Mogua Engine V2
https://devapi-takumi.	Mogua Engine V2
http://devssr.	Mogua Engine V2

https://img-static.	Mogua Engine V2
http://admin.	Mogua Engine V2
https://devapi.	Mogua Engine V2
https://test.account.	Mogua Engine V2
https://ueapi.	Mogua Engine V2
https://preapi.	Mogua Engine V2
https://webapi.account.	Mogua Engine V2
https://bbs-api-beta.	Mogua Engine V2
http://pressr.	Mogua Engine V2
http://prebbs.	Mogua Engine V2
https://api-community.	Mogua Engine V2
https://api-static.	Mogua Engine V2
https://bbs-api.	Mogua Engine V2
https://bbs-api-static.	Mogua Engine V2
https://bbs.	Mogua Engine V2
https://sandbox-bbs.	Mogua Engine V2
https://sandbox-bbs-takumi.	Mogua Engine V2

邮箱线索

邮箱地址	所在文件
danikula@gmail.com	u6/k.java
kenji.urushima@gmail.com	Mogua Engine V2
ftp@example.com	lib/arm64-v8a/libunity.so

手机线索

手机号	所在文件
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: O=mihoyo, OU=mihoyo, CN=mihoyo
签名算法: rsassa_pkcs1v15
有效期自: 2019-04-02 06:50:41+00:00
有效期至: 2044-03-26 06:50:41+00:00
发行人: O=mihoyo, OU=mihoyo, CN=mihoyo
序列号: 0x49b1813d
哈希算法: sha256

md5值: abdcfbc2380da2413c1e0be7a118dd9e
sha1值: a134c3c4f23aa5d3558513cdd85c7b936757a07b
sha256值: 5eb0477b50136d6e5c353c9fe2ed87718a1fbc9b17af2c3395cb0dfbefdd2c0
sha512值: 4ffde7b0cabdbe15b784d774cd4953489c54417ba00ca807c47caea69d6a957cc785d005e9fbe0df9c7608bac1a9cbe9057a93519fb6666250c62d089806c9f1
公钥算法: rsa
密钥长度: 2048
指纹: cbf06b190838e834bda3f144e9d61933b95af9b0f93aee82518779bcfef1f925

硬编码敏感信息

可能的敏感信息
"choose_at_user": "选择提醒的人"
"face_auth_announce": "由阿里实人认证提供服务"
"face_detect_auth_begin_cancel": "放弃"
"face_detect_auth_begin_ok": "开始验证"
"face_detect_auth_begin_title": "安全验证"
"face_detect_auth_pass": "验证通过"
"face_detect_token_expired_or_invalid": "认证token无效或已过期"
"face_detect_token_repeate_submit": "认证已通过，重复提交。"
"find_password": "忘记密码"
"follow_recommend_by_user": "看了我这么久，关注一下吧"
"identity_privacy_authorization_statement": "本APP运营方为确保用户身份真实性，向您提供更好的安全保障，您可以通过提交身份证等身份信息或面部特征等生物识别信息（均属个人敏感信息）来完成具体产品服务所需要或必要的实人认证。上述信息将使用与验证用户身份真实性。我们会采用行业领先的技术来保护您提供的个人信息，并使用加密、限权等方式避免其被用于其他用途。 点击同意则表示本人同意我们根据以上方式和目的收集、使用及存储您提供的本人身份材料、面部特征等信息用于实人认证。"

"identity_privacy_authorization_statement_title" : "授权声明"
"invite_token_on_generating" : "口令生成中"
"invote_token_generate_fail" : "口令生成失败"
"login_pwd" : "密码"
"login_pwd_not_null" : "密码不能为空"
"onekey_login" : "一键登录"
"private_letter" : "私信"
"register_pwd1" : "设置密码"
"register_pwd2" : "确认密码"
"register_pwd2_tips" : "密码设置不一致"
"register_pwd_tips" : "密码不能为空"
"search_result_tab_user" : "用户"
"search_user" : "搜索用户"
"symbol_upload_plugin_appSecret" : "bc7409bf-f4da-4f5e-95fd-2921e58479ad"
"teenage_input_password" : "输入解锁密码"
"teenage_re_input_password" : "再次输入密码"
"teenage_set_password" : "设置密码"

"user" : "用户"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除	允许应用程序写入外部存储

		外部存储内容	
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
com.mihoyo.hyperion.permission.RONG_ACCESS_RECEIVER	未知	Unknown permission	Unknown permission from android reference
cn.cyberidentity.certification.AUTH	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.mihoyo.hyperion.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.mihoyo.hyperion.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.mihoyo.hyperion.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.mihoyo.hyperion.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference

freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
------------------------	----	--------------------	---

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.mihoyo.hyperion.ui.SchemaActivity	Schemes: mihoyobbs://,
com.tencent.tauth.AuthActivity	Schemes:.tencent1109288517://,