



MoGua

DWG FastView 5.11.0.APK 分析报告



APP名称:

DWG FastView

包名:	com.gstarmc.android
域名线索:	80条
URL线索:	14条
邮箱线索:	2条
分析日期:	2024年11月7日
分析平台:	摸瓜APK反编译平台

文件名: DWG FastView-CAD Viewer&Editor_5.11.0_APKPure.apk

文件大小: 95.16MB

MD5值: c169c2765ec0c1f335479da35831b907

SHA1值: 77d10fd2e5a8a55c7d440be8657d5cae02967940

SHA256值: ced1211f7ec8ef2158ef19c1e8e2cddfaa0f668243538c7660c444dd2c419b43

i APP 信息

App名称: DWG FastView

包名: com.gstarmc.android

主活动Activity: com.stone.app.ui.activity.AppSplashActivity

安卓版本名称: 5.11.0

安卓版本: 520

🔍 域名线索

域名	服务器信息
relaxng.org	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
mi.gdt.qq.com	IP: 220.194.116.121 所属国家: China 地区: Tianjin

	<p>城市: Tianjin 纬度: 39.142181 经度: 117.176102</p>
metrics2.data.hicloud.com	<p>IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532</p>
mobads.baidu.com	<p>IP: 111.206.208.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102</p>
win.gdt.qq.com	<p>IP: 220.194.116.80 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102</p>
data-dre.push.dbankcloud.com	<p>IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532</p>
162.14.13.170	<p>IP: 162.14.13.170 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102</p>

i.gtimg.cn	IP: 221.204.20.92 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
www.gstarcad.net	IP: 47.241.39.234 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
haokan.baidu.com	IP: 111.206.209.29 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
c2.gdt.qq.com	IP: 220.194.116.42 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
qzs.gdtimg.com	IP: 125.38.214.65 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
qzs.qq.com	IP: 116.196.149.35 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470

	经度: 120.288658
render-server.cdn.bcebos.com	IP: 150.138.157.38 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
xx.xx.xx.xx	没有服务器地理信息.
union.baidu.com	IP: 111.206.208.169 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
freeimage.sourceforge.net	IP: 172.64.150.145 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.alibaba.com	IP: 203.119.238.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
sdk.e.qq.com	IP: 220.194.116.72 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

119.29.29.98	IP: 119.29.29.98 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
wap.gstarcad.com	IP: 39.107.116.20 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.gstarcad.pl	IP: 51.83.239.16 所属国家: Poland 地区: Mazowieckie 城市: Warsaw 纬度: 52.229771 经度: 21.011780
162.14.3.250	IP: 162.14.3.250 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
hmma.baidu.com	IP: 110.242.68.196 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
opensource.org	IP: 172.67.197.41 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
www.gstarcad.com	IP: 39.107.116.20 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
purl.oclc.org	IP: 207.241.239.241 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.781734 经度: -122.459435
e.qq.com	IP: 220.194.116.85 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.ascc.net	IP: 140.109.4.18 所属国家: Taiwan (Province of China) 地区: Taipei 城市: Taipei 纬度: 25.038172 经度: 121.563599
cpu-openapi.baidu.com	IP: 110.242.68.90 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
	IP: 157.255.219.214 所属国家: China 地区: Guangdong

union.eff.qq.com	城市: Shenzhen 纬度: 22.545673 经度: 114.068108
web.gstarcad.com	IP: 60.205.177.199 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
play.google.com	IP: 46.82.174.69 所属国家: Germany 地区: Niedersachsen 城市: Braunschweig 纬度: 52.266121 经度: 10.526730
adsmind.ugdting.com	IP: 61.49.23.243 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cpro.baidustatic.com	IP: 101.72.203.38 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717

aden.baidu.com	IP: 110.242.68.230 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
119.29.29.99	IP: 119.29.29.99 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.mob.com	IP: 45.113.201.237 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
img.alicdn.com	IP: 119.167.184.240 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
www.dwgfastview.com	IP: 47.241.39.234 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987

	经度: 103.850281
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
bes-mtj.baidu.com	IP: 103.211.221.124 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mobads-pre-config.bj.bcebos.com	IP: 119.249.103.5 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
grs.dbankcloud.cn	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.gstarcad.tervezoszoftver.hu	IP: 37.221.215.124 所属国家: Hungary 地区: Budapest 城市: Budapest 纬度: 47.498253 经度: 19.039780
	IP: 49.4.40.185 所属国家: China

grs.dbankcloud.asia	地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
ns.adobe.com	没有服务器地理信息.
cpu.baidu.com	IP: 110.242.68.90 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
snowflake.qq.com	IP: 116.130.220.107 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.ietf.org	IP: 104.16.44.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
gslb.dingrtc.com	IP: 59.82.31.206 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161583
www.webrtc.org	IP: 142.251.211.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
opendesign.com	IP: 184.164.156.144 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448231 经度: -112.074051
162.14.19.114	IP: 162.14.19.114 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
auth.snapchat.com	IP: 142.251.33.115 所属国家: Canada 地区: Ontario 城市: Toronto 纬度: 43.653660 经度: -79.382927
	IP: 85.13.163.69

objectbox.io	所属国家: Germany 地区: Thuringen 城市: Friedersdorf 纬度: 50.604919 经度: 11.035770
android.googleusercontent.com	IP: 173.194.202.82 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
100000189777.retail.n.weimob.com	IP: 212.64.63.139 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
mobads-pre-config.cdn.bcebos.com	IP: 150.138.157.38 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
qzonestyle.gting.cn	IP: 221.204.14.52 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438

	经度: 112.561508
www.gstarcad.netfreezing	没有服务器地理信息.
metrics1-drcn.dt.dbankcloud.cn	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.dbankcloud.eu	没有服务器地理信息.
www.oasis-open.org	IP: 172.99.100.168 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
m.baidu.com	IP: 110.242.71.103 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109

	经度: 115.490280
tdid.m.qq.com	IP: 60.29.240.40 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
yun.gstarcad.com	IP: 39.107.116.20 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
sf3-fe-tos.pglstatp-toutiao.com	IP: 221.194.161.231 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
grs.platform.dbankcloud.ru	没有服务器地理信息.
itunes.apple.com	IP: 123.125.46.5 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

mobads-logs.baidu.com

IP: 153.3.237.160

所属国家: China

地区: Jiangsu

城市: Nanjing

纬度: 32.061668

经度: 118.777992

URL线索

URL信息	Uri所在文件
https://www.gstarcad.net/About/privacy-policy	摸瓜V1引擎
https://www.gstarcad.net/About/Terms-of-use	摸瓜V1引擎
https://www.dwgfastview.com	摸瓜V1引擎
https://www.gstarcad.net/	摸瓜V1引擎
https://web.gstarcad.com/yun/	摸瓜V1引擎
http://www.mob.com/policy/en > http://www.mob.com/policy/en .	摸瓜V1引擎
http://www.mob.com/about/policy > http://www.mob.com/about/policy 	摸瓜V1引擎
https://yun.gstarcad.com/download/	摸瓜V1引擎
https://itunes.apple.com/app/id456933692	摸瓜V1引擎
https://play.google.com/store/apps/details?id=com.gstarmc.android	摸瓜V1引擎
https://www.gstarcad.net	摸瓜V1引擎

http://www.mob.com	摸瓜V1引擎
http://www.mob.com/about/policy/en > http://www.mob.com/about/policy/en .lf	摸瓜V1引擎
https://www.mob.com	摸瓜V1引擎
https://www.gstarcad.com/privacy	摸瓜V1引擎
https://www.gstarcad.com/Terms-of-use	摸瓜V1引擎
https://yun.gstarcad.com	摸瓜V1引擎
https://www.gstarcad.com/	摸瓜V1引擎
https://yun.gstarcad.com/mobile/	摸瓜V1引擎
https://wap.gstarcad.com/mc_201601182.html	摸瓜V1引擎
https://www.gstarcad.pl	摸瓜V1引擎
https://yun.gstarcad.com/download	摸瓜V1引擎
https://www.gstarcad.tervezosoftver.hu	摸瓜V1引擎
http://www.mob.com/policy/zh > http://www.mob.com/policy/zh 	摸瓜V1引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎

https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://img.alicdn.com/imgextra/i3/O1CN01yaPRML1GyyqsOZP7R!!6000000000692-1-tps-1200-432.gif	摸瓜V2引擎
https://github.com/Tencent/vConsole	摸瓜V2引擎
http://opensource.org/licenses/MIT	摸瓜V2引擎
https://github.com/Tencent/vConsole	摸瓜V2引擎
https://github.com/Tencent/vConsole.git	摸瓜V2引擎
https://sf3-fe-tos.pglstatp-toutiao.com/obj/csj-sdk-static/csj_assets/shake.webp	摸瓜V2引擎
https://sf3-fe-tos.pglstatp-toutiao.com/obj/csj-sdk-static/csj_assets/shake_text.png	摸瓜V2引擎
https://sf3-fe-tos.pglstatp-toutiao.com/obj/csj-sdk-static/csj_assets/swipe_right.webp	摸瓜V2引擎

https://www.gstarcad.com/	摸瓜V3引擎
https://web.gstarcad.com/yun/N	摸瓜V3引擎
https://hmma.baidu.com/app.gif	摸瓜V3引擎
https://haokan.baidu.com/activity/h5/chaihongbao?productid=2&inviteCode=736CCC5X010&pd=lu&tab=guide&	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_icon_2.png	摸瓜V3引擎
https://www.gstarcad.net/About/privacy-policy	摸瓜V3引擎
http://m.baidu.com	摸瓜V3引擎
http://mobads.baidu.com/ads/index.htm	摸瓜V3引擎
https://cpro.baidustatic.com/cpro/logo/sdk/new-bg-logo.png	摸瓜V3引擎
https://win.gdt.qq.com/win_notice.fcgi?viewid=1	摸瓜V3引擎
https://snowflake.qq.com/ola/v2	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_bg.png	摸瓜V3引擎
https://www.gstarcad.net((Freezing	摸瓜V3引擎
https://data-drru.push.dbankcloud.com	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_icon_4.png	摸瓜V3引擎
https://i.gtimg.cn/ams-web/page-performance/page-performance.min.js?v=1	摸瓜V3引擎
https://mi.gdt.qq.com/	摸瓜V3引擎

http://%s:%d/%s?timestamp=%s&cachefactor=%.2f&sign=%s	摸瓜V3引擎
https://www.gstarcad.net/About/Terms-of-use	摸瓜V3引擎
https://wap.gstarcad.com/mc_201601182.html	摸瓜V3引擎
https://sdk.e.qq.com/launch	摸瓜V3引擎
https://qzs.qq.com/union/res/union_cdn/page/images/loading_2x.gif	摸瓜V3引擎
https://c2.gdt.qq.com/	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/coupon/coupon_default_618.png	摸瓜V3引擎
https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/ams_logo_gray_transparent.png	摸瓜V3引擎
play.googleapis.com	摸瓜V3引擎
https://mobads-logs.baidu.com/brwhis.log	摸瓜V3引擎
https://cpu.baidu.com/block/app/	摸瓜V3引擎
https://mobads.baidu.com/ads/preload.php	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/coupon/flip/coupon_flip_page.json	摸瓜V3引擎
https://www.dwgfastview.com	摸瓜V3引擎
https://mobads-pre-config.cdn.bcebos.com/sdk/splash/mix_interact_slide.json	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_1.json	摸瓜V3引擎
https://mobads-pre-config.cdn.bcebos.com/sdk/splash/mix_interact_shake.json	摸瓜V3引擎

https://union.baidu.com	摸瓜V3引擎
https://yun.gstarcad.com	摸瓜V3引擎
https://mobads-pre-config.cdn.bcebos.com/sdk/feed/slide_all.json	摸瓜V3引擎
http://union.baidu.com/	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm-project	摸瓜V3引擎
https://e.qq.com/dev/index.html	摸瓜V3引擎
https://www.gstarcad.tervezoszoftver.hu	摸瓜V3引擎
http://www.mob.com/policy/en	摸瓜V3引擎
http://hmma.baidu.com/app.gif	摸瓜V3引擎
https://data-drcn.push.dbankcloud.com	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_2.json	摸瓜V3引擎
http://mobads.baidu.com/cpro/ui/mads.php	摸瓜V3引擎
https://www.mob.com	摸瓜V3引擎
http://www.mob.com	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/dynamicBarrage/bd_barrage_emoji	摸瓜V3引擎
https://aden.baidu.com/	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/tools/toolsvideohor.mp4	摸瓜V3引擎
https://web.gstarcad.com/yun/	摸瓜V3引擎

https://auth.snapchat.com/oauth2/api/user.bitmoji.avatar	摸瓜V3引擎
http://127.0.0.1	摸瓜V3引擎
http://cpu-openapi.baidu.com/api/v2/data/novel/detail/ads	摸瓜V3引擎
https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/ams_logo_gray_transparent_fb.png	摸瓜V3引擎
http://mobads-pre-config.cdn.bcebos.com/sdk/iadex/full_iadex.php	摸瓜V3引擎
https://www.gstarcad.net/	摸瓜V3引擎
http://aden.baidu.com/	摸瓜V3引擎
https://www.gstarcad.pl	摸瓜V3引擎
http://www.mob.com/about/policy	摸瓜V3引擎
https://sdk.e.qq.com/activate	摸瓜V3引擎
https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/ams_logo_light_1.png	摸瓜V3引擎
https://mi.gdt.qq.com/gdt_mview.fcgi	摸瓜V3引擎
https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/ams_logo_light_fb.png	摸瓜V3引擎
https://cpu-openapi.baidu.com/api/v2/data/list	摸瓜V3引擎
https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/ams_logo_dark_fw.png	摸瓜V3引擎
https://mobads-pre-config.cdn.bcebos.com/sdk/feed/slide_finger.png	摸瓜V3引擎
www.googleapis.com	摸瓜V3引擎

https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/webview-cover.png	摸瓜V3引擎
https://yun.gstarcad.com/mobile/	摸瓜V3引擎
https://qzs.gdtimg.com/union/res/union_cdn/page/temp_v2/ams_logo_light_fw.png	摸瓜V3引擎
http://m.baidu.com/baidu.php?sc	摸瓜V3引擎
https://github.com/Tencent/vConsole	摸瓜V3引擎
https://xx.xx.xx.xx	摸瓜V3引擎
https://union.eff.qq.com/v2/query/gdtmview	摸瓜V3引擎
https://yun.gstarcad.com/download.8Model	摸瓜V3引擎
https://web.gstarcad.com/yun/J	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_4.json	摸瓜V3引擎
https://render-server.cdn.bcebos.com/static/images/20201231/zhongcao.png	摸瓜V3引擎
https://yun.gstarcad.com/download/L	摸瓜V3引擎
https://data-dre.push.dbankcloud.com	摸瓜V3引擎
https://m.baidu.com/baidu.php?sc	摸瓜V3引擎
https://adsmind.ugdimg.com	摸瓜V3引擎
https://qzonestyle.gtimg.cn/qzone/biz/gdt/mob/sdk/v2/android01/download.html	摸瓜V3引擎
https://web.gstarcad.com/yun/LLCloud	摸瓜V3引擎
https://yun.gstarcad.com/download/	摸瓜V3引擎

https://tdid.m.qq.com?mc=2	摸瓜V3引擎
https://sdk.e.qq.com/mediation?version=2	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_3.json	摸瓜V3引擎
https://web.gstarcad.com/yun/Insufficient	摸瓜V3引擎
https://bes-mtj.baidu.com/auto.gif	摸瓜V3引擎
https://mobads-pre-config.bj.bcebos.com/sdk/bubble/bubble_icon_5.png	摸瓜V3引擎
http://mobads.baidu.com/	摸瓜V3引擎
https://100000189777.retail.n.weimob.com/saas/retail/100000189777/21036777/goods/detail	摸瓜V3引擎
https://mobads-pre-config.cdn.bcebos.com/sdk/splash/bd_splash_shake_lottie_red_package_common.json	摸瓜V3引擎
https://www.gstarcad.com/Terms-of-use	摸瓜V3引擎
https://sdk.e.qq.com/open/v1.1/dns/resolve	摸瓜V3引擎
https://mobads-pre-config.cdn.bcebos.com/tools/lp_hor.jpg	摸瓜V3引擎
https://www.gstarcad.net/About/Terms-of-use--https://www.gstarcad.net/About/privacy-policyJlif	摸瓜V3引擎
https://sdk.e.qq.com/mediation?version=1	摸瓜V3引擎
https://gslb.dingrtc.com	lib/armeabi-v7a/libDingRtc.so
http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time	lib/armeabi-v7a/libDingRtc.so
http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01	lib/armeabi-v7a/libDingRtc.so

http://www.webrtc.org/experiments/rtp-hdrext/playout-delay	lib/armeabi-v7a/libDingRtc.so
http://www.webrtc.org/experiments/rtp-hdrext/video-content-type	lib/armeabi-v7a/libDingRtc.so
http://www.webrtc.org/experiments/rtp-hdrext/video-timing	lib/armeabi-v7a/libDingRtc.so
http://www.alibaba.com/experiments/rtp-hdrext/simulcast_forward_extension	lib/armeabi-v7a/libDingRtc.so
http://www.alibaba.com/experiments/rtp-hdrext/framemarking	lib/armeabi-v7a/libDingRtc.so
http://www.webrtc.org/experiments/rtp-hdrext/generic-frame-descriptor	lib/armeabi-v7a/libDingRtc.so
https://162.14.13.170/v4/ConfigGetSvc/GetOpenSSOIPList	lib/armeabi-v7a/libImSDK.so
http://162.14.3.250/v4/ConfigGetSvc/GetOpenSSOIPList	lib/armeabi-v7a/libImSDK.so
https://119.29.29.99/d?token=353599313	lib/armeabi-v7a/libImSDK.so
http://119.29.29.98/d?id=39662	lib/armeabi-v7a/libImSDK.so
http://162.14.19.114/	lib/armeabi-v7a/libImSDK.so
http://freeimage.sourceforge.net	lib/armeabi-v7a/libgstarcadmc.so
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libgstarcadmc.so
http://www.oasis-open.org/committees/entity/release/1.0/catalog.dtd	lib/armeabi-v7a/libgstarcadmc.so
http://%s:%d%s	lib/armeabi-v7a/libgstarcadmc.so
http://%s%s	lib/armeabi-v7a/libgstarcadmc.so
http://relaxng.org/ns/structure/1.0	lib/armeabi-v7a/libgstarcadmc.so
http://purl.oclc.org/dsdl/schematron	lib/armeabi-v7a/libgstarcadmc.so

http://www.ascc.net/xml/schematron	lib/armeabi-v7a/libgstarcadmc.so
http://web.gstarcad.com/App/login/	lib/armeabi-v7a/libgstarcadmc.so
http://%s:%d%s	lib/armeabi-v7a/libgstarcadvisualize.so
http://www.ascc.net/xml/schematron	lib/armeabi-v7a/libgstarcadvisualize.so
http://freeimage.sourceforge.net	lib/armeabi-v7a/libgstarcadvisualize.so
http://www.oasis-open.org/committees/entity/release/1.0/catalog.dtd	lib/armeabi-v7a/libgstarcadvisualize.so
http://%s%s	lib/armeabi-v7a/libgstarcadvisualize.so
http://opendesign.com/xml/TeighaFormat.xsd	lib/armeabi-v7a/libgstarcadvisualize.so
http://relaxng.org/ns/structure/1.0	lib/armeabi-v7a/libgstarcadvisualize.so
http://purl.oclc.org/dsdl/schematron	lib/armeabi-v7a/libgstarcadvisualize.so
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libgstarcadvisualize.so
https://objectbox.io/sync/	lib/armeabi-v7a/libobjectbox-jni.so

邮箱线索

邮箱地址	所在文件
support.mc@gstarcad.net support_app@gstarcad.com	摸瓜V1引擎
fqn@example.com	lib/armeabi-v7a/libgstarcadmc.so

手机线索

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=CN, ST=shanxi, L=xian, O=GstarCAD, OU=Platform R&D DPT, CN=GstarCAD

签名算法: rsassa_pkcs1v15

有效期自: 2013-05-14 06:31:39+00:00

有效期至: 2038-05-08 06:31:39+00:00

发行人: C=CN, ST=shanxi, L=xian, O=GstarCAD, OU=Platform R&D DPT, CN=GstarCAD

序列号: 0x5191da4b

哈希算法: sha1

md5值: 0f0165bbede60bea50318c4fb59f7caa

sha1值: 7e3013c8475c7ecf4274d2163b73d4a5cfc22d37

sha256值: 8fdce506f048af0e813622bbe20448a49fccd7606808e7b3c00c5634aa03ec5f

sha512值: 53d6d1a0143b611658544e13f320b831bf221c87ae83c4dec744b9ee24f4ac9a48d2ff553d155cf836cb36e8128183806de72d430c42920410fb6f9cca06a229

公钥算法: rsa

密钥长度: 1024

指纹: fc041de2ed116f999d34c27cb0f630da249561f2c8349a27e2fa3596da6e86a4

硬编码敏感信息

可能的敏感信息

"account_user_check_pwd" : "Password validation"

"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."

"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"
"company_account_info_username" : "Contact name"
"mobcommon_authorize_dialog_accept" : "Accept"
"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click accept, if you do not agree with our service policy, please click reject"
"mobcommon_authorize_dialog_reject" : "Reject"
"mobcommon_authorize_dialog_title" : "Terms of Use"
"mobdemo_authorize_dialog_content" : "为了给您提供Mobservice相关产品服务, 请您详细查看我们的隐私政策, 详见http://www.mob.com/about/policy。如您同意我们的隐私政策, 请点击“接受”, 如您不同意我们的隐私政策, 请点击“拒绝”。"
"mobdemo_authorize_dialog_title" : "服务授权"
"privateKeyP2" : "#e\$r"
"security_public_key" : "MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQC8hzUojzHX8jDL+97pqr7CaLiKSsZ0aOES7FucX7vh9PoEDbCKNCTakRXdS5EiurPk3QpvsAGbfyls7JWKm4py9KcldJsZRh9onknVeAVIU++jnrGFGEYfQb8iKzCIN059gYeejBs9mwi7RGU9tj0KHUG659v5sMBxv7zNse3fjQIDAQAB"
"ssdk_cmcc_auth" : "手机认证服务由中国移动提供"

"ssdk_cmcc_login_one_key" : "本机号码一键登录"
"ssdk_instapaper_pwd" : "Password"
"ssdk_weibo_oauth_regiseter" : "Authorization"
"umeng_appkey" : "525f7baa56240b4be0104947"
"umeng_pushSecret" : "f0ea379d112a511a234638810b0030c6"
"webdav_password" : "Password:"
"webdav_username" : "Username:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"
"company_account_info_username" : "Contact name"
"mobcommon_authorize_dialog_accept" : "Accept"

"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click accept, if you do not agree with our service policy, please click reject"
"mobcommon_authorize_dialog_reject" : "Reject"
"mobcommon_authorize_dialog_title" : "Terms of Use"
"mobdemo_authorize_dialog_content" : "In order to provide you with Mobservice related products and services, please check our privacy policy in detail, see detailshttp://www.mob.com/about/policy/en.If you agree with our privacy policy, please click accept. If you disagree with our privacy policy, please click reject."
"mobdemo_authorize_dialog_title" : "service authority"
"ssdk_cmcc_auth" : "Provided by China Mobile"
"ssdk_cmcc_login_one_key" : "PhoneNum Login"
"ssdk_instapaper_pwd" : "Password"
"ssdk_weibo_oauth_regiseter" : "Authorization"
"webdav_password" : "Password:"
"webdav_username" : "Username:"
"account_user_check_pwd" : "密码验证"
"account_user_check_pwd_explain" : "通过“一键登录”和“手机验证码”注册的用户，以及未注册的新用户，均可使用手机号验证方式完成绑定。"
"account_user_login_pwd" : "密码登录"
"cad_cmd_note_guest_user" : "游客"
"cad_cmd_note_media_download_tips3_0" : "成功"
"cad_cmd_note_media_download_tips3_1" : "失败"

"cad_cmd_note_media_download_tips3_1" : "失败"

"chat_cad_user" : "看图王用户"

"chat_is_not_cad_user" : "此用户未使用CAD看图王"

"company_account_info_username" : "联系人姓名"

"ssdk_instapaper_pwd" : "密码"

"ssdk_weibo_oauth_regiseter" : "应用授权"

"umeng_appkey" : "525f7baa56240b4be0104947"

"umeng_pushSecret" : "f0ea379d112a511a234638810b0030c6"

"webdav_password" : "密码:"

"webdav_username" : "用户名:"

"account_user_check_pwd" : "Password validation"

"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."

"account_user_login_pwd" : "Password login"

"cad_cmd_note_guest_user" : "Guest"

"cad_cmd_note_media_download_tips3_0" : "Success"

"cad_cmd_note_media_download_tips3_1" : "Fail"

"chat_cad_user" : "DWG FastView user"

"chat_is_not_cad_user" : "This user has not used DWG FastView"

"company_account_info_username" : "Contact name"

"webdav_password" : "パスワード: "

"webdav_username" : "ユーザ名: "

"account_user_check_pwd" : "Password validation"

"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."

"account_user_login_pwd" : "Password login"

"cad_cmd_note_guest_user" : "Guest"

"cad_cmd_note_media_download_tips3_0" : "Success"

"cad_cmd_note_media_download_tips3_1" : "Fail"

"chat_cad_user" : "DWG FastView user"

"chat_is_not_cad_user" : "This user has not used DWG FastView"

"company_account_info_username" : "Contact name"

"webdav_password" : "Passwort:"

"webdav_username" : "Benutzername:"

"account_user_check_pwd" : "Password validation"

"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."

"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "Người dùng DWG FastView"
"chat_is_not_cad_user" : "Người dùng này chưa sử dụng DWG FastView"
"company_account_info_username" : "Tên Liên lạc"
"webdav_password" : "Mật khẩu :"
"webdav_username" : "Tên tài khoản :"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"

"company_account_info_username" : "Contact name"
"webdav_password" : "Heslo:"
"webdav_username" : "Uživatelské jméno:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "Użytkownik DWG FastView"
"chat_is_not_cad_user" : "Ten użytkownik nie używał DWG FastView"
"company_account_info_username" : "Nazwa kontaktowa"
"webdav_password" : "Hasło:"
"webdav_username" : "Nazwa użytkownika:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"

"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView 사용자"
"chat_is_not_cad_user" : "이 사용자는 DWG FastView를 사용한 적이 없습니다"
"company_account_info_username" : "연락처 이름"
"webdav_password" : "비밀번호"
"webdav_username" : "사용자명"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"
"company_account_info_username" : "Contact name"

"webdav_password" : "Mot de passe:"
"webdav_username" : "Nom de l'utilisateur:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView kullanıcısı"
"chat_is_not_cad_user" : "Bu kullanıcı DWG FastView kullanmadı"
"company_account_info_username" : "Kişi adı"
"webdav_password" : "Parola:"
"webdav_username" : "Kullanıcı adı:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"

"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"
"company_account_info_username" : "Contact name"
"webdav_password" : "Heslo:"
"webdav_username" : "Uživatelské jméno:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "Usuario de DWG FastView"
"chat_is_not_cad_user" : "Este usuario no ha utilizado DWG FastView"
"company_account_info_username" : "Nombre de contacto"
"webdav_password" : "Clave:"

"webdav_username" : "Nombre de usuario:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"
"company_account_info_username" : "Contact name"
"webdav_password" : "Parola d'ordine:"
"webdav_username" : "Nome utente:"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"

"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "DWG FastView user"
"chat_is_not_cad_user" : "This user has not used DWG FastView"
"company_account_info_username" : "Contact name"
"webdav_password" : "Jelszó"
"webdav_username" : "Felhasználónév"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "Пользователь DWG FastView"
"chat_is_not_cad_user" : "Этот пользователь не использовал DWG FastView"
"company_account_info_username" : "Имя контакта"
"webdav_password" : "Пароль:"
"webdav_username" : "Имя пользователя:"
"account_user_check_pwd" : "密碼驗證"

"account_user_check_pwd" : "密碼驗證"
"account_user_check_pwd_explain" : "通過“一鍵登錄”和“手機驗證碼”註冊的用戶，以及未註冊的新用戶，均可使用手機號驗證方式完成綁定。"
"account_user_login_pwd" : "密碼登錄"
"cad_cmd_note_guest_user" : "遊客"
"cad_cmd_note_media_download_tips3_0" : "成功"
"cad_cmd_note_media_download_tips3_1" : "失敗"
"chat_cad_user" : "看圖王用戶"
"chat_is_not_cad_user" : "此用戶未使用CAD看圖王"
"company_account_info_username" : "聯系人姓名"
"webdav_password" : "密碼:"
"webdav_username" : "用戶名:"
"account_user_check_pwd" : "密碼驗證"
"account_user_check_pwd_explain" : "通過“一鍵登錄”和“手機驗證碼”註冊的用戶，以及未註冊的新用戶，均可使用手機號驗證方式完成綁定。"
"account_user_login_pwd" : "密碼登錄"
"cad_cmd_note_guest_user" : "遊客"
"cad_cmd_note_media_download_tips3_0" : "成功"
"cad_cmd_note_media_download_tips3_1" : "失敗"
"chat_cad_user" : "看圖王用戶"

"chat_is_not_cad_user" : "此用戶未使用CAD看圖王"
"company_account_info_username" : "聯系人姓名"
"webdav_password" : "密碼:"
"webdav_username" : "用戶名:"
"mobcommon_authorize_dialog_accept" : "同意"
"mobcommon_authorize_dialog_content" : "为了给您提供Mobservice相关产品服务, 请您详细查看我们的隐私政策, 详见 http://www.mob.com/policy/zh。如您同意我们的隐私政策," td="" 如您不同意我们的隐私政策,="" 请点击“拒绝”。"<="" 请点击“接受”,="">
"mobcommon_authorize_dialog_reject" : "拒绝"
"mobcommon_authorize_dialog_title" : "服务授权"
"account_user_check_pwd" : "Password validation"
"account_user_check_pwd_explain" : "Users registered through one-click login and mobile phone verification code, as well as new unregistered users, can use mobile phone number verification to complete the binding."
"account_user_login_pwd" : "Password login"
"cad_cmd_note_guest_user" : "Guest"
"cad_cmd_note_media_download_tips3_0" : "Success"
"cad_cmd_note_media_download_tips3_1" : "Fail"
"chat_cad_user" : "Usuário DWG FastView"
"chat_is_not_cad_user" : "Este usuário não utilizou o DWG FastView"
"company_account_info_username" : "Nome do contato"

"webdav_password" : "Senha:"

"webdav_username" : "Nome de usuário:"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

android.permission.ACCESS_DOWNLOAD_MANAGER	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像

android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
com.gstarmc.android.permission.KW_SDK_BROADCAST	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.gstarmc.android.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.gstarmc.android.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
com.gstarmc.android.openadsdk.permission.TT_PANGOLIN	未知	Unknown permission	Unknown permission from android reference

android.permission.EXPAND_STATUS_BAR	正常	展开/折叠状态栏	允许应用程序展开或折叠状态栏
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。

com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
com.vivo.sdkplugin.provider.smartchannel.READ_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
com.gstarmc.android.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.gstarmc.android.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.gstarmc.android.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference

应用内通信

--	--	--	--

活动(ACTIVITY)	通信(INTENT)
com.stone.app.ui.activity.AppTransparentDistributeActivity	<p>Schemes: file://, content://, http://, https://, Hosts: *, Mime Types: */*, application/octet-stream, application/bin, application/dwg, application/ocf, application/dxf, application/acad, application/autocad, application/x-dwg, application/x-ocf, application/x-dxf, application/x-dwt, application/x-dws, application/x-acad, application/x-autocad, application/autocad_dwg, image/vnd.dwg, image/vnd.dxf, image/vnd.dwf, image/vnd.dwt, image/vnd.dws, image/vnd.ocf, image/x-dwg, image/x-dxf, image/x-dwf, image/x-dwt, image/x-dws, image/x-ocf, application/pdf, application/x-pdf, application/rar, application/zip, application/7z, application/rvt, application/vnd.asm, application/vnd.prt, application/vnd.asm.*, application/vnd.prt.*, application/x-asm, application/x-prt, application/x-asm.*, application/x-prt.*, image/vnd.asm, image/vnd.prt, image/vnd.asm.*, image/vnd.prt.*, image/x-asm, image/x-prt, image/x-asm.*, image/x-prt.*, model/*, */prt, */rvt, */stl, application/vnd.ms-pki.stl, application/vnd.ms-pki.prt, application/3dxml, application/sat, application/sab, application/model, application/catpart, application/cgr, application/ifc, application/igs, application/iges, application/ipt, application/iam, application/jt, application/prt, application/obj, application/x_t, application/x_b, application/3dm, application/par, application/asm, application/psm, application/sldprt, application/sldasm, application/stp, application/step, application/stl, application/vda, application/catproduct, application/RVT, application/3DXML, application/SAT, application/SAB, application/MODEL, application/CATPart, application/CGR, application/IFC, application/IGS, application/IGES, application/IPT, application/IAM, application/JT, application/PRT, application/OBJ, application/X_T, application/X_B, application/3DM, application/PAR, application/ASM, application/PSM, application/SLDPRT, application/SLDASM, application/STP, application/STEP, application/STL, application/VDA, application/CATProduct, application/1, application/2, application/3, application/4, application/5, application/6, application/7, application/8, application/9, application/10, application/11, application/12, application/13, application/14, application/15, application/16, application/17, application/18, application/19, application/20, application/21, application/22, application/23, application/24, application/25, application/26, application/27, application/28, application/29, application/30, Path Patterns: *.**.*.dwg, *.**.*.dwg, *.**.*.dwg, *.*.dwg, *.dwg, *.**.*.DWG, *.**.*.DWG, *.**.*.DWG, *.*.DWG, *.DWG, *.**.*.ocf, *.**.*.ocf, *.**.*.ocf, *.*.ocf, *.ocf, *.**.*.OCF, *.**.*.OCF, *.**.*.OCF, *.*.OCF, *.OCF, *.**.*.dxf, *.**.*.dxf, *.**.*.dxf, *.*.dxf, *.dxf, *.**.*.DXF, *.**.*.DXF, *.**.*.DXF, *.*.DXF, *.DXF, *.**.*.dwt, *.**.*.dwt, *.**.*.dwt, *.*.dwt, *.dwt, *.**.*.DWT, *.**.*.DWT, *.**.*.DWT, *.*.DWT, *.DWT, *.**.*.dws, *.**.*.dws, *.**.*.dws, *.*.dws, *.dws, *.**.*.DWS, *.**.*.DWS, *.**.*.DWS, *.*.DWS, *.DWS, *.**.*.pdf, *.**.*.pdf, *.**.pdf, *.*.pdf, *.pdf, *.**.*.PDF, *.**.*.PDF, *.**.PDF, *.*.PDF, *.PDF, *.**.*.rar, *.**.*.rar, *.**.rar, *.*.rar, *.rar, *.**.*.RAR, *.**.*.RAR, *.**.RAR, *.*.RAR, *.RAR, *.**.*.zip, *.**.*.zip, *.**.zip, *.*.zip, *.zip, *.**.*.ZIP, *.**.*.ZIP, *.**.ZIP, *.*.ZIP, *.ZIP, *.**.*.7z, *.**.*.7z, *.**.7z, *.*.7z, *.7z, *.**.*.7Z, *.**.*.7Z, *.**.7Z, *.*.7Z, *.7Z, *.rvt, *.rvt, *.**.rvt, *.**.rvt, *.**.rvt, *.*.RVT, *.RVT, *.**.RVT, *.**.RVT, *.**.RVT, *.*.RVT, *.RVT, *.**.*.RVT, *.**.*.RVT, *.**.RVT, *.*.RVT, *.RVT, *.**.*.prt, *.**.*.prt, *.**.prt, *.*.prt, *.prt, *.**.*.prt, *.**.*.prt, *.**.prt, *.*.prt, *.prt, *.**.*.prt, *.**.*.prt, *.**.prt, *.*.prt, *.prt</p>

com.stone.app.ui.activity.LoginGoogleDriveActivity	Schemes: http://, Hosts: 127.0.0.1, Ports: 9004,
com.stone.app.ui.activity.LoginBoxDriveActivity	Schemes: https://, Hosts: dwgfastview.com,
com.stone.app.ui.activity.LoginBaiduDriveActivity	Schemes: https://, Hosts: dwgfastview.com,
com.stone.app.ui.activity.LoginDropBoxDriveActivity	Schemes: http://, Hosts: localhost, Ports: 3000,
cn.sharesdk.tencent.qq.ReceiveActivity	Schemes: tencent101423414://,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。