



MoGua

AcFun 6.77.0.1305.APK 分析报告



APP名称:	AcFun
包名:	tv.acfundanmaku.video
域名线索:	188条
URL线索:	123条
邮箱线索:	5条
分析日期:	2025年6月18日
分析平台:	摸瓜APK反编译平台

📁 文件信息

文件名: AcFun-acfunh5-release-6.77.0.1305_x64_e22a56.apk
文件大小: 98.43MB
MD5值: c617bacf3c3038a8b67971a57ae22a56
SHA1值: 135ee9a4af52c75ccd7f78975b88d8422ce54ad1
SHA256值: a6147fd6bd9b9497451678303ab3d0f5d573d2698842d1ac2d3b1e68f7f141dd

i APP 信息

App名称: AcFun
包名: tv.acfundanmaku.video
主活动Activity: tv.acfun.core.module.splash.SplashActivity
安卓版本名称: 6.77.0.1305
安卓版本: 1305

🔍 域名线索

域名	服务器信息
grs.dbankcloud.asia	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
id-card.ksapisrv.com	IP: 103.102.202.109 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
gist.github.com	IP: 203.98.7.65 所属国家: New Zealand 地区: Auckland 城市: Auckland 纬度: -36.866669 经度: 174.766663

openapi.alipay.com	IP: 110.75.231.202 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
sixinpic.kuaishou.com	IP: 103.102.202.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
squ.re	IP: 67.199.248.12 所属国家: United States of America 地区: New York 城市: New York City 纬度: 40.750134 经度: -73.997009
kycwa.tencentcloudapi.com	IP: 42.193.129.64 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
play.google.com	IP: 8.7.198.46 所属国家: United States of America 地区: Louisiana 城市: Monroe 纬度: 32.548328 经度: -92.045235
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
push.staging.kuaishou.com	没有服务器地理信息。
mcgw.alipay.com	IP: 27.221.79.16 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

csc.m.kuaishou.com	IP: 103.107.217.26 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
acfunapi.gifshow.com	IP: 103.102.202.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
push.gifshow.com	IP: 103.107.217.28 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
kspay-staging.test.gifshow.com	IP: 103.102.202.93 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
mgw.mpaas.cn-hangzhou.aliyuncs.com	IP: 47.118.173.135 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
acfun-inner-passport.corp.kuaishou.com	没有服务器地理信息.
widget.weibo.com	IP: 123.125.107.13 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
sl.hpplay.cn	IP: 1.14.243.133 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wap.cmpassport.com	IP: 120.232.169.168 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
store-drru.hispace.hicloud.com	IP: 159.138.201.153 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
pingma.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
activity.acfun.cn	IP: 60.213.135.89 所属国家: China 地区: Shandong 城市: Tai'an 纬度: 36.185280 经度: 117.120003
bdmov.a.yximgs.com	IP: 218.60.15.150 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
shenwu.test.gifshow.com	IP: 103.102.202.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
hd.acfun.cn	IP: 103.107.217.26 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
zt.staging.internal	没有服务器地理信息.
	IP: 60.210.10.130 所属国家: China 地区: Shandong

www.lebo.cn	城市: Zibo 纬度: 36.790775 经度: 118.063354
register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
msv6.wosms.cn	IP: 123.125.99.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
code.google.com	IP: 142.251.215.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
xml.org	IP: 104.239.142.8 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
txmov2.a.yximgs.com	IP: 60.28.220.146 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
feedback-preview.test.gifshow.com	IP: 103.102.202.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.eu	没有服务器地理信息。
image.cnamedomain.com	没有服务器地理信息。
vipimdns.hpplay.cn	IP: 1.14.243.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

beian.mit.gov.cn	IP: 119.39.205.85 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
m.acfun.cn	IP: 60.213.135.88 所属国家: China 地区: Shandong 城市: Tai'an 纬度: 36.185280 经度: 117.120003
cs.android.com	IP: 142.250.69.206 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
tdid.m.qq.com	IP: 60.29.239.156 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
pop.yuncloudauth.com	IP: 106.11.232.51 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.kuaishoupay.com	IP: 103.102.202.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cloudauth-dualstack.aliyuncs.com	IP: 106.11.172.8 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

acfun.cn	IP: 39.107.236.43 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.sec.co.kr	IP: 112.106.187.200 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.566311 经度: 126.977203
loggw-exsdk.alipay.com	IP: 110.76.6.71 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
config.cmpassport.com	IP: 112.33.111.251 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
jsmov2.a.yximgs.com	IP: 125.39.113.1 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
cn.register.xmpush.xiaomi.com	IP: 123.125.102.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
zt-drm.test.gifshow.com	IP: 103.102.202.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.weibo.cn	IP: 123.125.107.17 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980

zt-idcardweb.staging.kuaishou.com	没有服务器地理信息.
zt.test.gifshow.com	IP: 103.102.202.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
report.m.zt.kuaishou.com	IP: 103.102.202.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
open.kuaishou.com	IP: 103.102.202.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
android.googleusercontent.com	IP: 142.250.99.82 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cdnauth2.hpplay.cn	IP: 218.24.90.145 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
open.e.189.cn	IP: 42.123.76.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

wappaygw.alipay.com	IP: 27.221.79.16 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
auth.yunverify.com	IP: 106.11.232.51 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
47.112.113.131	IP: 47.112.113.131 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
store-at-dre.hispacedbankcloud.com	没有服务器地理信息.
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.acfun.cn	IP: 39.105.227.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
cloudauth.cn-beijing.aliyuncs.com	IP: 8.141.244.36 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
login.imgcache.qq.com	IP: 116.131.226.159 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
kyccdn.tencentcloudapi.com	IP: 221.204.16.133 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
app.sina.cn	IP: 116.133.8.61 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
wspeed.qq.com	没有服务器地理信息.
idasc-kyc-test.tencentcloudapi.com	IP: 123.207.114.133 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
meeting.hpplay.cn	IP: 1.14.243.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
conf.hpplay.cn	IP: 1.14.243.88 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobile.app.acfun.cn	IP: 39.105.227.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
miniprogram-kyc-test.tencentcloudapi.com	IP: 123.207.114.133 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
store1.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
	IP: 116.130.229.204 所属国家: China 地区: Beijing

fusion.qq.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
miniprogram-kyc.tencentcloudapi.com	IP: 193.112.232.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
sec-cdn.gifshow.com	IP: 103.102.202.121 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
devicemgr.hpplay.cn	IP: 1.14.243.171 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
issuetracker.google.com	IP: 142.250.217.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
resolver.msg.xiaomi.net	IP: 111.206.174.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
api.xmpush.xiaomi.com	IP: 123.125.102.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 121.36.117.149 所属国家: China 地区: Beijing

grs.dbankcloud.cn	城市: Beijing 纬度: 39.907501 经度: 116.397102
imgs.aixifan.com	IP: 124.95.190.102 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
grs.dbankcloud.com	IP: 113.201.107.90 所属国家: China 地区: Shaanxi 城市: Baoji 纬度: 34.353611 经度: 107.375275
service.weibo.com	IP: 116.133.8.19 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
zt.gifshow.com	IP: 103.107.217.29 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h5.m.taobao.com	IP: 125.39.61.121 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
huatuocode.huatuo.qq.com	没有服务器地理信息.
m-acfun-cn.staging.kuaishou.com	没有服务器地理信息.
cgi.qplus.com	没有服务器地理信息.
zt.media.staging.internal	没有服务器地理信息.
d2.static.yximgs.com	IP: 218.24.90.186 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877

192.168.8.230	IP: 192.168.8.230 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
log1.cmpassport.com	IP: 36.138.255.61 所属国家: China 地区: Gansu 城市: Lanzhou 纬度: 36.056690 经度: 103.792221
collect.ux.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
feedback.m.acfun.cn	IP: 103.102.202.125 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
upmov.a.yximgs.com	IP: 101.72.217.227 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
zt-custom-service-api.gifshow.staging.internal	没有服务器地理信息.
api.kwaizt.com	IP: 42.56.87.239 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877

oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.232 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
kste.ksapisrv.com	IP: 103.102.202.85 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
open.weibo.cn	IP: 202.108.0.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apipc.app.acfun.cn	IP: 39.106.233.111 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
store3.hispace.hicloud.com	IP: 23.212.110.145 所属国家: Czechia 地区: Praha, Hlavní mesto 城市: Prague 纬度: 50.087936 经度: 14.420798
onekey1.cmpassport.com	IP: 112.33.110.15 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
purl.org	IP: 207.241.225.157 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.781734 经度: -122.459435

mclient.alipay.com	IP: 124.95.172.71 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
mta.oa.com	IP: 141.144.196.217 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
resolver.msg.global.xiaomi.net	IP: 34.36.192.126 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
txdwkmov.a.yximgs.com	IP: 101.28.255.94 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
m.weibo.cn	IP: 123.125.107.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cloudauth.aliyuncs.com	IP: 106.11.232.51 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
idasc-kyc.tencentcloudapi.com	IP: 193.112.232.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgi.connect.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 1.14.243.54

vosdkauth.hpplay.cn	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cdnauth1.hpplay.cn	IP: 218.24.90.145 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
ulog-sdk.gifshow.com	IP: 103.102.202.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dev.to	IP: 151.101.130.217 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
cdn.aixifan.com	IP: 101.72.221.223 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
paygw-web.test.gifshow.com	IP: 103.102.202.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
kycwa-test.tencentcloudapi.com	IP: 42.194.142.11 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
uat.hpplay.cn	IP: 47.112.158.161 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
store2.hispac.hicloud.com	IP: 3.166.228.94 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
	IP: 103.102.202.144

beta-api.gifshow.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
hpplay.cdn.cibn.cc	IP: 60.221.222.1 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
misdkauth.hpplay.cn	IP: 1.14.243.54 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
weibo.com	IP: 123.125.107.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
shop213417608.taobao.com	IP: 59.82.29.204 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
personalkingcard.3g.qq.com	IP: 60.28.172.176 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
square.github.io	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
www.cmpassport.com	IP: 112.33.110.15 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
id.app.acfun.cn	IP: 39.105.227.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 203.209.243.98

mobilegw.alipay.com	所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
render.alipay.com	IP: 119.167.250.244 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
pin.hpplay.cn	IP: 1.14.243.163 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cloudauth-dualstack.cn-beijing.aliyuncs.com	IP: 39.97.154.8 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
oss.aliyuncs.com	IP: 118.178.29.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
txwk.10010.com	IP: 218.24.90.147 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
ssdkauth.hpplay.cn	IP: 1.14.243.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
app.m.kuaishou.com	IP: 103.102.202.106 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 20.205.243.166

github.com	所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.m-eid.cn	IP: 27.115.105.153 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
adeng.hpplay.cn	IP: 1.14.243.52 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
oss-cn-.aliyuncs.comor	没有服务器地理信息.
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
open.weixin.qq.com	IP: 140.207.176.25 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
hwmov.a.yximgs.com	IP: 121.17.252.203 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
api.kuaishouzt.com	IP: 116.136.162.28 所属国家: China 地区: Nei Mongol 城市: Hohhot 纬度: 40.810650 经度: 111.650665
api.weibo.com	IP: 123.125.107.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
schemas.xmlsoap.org	IP: 13.107.246.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903

live.acfun.cn	IP: 60.213.135.85 所属国家: China 地区: Shandong 城市: Tai'an 纬度: 36.185280 经度: 117.120003
weibo.cn	IP: 116.133.8.18 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
zt-basic-drm.kuaishou.com	IP: 103.102.202.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
logu.hpplay.cn	IP: 47.106.59.179 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
vipgs1b.hpplay.cn	IP: 1.14.243.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
ali2.a.yximgs.com	IP: 221.194.162.228 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
mobilegw.dl.alipaydev.com	IP: 110.75.132.25 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

id-card.gifshow.com	IP: 103.102.202.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
norma-external-collect.meizu.com	IP: 183.60.176.112 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
open.test.gifshow.com	IP: 103.102.202.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

🌐 URL线索

URL信息	Url所在
https://kste.ksapisrv.com/rest/kste/bcupdate	a/a/a/a/t
https://kste.ksapisrv.com/rest/kste/startupconfig	a/a/a/a/t
https://kste.ksapisrv.com/rest/kste/report	a/a/a/a/t
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/t
https://collect.ux.21cn.com/collect/custom/accountMsg	cn/com/t
https://XXXX	cn/eid/m
https://XXXX	cn/eid/m
http://www.m-eid.cn/emss/spl.jsp	cn/eid/m
https://ip.	com/alib
http://oss-cn-****.aliyuncs.com',or	com/alib
http://image.cnamedomain.com'!	com/alib
http://oss-cn-hangzhou.aliyuncs.com	com/alib
http://oss.aliyuncs.com	com/alib
http://127.0.0.1	com/alib
http://oss-cn-****.aliyuncs.com',or	com/alib
http://image.cnamedomain.com'!	com/alib

https://mgw.mpaas.cn-hangzhou.aliyuncs.com	com/alip
https://mobilegwpre.alipay.com/mgw.htm	com/alip
https://mobilegw.alipay.com/mgw.htm	com/alip
https://mobilegw.alipay.com/mgw.htm	com/alip
https://mobilegw.alipaydev.com/mgw.htm	com/alip
https://mobilegw.dl.alipaydev.com/mgw.htm	com/alip
https://mcgw.alipay.com/sdklog.do	com/alip
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alip
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alip
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alip
https://h5.m.taobao.com/mlapp/olist.html	com/alip
https://render.alipay.com/p/s/i/?scheme=%s	com/alip
https://wappaygw.alipay.com/service/rest.htm	com/alip
http://wappaygw.alipay.com/service/rest.htm	com/alip
https://mclient.alipay.com/service/rest.htm	com/alip
http://mclient.alipay.com/service/rest.htm	com/alip
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alip
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alip
https://mclient.alipay.com/cashier/mobilepay.htm	com/alip
http://mclient.alipay.com/cashier/mobilepay.htm	com/alip
https://log1.cmpassport.com:9443/log/logReport	com/cmi
https://onekey1.cmpassport.com/unisdk	com/cmi
http://www.cmpassport.com/unisdk	com/cmi
http://www.cmpassport.com/unisdk	com/cmi
https://config.cmpassport.com/client/uniConfig	com/cmi
https://config.cmpassport.com/client/uniConfig	com/cmi
https://cloudauth-dualstack.aliyuncs.com	com/dtf/
https://cloudauth.aliyuncs.com	com/dtf/

https://cloudauth-dualstack.cn-beijing.aliyuncs.com	com/dtf/
https://cloudauth.cn-beijing.aliyuncs.com	com/dtf/
https://auth.yunverify.com	com/dtf/
https://pop.yuncloudauth.com	com/dtf/
http://purl.org/dc/elements/1.1/	com/hpf
http://www.sec.co.kr/	com/hpf
https://www.lebo.cn/DTDs/PropertyList-1.0.dtd	com/hpf
http://apache.org/xml/features/nonvalidating/load-external-dtd	com/hpf
http://xml.org/sax/features/external-general-entities	com/hpf
http://xml.org/sax/features/external-parameter-entities	com/hpf
http://schemas.xmlsoap.org/soap/encoding/	com/hpf
http://schemas.xmlsoap.org/soap/envelope/	com/hpf
https://uat.hpplay.cn:90/Author/PhoneAuthor?	com/hpf
https://uat.hpplay.cn:1001/Author/PhoneAuthor?	com/hpf
https://uat.hpplay.cn:1002/Author/PhoneAuthor?	com/hpf
http://47.112.113.131:81/Author/PhoneAuthor?	com/hpf
https://misdkauth.hpplay.cn/Author/PhoneAuthor?	com/hpf
https://vosdkauth.hpplay.cn/Author/PhoneAuthor?	com/hpf
https://ssdkauth.hpplay.cn/Author/PhoneAuthor?	com/hpf
https://cdnauth1.hpplay.cn/Author/PhoneAuthor?	com/hpf
https://cdnauth2.hpplay.cn/Author/PhoneAuthor?	com/hpf
http://hpplay.cdn.cibn.cc/release/out/weixin.html	com/hpf
https://pin.hpplay.cn	com/hpf
http://sl.hpplay.cn	com/hpf
https://vipgslb.hpplay.cn	com/hpf
https://devicemgr.hpplay.cn	com/hpf
https://vipmdns.hpplay.cn	com/hpf
https://adeng.hpplay.cn	com/hpf

http://192.168.8.230:8000	com/hpf
http://conf.hpplay.cn:88	com/hpf
http://%s:%s/www.hpplay.com.cn/tv/app/DnsTxtInfo	com/hpf
https://logu.hpplay.cn:8856	com/hpf
https://meeting.hpplay.cn	com/hpf
https://logu.hpplay.cn:8868	com/hpf
http://hpplay.cdn.cibn.cc/release/out/weixin.html?	com/hpf
http://xml.org/sax/features/namespaces	com/hua
http://xml.org/sax/features/validation	com/hua
http://xml.org/sax/features/namespaces	com/hua
http://xml.org/sax/features/namespace-prefixes	com/hua
http://xml.org/sax/features/validation	com/hua
http://xml.org/sax/features/external-general-entities	com/hua
http://xml.org/sax/features/external-parameter-entities	com/hua
http://xml.org/sax/features/string-interning	com/hua
http://xmlpull.org/v1/doc/features.html	com/hua
https://zt-drm.test.gifshow.com/rest/zt/basic/drm/getMainKeyByToken	com/kua
https://zt-basic-drm.kuaishou.com/rest/zt/basic/drm/getMainKeyByToken	com/kua
https://open.kuaishou.com	com/kwz
https://open.test.gifshow.com	com/kwz
https://sixinpic.kuaishou.com/rest/v2/app/download?resourceId=	com/kwz
https://ali2.a.yximgs.com/bs2/privateMessageImage/	com/kwz
https://zt.test.gifshow.com	com/kwz
http://zt-custom-service-api.gifshow.staging.internal	com/kwz
https://zt.gifshow.com	com/kwz
https://api.kuaishouzt.com/	com/kwz
https://api.kwaizt.com/	com/kwz
http://zt.staging.internal/	com/kwz

http://zt.test.gifshow.com	com/kwz
http://ulog-sdk.gifshow.com	com/kwz
http://jsmov2.a.yximgs.com/ksc1/cY3el-kVVbl-KVGT7SszwrfuBX7_qgAZewxmrMDda3rBsl5JO7428qG-4XJgC3uOttw0wRb9zdhJCfjMWf5p8Xf1kdNyqa0vL32s2bwyUvapBPx28ckn09MZuMuPOtp_Aw9s1V_br8vgSxq0dr2nsuS5ZDzzj6vdLqQbdbPwkoqQ4R0GA82wQmjUBJ_gsvj.mp4?tag=1-1601362661-h-0-6ep2lnvmgk-525567aa990ddb11&type=hot&tt=hd19&di=79cea5c5&bp=10111	com/kwz
http://jsmov2.a.yximgs.com/ksc1/Kys86i1OQ_yRuVhgT_VXLe0kaBZmVv2sjvFz-euvHsblHeeg40Jd8mVkJHmVtpg4JjupCE9CIHqE9Qf4GPBPd5cDyyF_lzCfMhgdlNGzjgS0s7uh1YrOvg34Iz94C9Cs3PN1cbTL5rgVGoISLmwr7Pxd36kjjcYoH-uQmHTdKsh-3yVlBmYkdfFas2g91Lj_E.mp4?tag=1-1601363137-f-0-nv0cv05sag-be1b981e9a47d6b5&tt=h1kxpx1&di=1bbcbcb1&bp=13311	com/kwz
http://txmov2.a.yximgs.com/ksc1/u76hVzZBDbCiyXOGiBLinogVgpgovkCYi8Q9WTUyz6owgHLZEt2LrlWZgrHT_aBFNURJ1TUT_cDmnH5mGuxipFBZhHC9D5TOgmjUOxh35hs6-PWdpXKZ_AbbI9dyY6mArAh3aVDA6Xd7M6apuqzOI07As4yxTT4taADuaLTBJkSozWJZAVqOWA-NtxnA2BWY.mp4?tag=1-1601363233-f-0-ueky4bdgijy-47eb9513a66402f4&tt=swft&di=70fff85c&bp=10101	com/kwz
http://hwmov.a.yximgs.com/ksc1/WBdBFXJpoFIC28HSEt9r4o0vG5IHfXjgR0HDz7Vdi-fBFpihg8wzqu7-q0M73b06Gijrs3coBXGhSxwd2MfBUACAC4o5J_C_xhVroglBZ_6oGewO6KNLc7glGRRK1p3wglHOpdK5o42nHclcQBPlzK-NoxYpkwRVLp3I2VY8rT_cKnctmpUbc8hFBnN_QcC.mp4?tag=1-1601363074-bs-0-msd0qyburi-60e35511a9e344fa&tt=swft&di=7b0c3f4e&bp=10331	com/kwz
http://upmov.a.yximgs.com/upic/2020/09/29/12/BMJAyMDA5MjKxMjE3NThfMjlyNjc3NzI0XzM2NzgXNjY1NDY5XzFmFw==_swft_B43d9c208d2f3b0dbfb97a573e224eca0.mp4?tag=1-1601362813-h-0-bf88hkaow6-b0655034752c7495&tt=swft&di=75bcd8b8&bp=10051	com/kwz
http://bdmov.a.yximgs.com/ksc1/G3rUR4pQo3tbEFiu_JJGWhw29HQZXV3sKOGoxeMKhxoJBFW7jgyxtCcTmZlZQphXPqCx7AFeLbZK7EtIdXHE90kly76GLth8ipscjbXVI9CNljt2ZQCQoe_KmGcmbejklFf9NifJCdaCPXzL3vVF6vBj781C4E5IBxPDUfk0nKtZz3KYHbUcGisThN8gX9gL.mp4?tag=1-1601363187-h-0-bqcrkoxs7z-24f9a2818806a38d&tt=hd19&di=7b0561c1&bp=10112	com/kwz
http://txdwkmov.a.yximgs.com/upic/2020/09/22/17/BMJAyMDA5MjlxNzA2NTJfMTg0OTAwMjUwM18zNjQ1NjA4Njc3MV8xXzM=_hhe3_Bed7278f53cd627cc6442ca9f4ab8040c.mp4?tag=1-1601363188-h-0-73cbsvkfrw-583bd65cc4710cc0&tt=hhe3&di=da1a370d&bp=10231	com/kwz
http://beta-api.gifshow.com/rest/n/cdn/allCdnUrls?photoid=38983844092	com/kwz
http://shenwu.test.gifshow.com/rest/n/cdn/allCdnUrls?photoid=38983844092	com/kwz
http://zt.media.staging.internal	com/kwz
https://zt.gifshow.com	com/kwz
https://d2.static.yximgs.com/udata/pkg/yoda-test/yoda-debugger/yoda_debugger_inject.js')\n	com/kwz
https://api-push.meizu.com/garcia/api/client/	com/mei
https://api-push.in.meizu.com/garcia/api/client/	com/mei
https://api-push.meizu.com/garcia/api/client/log/upload	com/mei
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/mei
https://api-push.in.meizu.com	com/mei
https://api-push.meizu.com	com/mei
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/mei
https://norma-external-collect.meizu.com/push/android/external/add.do	com/mei
http://xmlpull.org/v1/doc/features.html	com/san
http://service.weibo.com/share/mobilesdk.php	com/sin
http://service.weibo.com/share/mobilesdk_uppic.php	com/sin
https://api.weibo.com/2/proxy/darwin/graph/game/	com/sin

http://widget.weibo.com/invitation/app.php?	com/sina
http://widget.weibo.com/invitation/appinfo.php?	com/sina
http://widget.weibo.com/distribution/socail_comments_sdk.php	com/sina
http://widget.weibo.com/relationship/followsdk.php	com/sina
https://api.weibo.com/2/friendships/show.json	com/sina
http://app.sina.cn/appdetail.php?appID=84560	com/sina
https://api.weibo.com/oauth2/access_token	com/sina
https://api.weibo.com/2/statuses/repost.json	com/sina
https://api.weibo.com/2/statuses/update.json	com/sina
https://api.weibo.com/2/statuses/upload.json	com/sina
https://open.weibo.cn/oauth2/authorize?	com/sina
http://weibo.cn/dpool/ttt/maps.php?xy=%s,%s&size=320x320&offset=%s	com/sina
http://weibo.cn/dpool/ttt/maps.php?xy=%s,%s&size=320x320&offset=%s	com/sina
http://api.weibo.com/oauth2/sms_authorize/send	com/sina
http://api.weibo.com/oauth2/sms_authorize/submit	com/sina
http://m.weibo.cn/reg/privacyagreement?from=h5&wm=3349	com/sina
http://weibo.cn/dpool/ttt/h5/regagreement.php?from=h5	com/sina
http://weibo.cn/dpool/ttt/h5/regagreement.php?from=h5&lang=	com/sina
http://m.weibo.cn/reg/privacyagreement?from=h5&wm=3349&lang=	com/sina
https://api.weibo.com/oauth2/getaid.json	com/sina
http://api.weibo.cn/2/client/common_config	com/sina
https://android.bugly.qq.com/rqd/async	com/ten
https://astat.bugly.qcloud.com/rqd/async	com/ten
https://astat.bugly.cros.wr.pvp.net:8180/rqd/async	com/ten
https://kycwa.tencentcloudapi.com/rcrm-codcs/mob-data-collect	com/ten
https://kycwa-test.tencentcloudapi.com/rcrm-codcs/mob-data-collect	com/ten
https://kycwa.tencentcloudapi.com/rcrm-codcs/mob-data-collect	com/ten
https://idasc-kyc.tencentcloudapi.com	com/ten

https://idasc-kyc-test.tencentcloudapi.com	com/ten
https://miniprogram-kyc.tencentcloudapi.com	com/ten
https://miniprogram-kyc-test.tencentcloudapi.com	com/ten
https://kyccdn.tencentcloudapi.com	com/ten
https://long.open.weixin.qq.com/connect/?f=json&uuiid=%s	com/ten
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/ten
http://pingma.qq.com:80/mstat/report	com/ten
http://mta.qq.com/	com/ten
http://mta.oa.com/	com/ten
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	com/ten
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/ten
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/ten
https://login.imgcache.qq.com	com/ten
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/ten
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/ten
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/ten
http://cgi.qplus.com/report/report	com/ten
https://huatuocode.huatuo.qq.com	com/ten
https://wspeed.qq.com/w.cgi	com/ten
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/ten
https://tdid.m.qq.com?mc=2	com/ten
https://openmobile.qq.com/oauth2.0/me	com/ten
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/ten
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com/ten
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com/ten
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/ten
https://openmobile.qq.com/oauth2.0/m_authorize?	com/ten
https://openmobile.qq.com/user/user_login_statis	com/ten

https://openmobile.qq.com/v3/user/get_info	com/ten
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com/ten
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com/ten
http://xmlpull.org/v1/doc/features.html	com/xiac
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiac
http://xmlpull.org/v1/doc/features.html	com/xiac
https://api.xmpush.xiaomi.com/v1/trace/report/sdk	com/xiac
https://%1\$s/gslb/?ver=4.0	com/xiac
http://xmlpull.org/v1/doc/features.html	com/xiac
http://xmlpull.org/v1/doc/features.html	com/xiac
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiac
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiac
https://cn.register.xmpush.xiaomi.com	com/xiac
https://register.xmpush.global.xiaomi.com	com/xiac
https://fr.register.xmpush.global.xiaomi.com	com/xiac
https://ru.register.xmpush.global.xiaomi.com	com/xiac
https://idmb.register.xmpush.global.xiaomi.com	com/xiac
https://www.kuaishoupay.com/	com/yxc
https://kspay-staging.test.gifshow.com/	com/yxc
https://paygw-web.test.gifshow.com/	com/yxc
https://openapi.alipay.com/gateway.do?charset=utf-8	com/yxc
https://app.m.kuaishou.com	f/f/l/b/c,j
https://render.alipay.com/p/f/fd-j8l9yja/index.html	faceverif
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reacti
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reacti
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reacti
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reacti
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reacti

https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reacti
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reacti
https://github.com/square/leakcanary/issues/nPlease	kshark/t-
https://square.github.io/leakcanary/recipes/	kshark/A
https://squ.re/leaks.\n	kshark/t-
https://square.github.io/leakcanary/fundamentals-how-leakcanary-works/	kshark/t-
https://issuetracker.google.com/issues/139738913	kshark/A
https://github.com/android/platform_frameworks_base/commit/af7dcdf35a37d7a7dbaad7d9869c1c91bce2272b	kshark/A
https://github.com/android/platform_frameworks_base/commit/9b5257c9c99c4cb541d8e8e78fb04f008b1a9091	kshark/A
https://github.com/android/platform_frameworks_base/commit/893d6fe48d37f71e683f722457bea646994a10	kshark/A
https://github.com/android/platform_frameworks_base/commit/b3a9bc038d3a218b1dbdf7b5668e3d6c12be5e	kshark/A
https://code.google.com/p/android/issues/detail?id=171190	kshark/A
https://gist.github.com/pyricau/4df64341cc978a7de414	kshark/A
https://github.com/square/leakcanary/issues/1	kshark/A
https://code.google.com/p/android/issues/detail?id=171830	kshark/A
https://code.google.com/p/android/issues/detail?id=172542	kshark/A
https://code.google.com/p/android/issues/detail?id=172659	kshark/A
https://gist.github.com/andaag/b05ab66ed0f06167d6e0	kshark/A
https://github.com/android/platform_frameworks_base/commit	kshark/A
https://code.google.com/p/android/issues/detail?id=173689	kshark/A
https://code.google.com/p/android/issues/detail?id=173788	kshark/A
https://code.google.com/p/android/issues/detail?id=173789	kshark/A
https://github.com/android/platform_frameworks_base/commit/27db46850b708070452c0ce49daf5f79503fbde6	kshark/A
https://github.com/android/platform_frameworks_base/commit/7a96f3c917e0001ee739b65da37b2fadec7d7765	kshark/A
https://code.google.com/p/android/issues/detail?id=152173	kshark/A
https://gist.github.com/jankovd/891d96f476f7a9ce24e2	kshark/A
https://code.google.com/p/android/issues/detail?id=188551	kshark/A
https://android.googlesource.com/platform/frameworks/base/+/-/5b734f2430e9f26c769d6af8ea5645e390fcf5af%5E%21/	kshark/A

https://code.google.com/p/android/issues/detail?id=198852	kshark/A
https://github.com/android/platform_frameworks_base/commit/e0bef71662d81caaa0d7214fb0bef5d39996a69	kshark/A
https://android.googlesource.com/platform/frameworks/base/+193520e3dff5248ddcf8435203bf99d2ba667219%5E%21/core/java/android/view/accessibility/AccessibilityNodeInfo.java	kshark/A
https://github.com/aosp-mirror/platform_frameworks_base/commit/86b326012813f09d8f1de7d6d26c986a909d	kshark/A
https://issuetracker.google.com/issues/112792715	kshark/A
https://github.com/square/leakcanary/issues/1210	kshark/A
https://issuetracker.google.com/issues/129250419	kshark/A
https://cs.android.com/android/_/android/platform/frameworks/base/+89608118192580ffca026b5dacafa637a556d578\nFixed	kshark/A
https://cs.android.com/android/_/android/platform/frameworks/base/+1f771846c51148b7cb6283e6dc82a216ffaa5353\nRelated	kshark/A
https://dev.to/pyricau/beware-packagemanager-leaks-223g	kshark/A
https://gist.github.com/cypressious/91c4fb1455470d803a602838dfcd5774	kshark/A
https://gist.github.com/jankovd/a210460b814c04d500eb12025902d60d	kshark/A
https://github.com/square/leakcanary/issues/32	kshark/A
https://github.com/square/leakcanary/issues/177	kshark/A
https://github.com/square/leakcanary/issues/1819	kshark/A
https://github.com/square/leakcanary/issues/696	kshark/A
http://cdn.aixifan.com	tv/acfun/
https://live.acfun.cn	tv/acfun/
https://sec-cdn.gifshow.com	tv/acfun/
https://www.acfun.cn	tv/acfun/
https://zt.gifshow.com	tv/acfun/
https://push.gifshow.com	tv/acfun/
https://id.app.acfun.cn	tv/acfun/
https://m.acfun.cn	tv/acfun/
https://acfun-inner-passport.corp.kuaishou.com	tv/acfun/
https://apipc.app.acfun.cn	tv/acfun/
https://mobile.app.acfun.cn	tv/acfun/
https://id-card.gifshow.com	tv/acfun/

https://csc.m.kuaishou.com	tv/acfun/
https://feedback.m.acfun.cn/feedback/index.html	tv/acfun/
http://cdn.aixifan.com/downloads/AcFun-acfunh5-release-6.25.0.962_af846a.apk	tv/acfun/
https://shop213417608.taobao.com	tv/acfun/
https://hd.acfun.cn/doodle/o/WPlrrzMC.html?hyld=doodle_WPlrrzMC	tv/acfun/
https://hd.acfun.cn/doodle/o/ppwHJTbs.html?hyld=doodle_ppwHJTbs	tv/acfun/
https://beian.miit.gov.cn/	tv/acfun/
http://www.acfun.cn	tv/acfun/
https://personalkingcard.3g.qq.com/activity/personal/index.html	tv/acfun/
https://txwk.10010.com/t/hqsa3	tv/acfun/
http://imgs.aixifan.com	tv/acfun/
https://imgs.aixifan.com	tv/acfun/
https://activity.acfun.cn/invite-share?userId=	tv/acfun/
https://zt-idcardweb.staging.kuaishou.com	tv/acfun/
https://app.m.kuaishou.com	tv/acfun/
https://m-acfun-cn.staging.kuaishou.com/wallet	tv/acfun/
https://m.acfun.cn/wallet	tv/acfun/
http://feedback-preview.test.gifshow.com/feedback/index.html	tv/acfun/
http://m-acfun-cn.staging.kuaishou.com/staticPage/acfun-charge-protocol	tv/acfun/
https://m.acfun.cn/staticPage/acfun-charge-protocol	tv/acfun/
http://m-acfun-cn.staging.kuaishou.com/staticPage/acfun-user-notice	tv/acfun/
https://m.acfun.cn/staticPage/acfun-user-notice	tv/acfun/
https://report.m.zt.kuaishou.com/report/ACFUN_APP/%s?reportedObject=%s&extra=%s	tv/acfun/
https://wap.cmpassport.com/resources/html/contract.html	tv/acfun/
https://e.189.cn/sdk/agreement/detail.do	tv/acfun/
https://msv6.wosms.cn/html/oauth/protocol2.html	tv/acfun/
http://m.acfun.cn/app/download	tv/acfun/
http://acfunapi.gifshow.com	tv/acfun/

https://zt-idcardweb.staging.kuaishou.com	tv/acfun/
https://id-card.gifshow.com	tv/acfun/
https://id-card.ksapisrv.com	tv/acfun/
https://zt.gifshow.com	tv/acfun/
https://push.gifshow.com	tv/acfun/
https://push.staging.kuaishou.com	tv/acfun/
https://csc.m.kuaishou.com	tv/acfun/
http://m.	tv/acfun/
https://m.	tv/acfun/
http://imgs.aixifan.com/o_1d681gaef166t77a640e3v1j6a7.png	摸瓜V1引
https://render.alipay.com/p/yuyan/180020010001208736/aliyunFacewelcome.html	摸瓜V1引
https://hd.acfun.cn/doodle/o/ppwHJTbs.html?hyld=doodle_ppwHJTbs	摸瓜V1引
https://play.google.com/store/apps/details?id=	摸瓜V1引
https://appgallery.cloud.huawei.com	摸瓜V1引
http://acfun.cn	摸瓜V1引
http://weibo.com/danmushipin	摸瓜V1引
https://hd.acfun.cn/doodle/ozoTUKDk.html	摸瓜V1引
https://www.acfun.cn/a/ac16012740)	摸瓜V1引
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	摸瓜V2引
https://data-drcn.push.dbankcloud.com	摸瓜V2引
https://data-dra.push.dbankcloud.com	摸瓜V2引
https://data-dre.push.dbankcloud.com	摸瓜V2引
https://data-drru.push.dbankcloud.com	摸瓜V2引
https://metrics1.data.hicloud.com:6447	摸瓜V2引
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引
https://metrics2.data.hicloud.com:6447	摸瓜V2引
https://metrics5.data.hicloud.com:6447	摸瓜V2引

https://store1.hispace.hicloud.com/hwmarket/api/	摸瓜V2引
https://store2.hispace.hicloud.com/hwmarket/api/	摸瓜V2引
https://store3.hispace.hicloud.com/hwmarket/api/	摸瓜V2引
https://store-drru.hispace.hicloud.com/hwmarket/api/	摸瓜V2引
https://grs.dbankcloud.com	摸瓜V2引
https://grs.dbankcloud.cn	摸瓜V2引
https://grs.dbankcloud.eu	摸瓜V2引
https://grs.dbankcloud.asia	摸瓜V2引

✉ 邮箱线索

邮箱地址	所在文件
xxx@email.elided	aegon/chrome/base/PiiElider.java
.apk@classes.dex	com/kuaishou/weapon/ks/aj.java
.apk@classes.dex	com/tencent/turingfd/sdk/mfa/tfWT8.java
ac-support@kuaishou.com ac-report@kuaishou.com	摸瓜V1引擎
push_01@3x.png	摸瓜V2引擎

☎ 手机线索

手机号	所在文件
17179869184	com/kwai/video/player/KsMediaMeta.java

✿ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: O=AcFun
签名算法: rsassa_pkcs1v15
有效期自: 2013-01-18 03:47:25+00:00
有效期至: 2063-01-06 03:47:25+00:00
发行人: O=AcFun
序列号: 0x452d8387
哈希算法: sha256

md5值: 9489f5d3e12a105d553b0ffa6c89f107
sha1值: 7c8b2413d91127def835ca97f7c4243b059c1280
sha256值: a5fafce0e272b941bb254ac92aade4fd5e37e4c30f9df935f84fe40ef8baa258
sha512值: 249ecb08847d65b1b93b48a803246ea5d26f9c907da2bc244f06ad0a39030395d628c727b60b3e4a3a81e6a49e2fb4e63148eaea84e5e9430c22a17841db8cd
公钥算法: rsa
密钥长度: 2048
指纹: bbe8c067bb453c6e6358bd2a2009ef68a73cfa48b3c2e11072355bde6f18e62

硬编码敏感信息

可能的敏感信息
"chat_block_user" : "屏蔽用户"
"danmaku_block_tab_user" : "屏蔽用户"
"danmu_popup_block_user" : "屏蔽用户>>"
"danmu_popup_resolve_block_user" : "解除屏蔽>>"
"input_password" : "输入密码"
"live_no_login_user" : "这是一位未登录的路人..."
"login_agreement_not_check_one_key" : "请先勾选用户协议、隐私政策以及认证服务条款"
"login_one_key_password" : "账号密码登录"
"mine_clock_in_fail_token" : "身份验证失败，请重新登陆哦~"
"pay_live_auth_record_fail" : "录制失败"
"pay_live_auth_upload_fail" : "上传失败，请稍后再试。"
"pop_privacy_user" : "《用户协议》"
"qr_scan_authorize" : "授权登录"
"qr_scan_authorize_content" : "为保证账号安全，请确认是否本人操作"
"qr_scan_authorize_login" : "授权登录"
"qr_scan_authorize_title" : "正在扫码登录授权账号"
"recommend_author" : "推荐主播"
"report_user" : "用户违规"
"set_password" : "设置密码"
"token_nvalid_toast" : "身份验证失败,请重新登录"
"upload_alivideo_uploader_token_expired" : "UploadTokenExpired,refreshUploadToken failed."

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.BROADCAST_STICKY	正常	发送粘性广播	允许应用程序发送粘性广播,在广播结束后保留。恶意应用程序会导致手机使用过多内存,从而使手机运行缓慢或不稳定
android.permission.RESTART_PACKAGES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference

android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.RAISED_THREAD_PRIORITY	未知	Unknown permission	Unknown permission from android reference
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.READ_CALENDAR	危险	读取日历事件	允许应用程序读取您手机上存储的所有日历事件。恶意应用程序可以借此将您的日历事件发送给其他人
android.permission.WRITE_CALENDAR	危险	添加或修改日历事件并向客人发送电子邮件	允许应用程序添加或更改日历上的事件,这可能会向客人发送电子邮件。恶意应用程序可以使用它来删除或修改您的日历活动或向客人发送电子邮件
android.permission.NFC	正常	控制近场通信	允许应用程序与近场通信 (NFC) 标签,卡和读卡器进行通信
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
tv.acfundanmaku.video.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
tv.acfundanmaku.video.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
tv.acfundanmaku.video.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
tv.acfundanmaku.video.PERMISSION_UPDATE_SDK_CONFIG	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。

com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.launcher2.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.huawei.launcher3.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECORD_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
tv.acfundanmaku.video.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
tv.acfundanmaku.video.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

活动(ACTIVITY)	通信(INTENT)
tv.acfun.core.common.scheme.SchemeActivity	Schemes: acfun://, Hosts: detail, videopost,
com.kwai.kanas.debug.DebugLoggerActivity	Schemes: @string/scheme_debug_logger_activity://, Hosts: openloggerchannel,
com.yxcorp.gateway.pay.activity.UriRouterActivity	Schemes: acfun://, Hosts: kspay, Paths: /agreement/alipay,
com.tencent.tauth.AuthActivity	Schemes:.tencent101492711://,