




办公 1.0.APK 分析报告



APP名称:	办公
包名:	
域名线索:	78条
URL线索:	77条
邮箱线索:	3条

分析日期:2025年7月16日

分析平台:[摸瓜APK反编译平台](#)

文件信息

文件名: 办公.apk

文件大小: 40.34MB

MD5值: d09f66abb32663fc9bbc7c5d7d6e6f87

SHA1值: 2723812523c1a3c08200de49f3a885ec41d8cfa4

SHA256值: 990455eaf887fb3e062a50abe5e3f6baca041c344139dc74ff551cce04723a1f

APP 信息

App名称: 办公

包名:

主活动Activity: []

安卓版本名称: 1.0

安卓版本: []

域名线索

域名	服务器信息
	IP: 60.28.172.238

cfg.imtt.qq.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
io.codenow.cn	IP: 106.75.70.127 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.bjtime.cn	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
resolver.msg.global.xiaomi.net	IP: 34.36.192.126 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
p.bmob.cn	没有服务器地理信息.
	IP: 116.130.223.178 所属国家: China 地区: Beijing

mdc.html5.qq.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
imtest6.netease.im	没有服务器地理信息.
open3.bmob.cn	没有服务器地理信息.
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
ns.adobe.com	没有服务器地理信息.
android.bugly.qq.com	IP: 124.95.225.169 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
file.bmob.cn	没有服务器地理信息.
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
maps.google.cn	IP: 114.250.65.34 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
statistic.live.126.net	IP: 220.197.34.75 所属国家: China 地区: Sichuan 城市: Leshan

	纬度: 29.562281 经度: 103.763863
m0.api.upyun.com	IP: 218.28.104.157 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
log.tbs.qq.com	IP: 124.95.224.248 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
ip-api.com	IP: 208.95.112.1 所属国家: United States of America 地区: North Carolina 城市: Skyland 纬度: 35.483757 经度: -82.521996
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.taobao.com	IP: 60.6.1.201 所属国家: China 地区: Hebei 城市: Xingtai 纬度: 37.062309 经度: 114.494209
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
nosup-hz1.127.net	IP: 124.163.197.207 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
	IP: 111.202.16.252

metrics1.data.hicloud.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
resolver.msg.xiaomi.net	IP: 110.43.0.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
opentest.bmob.cn	没有服务器地理信息.
app.bmob.iwyttc.com	IP: 103.224.182.210 所属国家: Australia 地区: Victoria 城市: Beaumaris 纬度: -37.982201 经度: 145.038940
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
grs.dbankcloud.eu	没有服务器地理信息.

open.weixin.qq.com	IP: 220.196.132.78 所属国家: China 地区: Jiangsu 城市: Zhenjiang 纬度: 32.209366 经度: 119.434372
www.bouncycastle.org	IP: 43.250.142.130 所属国家: Australia 地区: Queensland 城市: Warren 纬度: -23.500000 经度: 150.283325
www.ntsc.ac.cn	IP: 159.226.242.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
p0.api.upyun.com	IP: 101.251.144.15 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
grs.dbankcloud.asia	IP: 49.4.35.251 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
goo.gl	IP: 142.250.217.110 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg

	纬度: 56.857498 经度: 60.612499
api.weixin.qq.com	IP: 112.65.193.153 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.qq.com	IP: 221.198.70.47 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.baidu.com	IP: 110.242.70.57 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
imtest.netease.im	IP: 111.124.202.79 所属国家: China 地区: Guizhou 城市: Zunyi 纬度: 27.686441 经度: 106.907135
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980

nrtc.netease.im	IP: 47.96.190.103 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.time.ac.cn	IP: 210.72.145.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
norma-external-collect.meizu.com	没有服务器地理信息.
v0.api.upyun.com	IP: 218.28.104.157 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
qyqa.netease.com	IP: 59.111.96.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wannos.127.net	IP: 45.127.129.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
	IP: 60.29.240.122 所属国家: China

debugtbs.qq.com	地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
m.toutiao.com	IP: 60.222.11.204 所属国家: China 地区: Shanxi 城市: Talyuan 纬度: 37.869438 经度: 112.561508
xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
59.111.110.241	IP: 59.111.110.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
grs.dbankcloud.cn	IP: 49.4.45.231 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
dr.netease.im	IP: 220.197.34.83 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
lbs.netease.im	IP: 220.197.34.89 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863

cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
play.google.com	IP: 59.24.3.174 所属国家: Korea (Republic of) 地区: Gyeonggi-do 城市: Seongnam 纬度: 37.420624 经度: 127.126717
imtest4.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.jd.com	IP: 116.78.120.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
roomserver.netease.im	IP: 220.197.34.72 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 34.49.79.89 所属国家: United States of America

www.openssl.org	地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
schemas.android.com	没有服务器地理信息.
grs.dbankcloud.com	IP: 60.28.200.159 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
wup.imtt.qq.com	IP: 116.130.230.62 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

 URL线索

URL信息	Url所在文件
http://app.bmob.iwyttc.com/8/	com/ddtx/dingdatacontact/Entity/AppData.java
http://qyqa.netease.com	com/ddtx/dingdatacontact/main/activity/PrivatizationConfigActivity.java
http://59.111.110.241:10081/lbs/demoConfig.jsp	com/ddtx/dingdatacontact/main/activity/PrivatizationConfigActivity.java
https://api.weixin.qq.com/sns/userinfo?access_token=	com/ddtx/dingdatacontact/login/LoginActivity.java
http://ip-api.com/json/?lang=zh-CN	com/ddtx/dingdatacontact/login/LoginActivity.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/a/a/a.java
http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/a/a/b.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/b/c/e.java

https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://www.baidu.com/index.php?tn=25017023_10_pg&ssl_s=1&ssl_c=ssl1_171a56a2313&prec=1	com/netease/nim/uikit/business/session/activity/fragment/BaiFragment.java
https://www.jd.com/	com/netease/nim/uikit/business/session/activity/fragment/JingFragment.java
https://www.qq.com/	com/netease/nim/uikit/business/session/activity/fragment/TengFragment.java
https://api.weixin.qq.com/sns/oauth2/access_token	com/netease/nim/uikit/rest/Host.java
http://statistic.live.126.net/statics/report/common/form	com/netease/nimlib/c/f/a.java
http://statistic.live.126.net/statics/report/im/sdk/msgreceived	com/netease/nimlib/session/h.java
https://imtest.netease.im/lbs/conf.jsp	com/netease/nimlib/e/e.java
https://imtest.netease.im/1.gif	com/netease/nimlib/e/e.java
https://imtest4.netease.im/test	com/netease/nimlib/e/e.java
https://imtest6.netease.im:8012/	com/netease/nimlib/e/e.java
https://imtest.netease.im/lbsrc/conf.jsp	com/netease/nimlib/e/e.java
https://lbs.netease.im/lbs/conf.jsp	com/netease/nimlib/e/e.java
https://dr.netease.im/1.gif	com/netease/nimlib/e/e.java
http://wannos.127.net/lbs;http://wannos-hz.127.net/lbs;http://wannos-bj.127.net/lbs;http://wannos-oversea.127.net/lbs;http://223.252.196.38/lbs	com/netease/nimlib/e/g.java
https://nrtc.netease.im/nrtc/detect.action	com/netease/nrtc/NetDetector.java
https://nrtc.netease.im/nrtc/rejoin.action	com/netease/nrtc/a.java
https://nrtc.netease.im/nrtc/getChannelInfos.action	com/netease/nrtc/b.java
https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/rawapi/IRtcEngine.java
https://roomserver.netease.im/v1/sdk/command/rooms	com/netease/nrtc/engine/impl/h.java
https://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/engine/impl/e.java

https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/impl/e.java
https://statistic.live.126.net/statistic/realtime/sdkFunctioninfo	com/netease/nrtc/monitor/d.java
https://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/monitor/j.java
https://goo.gl/FE5SeB	com/netease/nrtc/utility/l.java
https://nrtc.netease.im/nrtc/uploadSdkLog.action	com/netease/nrtc/utility/b/a.java
https://wannos.127.net/lbs	com/netease/yunxin/nos/sdk/NosComponent.java
https://statistic.live.126.net/sdklog/getToken	com/netease/yunxin/nos/sdk/NosComponent.java
https://nosup-hz1.127.net	com/netease/yunxin/nos/sdk/NosComponent.java
https://statistic.live.126.net/statics/report/common/form	com/netease/yunxin/report/sdk/ReportComponent.java
https://long.open.weixin.qq.com/connect//qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
http://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/j.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/a/c.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/b/a/a.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/b/a/a.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utls/n.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utls/n.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utls/n.java

http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utls/n.java
http://mqqqad.html5.qq.com/ads	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utls/n.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utls/d.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fr.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gj.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cs.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gk.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ff.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/m.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingTabLayout.java
http://m0.api.upyun.com	cn/bmob/v3/datatype/up/UpConfig.java
http://v0.api.upyun.com	cn/bmob/v3/datatype/up/UpConfig.java
http://v0.api.upyun.com/	cn/bmob/v3/datatype/up/FormUploader.java

http://m0.api.upyun.com/	cn/bmob/v3/datatype/up/BlockUploader.java
https://v0.api.upyun.com	cn/bmob/v3/datatype/up/ParallelUploader.java
http://p0.api.upyun.com/pretreatment/	cn/bmob/v3/datatype/up/ParallelUploader.java
http://p.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
https://opentest.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
https://open3.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
http://file.bmob.cn	cn/bmob/v3/http/BmobURL.java
http://io.codenow.cn:3010	cn/bmob/v3/http/BmobURL.java
http://io.codenow.cn:3010/socket.io/1/	cn/bmob/v3/realtime/Client.java
http://io.codenow.cn:3010/socket.io/1/websocket/	cn/bmob/v3/realtime/Client.java
http://io.codenow.cn	cn/bmob/v3/realtime/Client.java
http://m.toutiao.com	ggZ97JiGWqKBXmZeM8jS/FORNbc94unNyceFRRh8r/SpBk9lfVHyzkLCmVC4dy/C2326.java
http://maps.google.cn/maps/api/staticmap?size=200x100&zoom=13&markers=color:red	ggZ97JiGWqKBXmZeM8jS/FORNbc94unNyceFRRh8r/SpBk9lfVHyzkLCmVC4dy/zzTdtRb95xFA1d6lo3hL/SpBk9lfVHyzkLCmVC4dy/InterfaceC2293.java
http://xml.apache.org/xslt	ggZ97JiGWqKBXmZeM8jS/FUqeB6AXXbfjB3J4qkWX/SpBk9lfVHyzkLCmVC4dy/C2390.java
http://127.0.0.1	ggZ97JiGWqKBXmZeM8jS/NiilyEOIfT9Fx6ewVHX/SpBk9lfVHyzkLCmVC4dy/SpBk9lfVHyzkLCmVC4dy/ggZ97JiGWqKBXmZeM8jS/AbstractC2461.java
https://h.trace.qq.com/kv	ggZ97JiGWqKBXmZeM8jS/gTpwdDtDRbpGR4N8DTxs/SpBk9lfVHyzkLCmVC4dy/ggZ97JiGWqKBXmZeM8jS/C3156.java
https://astat.bugly.qcloud.com/rqd/async	ggZ97JiGWqKBXmZeM8jS/gTpwdDtDRbpGR4N8DTxs/SpBk9lfVHyzkLCmVC4dy/ggZ97JiGWqKBXmZeM8jS/C3044.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	ggZ97JiGWqKBXmZeM8jS/gTpwdDtDRbpGR4N8DTxs/SpBk9lfVHyzkLCmVC4dy/ggZ97JiGWqKBXmZeM8jS/C3044.java
http://www.bjtime.cn	ggZ97JiGWqKBXmZeM8jS/k7zNgHWhm88gWKUi8nQo/SpBk9lfVHyzkLCmVC4dy/kYt2lFYvRsdRJhYA6zpf/C3200.java
http://www.baidu.com	ggZ97JiGWqKBXmZeM8jS/k7zNgHWhm88gWKUi8nQo/SpBk9lfVHyzkLCmVC4dy/kYt2lFYvRsdRJhYA6zpf/C3200.java
http://www.taobao.com	ggZ97JiGWqKBXmZeM8jS/k7zNgHWhm88gWKUi8nQo/SpBk9lfVHyzkLCmVC4dy/kYt2lFYvRsdRJhYA6zpf/C3200.java
http://www.ntsc.ac.cn	ggZ97JiGWqKBXmZeM8jS/k7zNgHWhm88gWKUi8nQo/SpBk9lfVHyzkLCmVC4dy/kYt2lFYvRsdRJhYA6zpf/C3200.java
http://www.time.ac.cn/	ggZ97JiGWqKBXmZeM8jS/k7zNgHWhm88gWKUi8nQo/SpBk9lfVHyzkLCmVC4dy/kYt2lFYvRsdRJhYA6zpf/C3200.java

https://play.google.com/store/apps/details?id=	ggZ97JiGWqKBXmZeM8jS/zzTdrB95xFA1d6lo3hL/SpBk9IfVHyzkLCmVC4dy/FORNbc94unNyceFRRh8r/C3661.java
http://xml.apache.org/xslt	ggZ97JiGWqKBXmZeM8jS/zPaUURwnGV2AnEhoHLVv/SpBk9IfVHyzkLCmVC4dy/C3598.java
http://schemas.android.com/apk/res/android	k7zNgHWhm88gWKUi8nQo/hrbnDBihYDRG4D5nxfvP/ggZ97JiGWqKBXmZeM8jS/ARvfHqP5zgtQAhZ2h28T/C4843.java
http://ns.adobe.com/xap/1.0/\u0000	k7zNgHWhm88gWKUi8nQo/POpOcz42ro2cztXWNqZC/k7zNgHWhm88gWKUi8nQo/C4164.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/AbstractC8235.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/AbstractC8246.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/AbstractC8262.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/AbstractC8227.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/AbstractC8253.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/CeqtjQfObvoQcKj5dBY2/C6653.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/CeqtjQfObvoQcKj5dBY2/C6656.java
http://www.bouncycastle.org)	waMcuKRQ9qjwnEcFoyni/B5UtgYEyLYjzODvRouLM/C9616.java
http://...	waMcuKRQ9qjwnEcFoyni/ogUBdwFSbjsn1DIS1lfa/SpBk9IfVHyzkLCmVC4dy/SpBk9IfVHyzkLCmVC4dy/C9702.java
https://play.google.com/store	摸瓜V1引擎
https://appgallery.cloud.huawei.com/app/	摸瓜V1引擎
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎

https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
http://www.openssl.org/support/faq.html	lib/arm64-v8a/librts_network.so

✉ 邮箱线索

邮箱地址	所在文件
rubin@rubindemacbook-pro.local	com/netease/yunxin/nos/sdk/NosFacade.java
rubin@rubindemacbook-pro.local	com/netease/yunxin/report/sdk/ReportManager.java
hyy@sohu.com hyy-123@163.com hyy@189.cn hyy@gmail.com hyy@hotmail.com 732662@sina.com hyy@139.com hyy12@qq.com	ggZ97JiGWqKBXmZeM8jS/zzTdtRb95xFA1d6lo3hL/SpBk9IfVHyzkLCmVC4dy/zPaUURwnGV2AnEhoHLVw/C3718.java

📱 手机线索

手机号	所在文件
13000000000	com/ddtx/dingdatacontact/main/activity/FeedBackActivity.java
13000000000	com/netease/nim/uikit/complaint/ReportActivity.java
17179869184	waMcuKRQ9qjwnEcFoyni/B5UtgYEyLYjzODvRouLM/FORNbc94unNyceFRRh8r/B5UtgYEyLYjzODvRouLM/SpBk9IfVHyzkLCmVC4dy/C8812.java
17179869183	waMcuKRQ9qjwnEcFoyni/B5UtgYEyLYjzODvRouLM/FORNbc94unNyceFRRh8r/B5UtgYEyLYjzODvRouLM/SpBk9IfVHyzkLCmVC4dy/C8812.java
15095675534	waMcuKRQ9qjwnEcFoyni/B5UtgYEyLYjzODvRouLM/k7zNgHWhm88gWKUi8nQo/tyXMwiNSp8HrjAMAZeMy/C9338.java

🌟 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=XPuwcwiD, ST=BncihYXo, L=mdYtZUCi, O=ujQryZKN, OU=gDKKyluL, CN=wxPMwkSU
签名算法: rsassa_pkcs1v15
有效期自: 2025-07-13 08:07:07+00:00
有效期至: 2035-07-11 08:07:07+00:00
发行人: C=XPuwcwiD, ST=BncihYXo, L=mdYtZUCi, O=ujQryZKN, OU=gDKKyluL, CN=wxPMwkSU
序列号: 0x46aa3589ad151ee7
哈希算法: sha256
md5值: 7d0042ea2c7eede515ee62b65e0133d8
sha1值: d8f2cdacf38c7d9a6c644dfca9719c0655ad0e21
sha256值: e16d446494f644bf7fb05f796bacc2a22400b6ff20f9d8e2ce4e147d13e182a1
sha512值: 424d61330b805e00e0e087161bdb27c3fa45234654a8458efedce24fb3ca61aeb20f636694ca3f62cd9142dbfbf00d70c3dd01946759aded5a5a54a1632fe3db
公钥算法: rsa
密钥长度: 2048
指纹: f2f526c69e449dd4d5514aafd309ef0e0daa9bc091bd6c5fd386a03aa5325148

硬编码敏感信息

可能的敏感信息
"input_password" : "请输入密码，6~20位字母或者数字"
"main_tab_session" : "会话"
"nrtc_setting_other_device_default_rotation_key" : "nrtc_setting_other_device_default_rotation_key"
"nrtc_setting_other_device_rotation_fixed_offset_key" : "nrtc_setting_other_device_rotation_fixed_offset_key"
"nrtc_setting_other_server_record_audio_key" : "nrtc_setting_other_server_record_audio_key"
"nrtc_setting_other_server_record_video_key" : "nrtc_setting_other_server_record_video_key"
"nrtc_setting_vie_crop_ratio_key" : "nrtc_setting_vie_crop_ratio_key"
"nrtc_setting_vie_default_front_camera_key" : "nrtc_setting_vie_default_front_camera_key"
"nrtc_setting_vie_fps_reported_key" : "nrtc_setting_vie_fps_reported_key"
"nrtc_setting_vie_hw_decoder_key" : "nrtc_setting_vie_hw_decoder_key"
"nrtc_setting_vie_hw_encoder_key" : "nrtc_setting_vie_hw_encoder_key"
"nrtc_setting_vie_max_bitrate_key" : "nrtc_setting_vie_max_bitrate_key"

"nrtc_setting_vie_quality_key" : "nrtc_setting_vie_quality_key"
"nrtc_setting_vie_rotation_key" : "nrtc_setting_vie_rotation_key"
"nrtc_setting_voe_audio_aec_key" : "nrtc_setting_voe_audio_aec_key"
"nrtc_setting_voe_audio_ns_key" : "nrtc_setting_voe_audio_ns_key"
"nrtc_setting_voe_call_proximity_key" : "nrtc_setting_voe_call_proximity_key"
"nrtc_setting_voe_high_quality_key" : "nrtc_setting_voe_high_quality_key"
"please_input_confim_pwd" : "请确认密码"
"please_input_pwd" : "请设置密码"
"private_config_note" : " 1.私有化配置的将在app重启后生效，请注销登陆并杀掉进程。 2.如果要切换到环境，关闭或打开开关退出登陆杀掉进程即可。 "
"setting_private_config" : "私有化配置"
"team_authentication" : "身份验证"
"team_invitee_authentication" : "被邀请人身份验证"
"team_invitee_need_authen" : "需要验证"
"team_invitee_not_need_authen" : "不需要验证"
"team_need_authentication" : "需要身份验证"
"tui_user" : "推荐人员"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
----	----	-------

登录摸瓜网站后查看		
-----------	--	--

☰ 此APP的危险动作

📠 应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。