



MoGua

i伊藤 1.1.4.APK 分析报告



APP名称:	i伊藤
包名:	com.iy_cd.crm
域名线索:	91条
URL线索:	80条

邮箱线索:	3条
分析日期:	2025年5月13日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: com.iy_cd.crm.2212182014.apk
文件大小: 44.78MB
MD5值: d0ac9906539a46bdf65ac379a42a2169
SHA1值: a936b2a5b5abb341c5eba521d9469820747ce3f2
SHA256值: 404e3db5646b9572ef39bfa1bf9eff9a591ee2907c0dfe6db5df1e126dd568ad

APP 信息

App名称: i伊藤
包名: com.iy_cd.crm
主活动Activity: io.dcloud.PandoraEntry
安卓版本名称: 1.1.4
安卓版本: 15

🔍 域名线索

域名	服务器信息
adiu.amap.com	IP: 59.82.29.232 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
open.weixin.qq.com	IP: 175.24.219.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
yuntuapi.amap.com	没有服务器地理信息.
wechat.66card.com	IP: 140.206.75.94 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
wappaygw.alipay.com	IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
wprd0d.is.autonavi.com	没有服务器地理信息.
beta-m-sep.jd.com	IP: 111.13.27.31 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 42.81.22.244 所属国家: China 地区: Tianjin

vkceyugu.cdn.bspapp.com	城市: Tianjin 纬度: 39.142220 经度: 117.176666
developer.yahoo.com	IP: 69.147.80.15 所属国家: United States of America 地区: New York 城市: New York City 纬度: 40.731323 经度: -73.990089
long.open.weixin.qq.com	IP: 109.244.217.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
lbs.amap.com	IP: 59.82.29.155 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
ask.dcloud.net.cn	IP: 36.102.212.39 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
mst01.is.autonavi.com	IP: 59.82.9.84 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
	IP: 203.119.175.194 所属国家: China 地区: Beijing

restsdk.amap.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
m5.amap.com	IP: 106.11.43.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
m15.360buyimg.com	IP: 42.81.28.100 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
resolver.msg.xiaomi.net	IP: 120.92.96.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics1.data.hicloud.com	IP: 114.115.188.159 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
m-sep.jd.com	IP: 111.13.28.112 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 111.13.27.33 所属国家: China 地区: Beijing

beta-emp-render.jd.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.eu	没有服务器地理信息.
www.google.com	IP: 128.242.245.157 所属国家: United States of America 地区: California 城市: Milpitas 纬度: 37.428268 经度: -121.906616
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
schemas.android.com	没有服务器地理信息.
h5.m.taobao.com	IP: 111.225.210.166 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
bjetxgzv.cdn.bspapp.com	IP: 42.81.22.242 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
play.google.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161423
grs.dbankcloud.asia	没有服务器地理信息.
wb.amap.com	IP: 59.82.31.156 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
img10.360buyimg.com	IP: 42.81.28.91 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
feross.org	IP: 50.116.11.184 所属国家: United States of America 地区: California 城市: Fremont 纬度: 37.548271 经度: -121.988571
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
	IP: 118.26.252.220 所属国家: China 地区: Beijing

cn.register.xmpush.xiaomi.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
neptune.jd.com	IP: 106.39.170.24 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.com	IP: 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
96f0e031-f37a-48ef-84c7-2023f6360c0a.bspapp.com	没有服务器地理信息.
wap.amap.com	IP: 27.128.222.9 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
kjur.github.io	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708

uniapp.dcloud.net.cn	IP: 106.39.240.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
s1-relay.360buyimg.com	IP: 111.225.218.3 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
store-mobile.jdxpoc.com	IP: 116.198.53.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
stream.dcloud.net.cn	IP: 118.31.71.109 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mpsapi.amap.com	IP: 106.11.43.68 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

ns.adobe.com	没有服务器地理信息.
pre-account.jdx.com	IP: 120.52.148.58 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
service.dcloud.net.cn	IP: 121.41.10.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
api.bspapp.com	IP: 47.93.95.208 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
crbug.com	IP: 216.239.32.29 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
vpay.upcard.com.cn	IP: 116.228.205.182 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219

	经度: 121.458061
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api-pub.jdx.com	IP: 36.110.180.178 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
apis.map.qq.com	IP: 109.244.244.223 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mobilegw.alipay.com	IP: 203.209.245.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
store-server.jdxpoc.com	IP: 116.198.53.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mps.amap.com	IP: 106.11.43.68 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
quilljs.com	IP: 216.24.57.253 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
emp-render.jd.com	IP: 36.110.181.187 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mclient.alipay.com	IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
mcgw.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
www.chinagiftcard.cn	IP: 140.206.75.92 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
stream.mobihtml5.com	IP: 153.3.236.79 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668

	经度: 118.777779
at.alicdn.com	IP: 111.225.210.164 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
grs.platform.dbankcloud.ru	没有服务器地理信息.
render.alipay.com	IP: 36.102.211.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
loggw-exsdk.alipay.com	IP: 110.76.3.1 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
metrics-dra.dt.hicloud.com	IP: 94.74.84.62 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
m3w.cn	IP: 36.102.212.34 所属国家: China 地区: Zhejiang

	城市: Hangzhou 纬度: 30.293650 经度: 120.161423
s2-relay.360buyimg.com	IP: 42.81.249.131 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
maps.testing.amap.com	IP: 140.205.69.9 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
grs.dbankcloud.cn	IP: 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
apiinit.amap.com	IP: 203.119.175.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore

	城市: Singapore 纬度: 1.289670 经度: 103.850067
www.maotai.com	没有服务器地理信息.
cgicol.amap.com	IP: 59.82.60.60 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

URL线索

URL信息	Url所在文件
http://ask.dcloud.net.cn/article/283	io/dcloud/h/b.java
https://ask.dcloud.net.cn/article/35058	io/dcloud/feature/audio/AudioRecorderMgr.java
https://96f0e031-f37a-48ef-84c7-2023f6360c0a.bspapp.com/http/splash-screen/report	io/dcloud/feature/gg/dcloud/ADHandler.java
https://ask.dcloud.net.cn/article/287	io/dcloud/share/IFShareApi.java
https://96f0e031-f37a-48ef-84c7-2023f6360c0a.bspapp.com/http/rewarded-video/report?p=a&t=	io/dcloud/f/c/h/b.java
https://ask.dcloud.net.cn/article/35627	io/dcloud/f/b/a.java
https://ask.dcloud.net.cn/article/35877	io/dcloud/f/b/a.java
http://ns.adobe.com/xap/1.0/\u0000	io/dcloud/common/util/ExifInterface.java
http://m3w.cn/s/	io/dcloud/common/util/ShortCutUtil.java
https://stream.mobihtml5.com/	io/dcloud/common/constant/StringConst.java
https://stream.dcloud.net.cn/	io/dcloud/common/constant/StringConst.java
http://ask.dcloud.net.cn/article/282	io/dcloud/common/constant/DOMException.java
http://lbs.amap.com/api/android-sdk/guide/error/	io/dcloud/js/map/amap/adapter/AMapLink.java

http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
http://restsdk.amap.com/v3	com/amap/api/col/p0003s/et.java
https://restsdk.amap.com/v3	com/amap/api/col/p0003s/et.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003s/et.java
https://restsdk.amap.com/v4	com/amap/api/col/p0003s/et.java
http://restsdk.amap.com/v5	com/amap/api/col/p0003s/et.java
https://restsdk.amap.com/v5	com/amap/api/col/p0003s/et.java
http://yuntuapi.amap.com	com/amap/api/col/p0003s/et.java
https://yuntuapi.amap.com	com/amap/api/col/p0003s/et.java
http://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/p0003s/et.java
https://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/p0003s/et.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/p0003s/et.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/p0003s/et.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/p0003s/ji.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003s/in.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003s/in.java
http://apilocate.amap.com/mobile/binary	com/amap/api/col/p0003s/lb.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/amap/api/col/p0003s/lb.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003s/i.java
http://restsdk.amap.com/v4/graspoad/driving?	com/amap/api/col/p0003s/gz.java

http://restsdk.amap.com	com/amap/api/col/p0003s/hp.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/p0003s/gt.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/p0003s/gt.java
http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/p0003s/gt.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/p0003s/gt.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	com/amap/api/col/p0003s/b.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/p0003s/hf.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/p0003s/hf.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/col/p0003s/cs.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003s/cs.java
http://apiinit.amap.com/v3/log/init	com/amap/api/col/p0003s/hg.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003s/ct.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003s/cf.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
https://%1\$s/gslb?ver=5.0	com/xiaomi/push/cu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gb.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fp.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/u.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bw.java

https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/m/l/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/m/l/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/m/l/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/m/l/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/m/l/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/m/l/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/m/m/a.java
https://mobilegwpre.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/loc/fe.java
http://restsdk.amap.com/v3/geocode/regeo	com/loc/fe.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fo.java

http://restsdk.amap.com	com/loc/v.java
https://restsdk.amap.com/sdk/compliance/params	com/loc/ap.java
http://restsdk.amap.com/sdk/compliance/params	com/loc/ap.java
https://restsdk.amap.com/v3/iasdkauth	com/loc/m.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/loc/m.java
http://restsdk.amap.com/v3/place/text?	com/loc/a.java
http://restsdk.amap.com/v3/config/district?	com/loc/a.java
http://restsdk.amap.com/v3/place/around?	com/loc/a.java
http://apilocate.amap.com/mobile/binary	com/loc/fj.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/loc/fj.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fj.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cv.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fc.java
https://adiu.amap.com/ws/device/adius	com/loc/bf.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java

http://xmlpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/autonavi/amap/mapcore/Inner_3dMap_location.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
http://restsdk.amap.com/rest/lbs/dem/data?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://ask.dcloud.net.cn/article/36199	Mogua Engine V1
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2

https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://grs.platform.dbankcloud.ru	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2
https://apis.map.qq.com/jsapi?qt=translate&type=1&points=	Mogua Engine V2
https://bjetxgzv.cdn.bspapp.com/VKCEYUGU-uni-app-doc/6acec660-4f31-11eb-a16f-5b3e54966275.jpg	Mogua Engine V2
https://img10.360buyimg.com/n2/s270x270_jfs/t1/24012/21/16729/218221/628dd7b4E732da2c6/007d73dee965ec39.jpg!q70.webp	Mogua Engine V2
https://at.alicdn.com/t/font_2225171_8kdcwk4po24.ttf	Mogua Engine V2
https://vkceyugu.cdn.bspapp.com/VKCEYUGU-dc-site/094a9dc0-50c0-11eb-b680-7980c8a877b8.jpg	Mogua Engine V2
https://s2-relay.360buyimg.com/relay/c/cut/4/bda865a939ac16e3b8e02a2ce4ae1bf2	Mogua Engine V2
https://s1-relay.360buyimg.com/relay/c/cut/4/60edd26c0b64e7d0209e2fb085bdf0b	Mogua Engine V2
https://service.dcloud.net.cn/uniapp/feedback.html	Mogua Engine V2
http://www.w3.org/1999/xlink	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2

http://www.w3.org/1998/Math/MathML	Mogua Engine V2
https://apis.map.qq.com/uri/v1/routeplan?type=drive&to=	Mogua Engine V2
https://www.google.com/maps/?daddr=	Mogua Engine V2
https://www.google.com/maps/	Mogua Engine V2
https://pre-account.jdx.com/user/m/findPwd.html?source=LSY_YTYHT01&tc=ytyht01&returnUrl=www.baidu.com	Mogua Engine V2
https://emp-render.jd.com/renderer/mall	Mogua Engine V2
http://wechat.66card.com/vcweixin/ytyh/togotoytyhmenu	Mogua Engine V2
https://m-sep.jd.com/ScoreList	Mogua Engine V2
https://store-server.jdxpoc.com	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://developer.yahoo.com/yui/license.html	Mogua Engine V2
https://kjur.github.io/jsrsasign/license/	Mogua Engine V2
https://beta-emp-render.jd.com/renderer/market?activityId=132&token=	Mogua Engine V2
https://m15.360buyimg.com/mobilecms/jfs/t1/177902/16/13776/5658/60ec0e71E801087f2/a0d5a68bf1461e6d.png!q70.jpg	Mogua Engine V2
https://m15.360buyimg.com/mobilecms/jfs/t1/185733/21/13527/6648/60ec0f31E0fea3e0a/d86d463521140bb6.png!q70.jpg	Mogua Engine V2
https://m15.360buyimg.com/mobilecms/jfs/t1/186080/16/13681/8175/60ec0fcdE032af6cf/c5acd2f8454c40e1.png!q70.jpg	Mogua Engine V2
https://m-sep.jd.com/GoodsList	Mogua Engine V2
https://www.maotai.com	Mogua Engine V2
http://wechat.66card.com/vcweixin	Mogua Engine V2
https://vpay.upcard.com.cn/vcweixin	Mogua Engine V2
https://www.chinagiftcard.cn/vcweixin	Mogua Engine V2

http://wechat.66card.com/vcweixin/ytyh/togotoytyhmenu?param=	Mogua Engine V2
https://vpay.upcard.com.cn/vcweixin/ytyh/togotoytyhmenu?param=	Mogua Engine V2
https://www.chinagiftcard.cn/vcweixin/ytyh/togotoytyhmenu?company=ytyh¶m=	Mogua Engine V2
https://vkceyugu.cdn.bspapp.com/VKCEYUGU-dc-site/094a9dc0-50c0-11eb-b680-7980c8a877b8.jpg	Mogua Engine V2
https://beta-m-sep.jd.com/GoodList	Mogua Engine V2
https://m-sep.jd.com/ScoreList?shopId=	Mogua Engine V2
https://m-sep.jd.com/GoodList?shopId=	Mogua Engine V2
https://pre-account.jdx.com/user/m/modifyPhone.html?source=LSY_YTYHT01&tc=tyht01&returnUrl=https://pre-account.jdx.com/static/success&	Mogua Engine V2
https://m-sep.jd.com/ProductDetail?businessType=	Mogua Engine V2
https://api.bspapp.com	Mogua Engine V2
https://uniapp.dcloud.net.cn/uniCloud/publish.html	Mogua Engine V2
https://api-pub.jdx.com/?apiCode=	Mogua Engine V2
http://feross.org>	Mogua Engine V2
https://apis.map.qq.com/ws/geocoder/v1/?location=39.771221,116.329041&key=BV5BZ-MFPK3-B5W3R-3XEBC-L6QH5-3YFKZ	Mogua Engine V2
https://neptune.jd.com/log/m	Mogua Engine V2
https://store-mobile.jdxpoc.com/hybrid/html/privacy.html	Mogua Engine V2
https://quilljs.com/	Mogua Engine V2
https://quilljs.com	Mogua Engine V2
https://store-mobile.jdxpoc.com/hybrid/html/privacy.html\	Mogua Engine V2
https://open.weixin.qq.com/sdk/report?v=	Mogua Engine V2
https://crbug.com/v8/8520	lib/x86/libweexjss.so
http://mpsapi.amap.com/ws/mps/vmap	lib/x86/libAMapSDK_MAP_v9_2_0.so

http://mpsapi.amap.com/ws/mps/rtt	lib/x86/libAMapSDK_MAP_v9_2_0.so
http://mpsapi.amap.com/ws/mps/smap	lib/x86/libAMapSDK_MAP_v9_2_0.so
http://m5.amap.com/ws/transfer/auth/map/indoor_maps	lib/x86/libAMapSDK_MAP_v9_2_0.so
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	lib/x86/libAMapSDK_MAP_v9_2_0.so
http://mpsapi.amap.com/	lib/x86/libAMapSDK_MAP_v9_2_0.so
http://m5.amap.com	lib/x86/libAMapSDK_MAP_v9_2_0.so
https://mps.amap.com/ws/mps/rtt	lib/x86/libAMapSDK_MAP_v9_2_0.so
https://mps.amap.com/ws/mps/vmap	lib/x86/libAMapSDK_MAP_v9_2_0.so
https://maps.testing.amap.com/ws/transfer/auth/map/indoor_maps	lib/x86/libAMapSDK_MAP_v9_2_0.so
https://mps.amap.com/ws/mps/smap	lib/x86/libAMapSDK_MAP_v9_2_0.so
https://mps.amap.com/ws/mps/spot	lib/x86/libAMapSDK_MAP_v9_2_0.so
https://mps.amap.com/ws/mps/hot	lib/x86/libAMapSDK_MAP_v9_2_0.so

 邮箱线索

邮箱地址	所在文件
moutai-bg@2x.png park-bg@2x.png integral-bg@2x.png line-refresh@2x.png	Mogua Engine V2
place-coupon@2x.png kenji.urushima@gmail.com jhruby.web@gmail.com tag-authenticated@2x.png filled_fire@2x.png plate-thumb@2x.png place-product@2x.png line_arrow@2x.png	Mogua Engine V2

line_arrow@3x.png line_search@2x.png 16px_line_location@3x.png tag-noauthentication@2x.png no-data@2x.png	
map-location-red@2x.png map-location-blue@2x.png	Mogua Engine V2

☎ 手机线索

手机号	所在文件
13678765434	Mogua Engine V2
13798500507	Mogua Engine V2
18846790454	Mogua Engine V2

🌟 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=86, ST=sichuan, L=chengdu, O=chengdu ito yokado, OU=system, CN=peisi tu
签名算法: rsassa_pkcs1v15
有效期自: 2018-08-06 13:00:23+00:00
有效期至: 2043-07-31 13:00:23+00:00
发行人: C=86, ST=sichuan, L=chengdu, O=chengdu ito yokado, OU=system, CN=peisi tu
序列号: 0x1410a7c9
哈希算法: sha256
md5值: 80b2af394dc92b503c1fd216cd829602
sha1值: f76837d7fa6eb4be78647a07cf7344b191721d85
sha256值: 072397b743bcd727535ac426b73b123283ee870326d1cba67dff2369313ad8f
sha512值: 8ab244e27ce5c3deb29de61bebd6f06d854bddf168f15623b9db692149df0625a7d23fd95cc04611d6b063fdb0e5d7f097ceb37f5a637dc50c329d01ca1dd453
公钥算法: rsa
密钥长度: 2048
指纹: 853605b935f2420781d441c8b925ed24282dd0a0ecf51cb7100960b2a95196f5

🔑 硬编码敏感信息

可能的敏感信息
"dcloud_common_user_refuse_api" : "the user denies access to the API"
"dcloud_io_without_authorization" : "not authorized"
"dcloud_oauth_authentication_failed" : "failed to obtain authorization to log in to the authentication service"
"dcloud_oauth_empower_failed" : "the Authentication Service operation to obtain authorized logon failed"
"dcloud_oauth_logout_tips" : "not logged in or logged out"
"dcloud_oauth_oauth_not_empower" : "oAuth authorization has not been obtained"
"dcloud_oauth_token_failed" : "failed to get token"
"dcloud_permissions_reauthorization" : "reauthorize"
"privateKeyP2" : "#e\$r"
"dcloud_common_user_refuse_api" : "用户拒绝该API访问"
"dcloud_io_without_authorization" : "没有获得授权"
"dcloud_oauth_authentication_failed" : "获取授权登录认证服务操作失败"
"dcloud_oauth_empower_failed" : "获取授权登录认证服务操作失败"
"dcloud_oauth_logout_tips" : "未登录或登录已注销"
"dcloud_oauth_oauth_not_empower" : "尚未获取oauth授权"
"dcloud_oauth_token_failed" : "获取token失败"
"dcloud_permissions_reauthorization" : "重新授权"

加壳分析

加壳类型	所属文件

第三方插件

名称	分类	URL链接
登录摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精确定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
	无		

android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
com.iy_cd.crm.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.iy_cd.crm.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference

com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.iy_cd.crm.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.iy_cd.crm.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.iy_cd.crm.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
io.dcloud.PandoraEntry	Schemes: hbuilder://, Mime Types: image/*,
io.dcloud.PandoraEntryActivity	Schemes: ://,
com.jd.push.vivo.broadcast.MyBridgeActivity	Schemes: vpushscheme://, Hosts: com.vivo.push.notifysdk, Paths: /detail,