



MoGua

君尽欢 1.0.APK 分析报告



APP名称:

君尽欢

包名:

域名线索:

66条

URL线索:

83条

邮箱线索:

4条

分析日期:

2025年7月2日

分析平台:

[摸瓜APK反编译平台](#)

文件信息

文件名: 君尽欢.apk

文件大小: 65.32MB
MD5值: d58b70b260ce8d67d14f8fd4a55a9554
SHA1值: d57f9fe16902e6068047a69f6b43ac58ca46c200
SHA256值: 141daa149e4b1409b35037a3b0a20b29ec9dddae28b52506e58316d8da45f670

i APP 信息

App名称: 君尽欢
包名:
主活动Activity: []
安卓版本名称: 1.0
安卓版本: []

🔍 域名线索

域名	服务器信息
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
restsdk.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
graph.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
openmobile.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
open.weixin.qq.com	IP: 175.24.209.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
long.open.weixin.qq.com	IP: 109.244.216.15 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.openssl.org	IP: 23.54.240.176 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
play.google.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 151.101.2.132 所属国家: United States of America

xml.apache.org	地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
schemas.microsoft.com	IP: 13.107.246.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
grs.dbankcloud.com	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.xmpush.xiaomi.com	IP: 118.26.252.230 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

rqd.uu.qq.com	IP: 109.244.173.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
adiu.amap.com	IP: 59.82.60.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mpsapi.amap.com	IP: 106.11.43.68 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
store.hispace.hicloud.com	IP: 49.4.38.106 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
cn.register.xmpush.xiaomi.com	IP: 220.181.106.176 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
resolver.msg.global.xiaomi.net	IP: 8.219.182.3 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
playready.directtaps.net	IP: 104.45.231.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
cgicol.amap.com	IP: 59.82.60.45 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
	IP: 42.187.184.40

wup.imtt.qq.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	没有服务器地理信息.
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
material.io	IP: 216.239.34.21 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
grs.dbankcloud.eu	没有服务器地理信息.
android.bugly.qq.com	IP: 109.244.244.137 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
	IP: 113.106.27.98

norma-external-collect.meizu.com	所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
log.tbs.qq.com	IP: 109.244.244.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
appsupport.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mst01.is.autonavi.com	IP: 59.82.60.56 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

apilocate.amap.com	IP: 106.11.43.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
huatuocode.huatuo.qq.com	没有服务器地理信息.
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apiinit.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
resolver.msg.xiaomi.net	IP: 183.84.5.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 3.120.167.167

fr.register.xmpush.global.xiaomi.com	所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
idmb.register.xmpush.global.xiaomi.com	IP: 13.234.205.46 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.075975 经度: 72.877380
login.imgcache.qq.com	IP: 182.254.59.182 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
m5.amap.com	IP: 59.82.113.187 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
67.211.78.72	IP: 67.211.78.72 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
yuntuapi.amap.com	没有服务器地理信息.
aexception.bugly.qq.com	IP: 101.226.233.161 所属国家: China 地区: Shanghai 城市: Shanghai

	纬度: 31.224333 经度: 121.468948
wap.amap.com	IP: 42.81.22.187 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.weixin.qq.com	IP: 109.244.145.152 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgi.connect.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wprd0d.is.autonavi.com	没有服务器地理信息.
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471

register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
lbs.amap.com	IP: 59.82.31.104 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
appgallery.cloud.huawei.com	IP: 118.194.33.230 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
wb.amap.com	IP: 59.82.31.149 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161583
cfg.imtt.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgi.qplus.com	没有服务器地理信息.
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

URL线索

URL信息	Url所在文件
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java

https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
http://restsdk.amap.com/v3	com/amap/api/col/s/h.java
https://restsdk.amap.com/v3	com/amap/api/col/s/h.java
http://restsdk.amap.com/v4	com/amap/api/col/s/h.java
https://restsdk.amap.com/v4	com/amap/api/col/s/h.java
http://yuntuapi.amap.com	com/amap/api/col/s/h.java
https://yuntuapi.amap.com	com/amap/api/col/s/h.java
http://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/h.java
https://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/h.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/h.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/h.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/s/bj.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/s/bj.java
http://apiinit.amap.com/v3/log/init	com/amap/api/col/s/bk.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/s/cr.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bf.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/s/bf.java

http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/s/bf.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bf.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://restsdk.amap.com	com/amap/api/mapcore/util/fe.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/ew.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/ew.java
http://apilocate.amap.com/mobile/binary	com/amap/api/mapcore/util/io.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/amap/api/mapcore/util/io.java
http://restsdk.amap.com/v4/grasproad/driving?	com/amap/api/mapcore/util/eq.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/i.java
https://adiu.amap.com/ws/device/adius	com/amap/api/mapcore/util/gv.java
http://apiinit.amap.com/v3/log/init	com/amap/api/mapcore/util/ex.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/\	com/amap/api/mapcore/util/b.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/mapcore/util/cs.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/cs.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/ct.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/cf.java

https://github.com/danikula/AndroidVideoCache/issues/43.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues/88.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues/134.	com/danikula/videocache/Pinger.java
http://%s:%d/%s	com/danikula/videocache/Pinger.java
http://%s:%d/%s	com/danikula/videocache/HttpProxyCacheServer.java
https://material.io/design/components/dialogs.html	com/afollestad/materialdialogs/MaterialDialog.java
http://xml.apache.org/xslt	com/wind/imlib/utils/KitReleaseLogUtils.java
https://67.211.78.72:8889/fangyuan.txt	com/wind/im/BuildConfig.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gn.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cw.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gv.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fq.java
https://api.xmpush.xiaomi.com/v1/trace/report/sdk	com/xiaomi/push/df.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/o.java

https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bp.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bp.java
https://adiu.amap.com/ws/device/adius	com/loc/bb.java
http://restsdk.amap.com	com/loc/s.java
http://restsdk.amap.com/v3/place/text?	com/loc/a.java
http://restsdk.amap.com/v3/config/district?	com/loc/a.java
http://restsdk.amap.com/v3/place/around?	com/loc/a.java
http://apilocate.amap.com/mobile/binary	com/loc/ff.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/loc/ff.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/ff.java
https://restsdk.amap.com/v3/iasdkauth	com/loc/l.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/loc/l.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/loc/fa.java
http://restsdk.amap.com/v3/geocode/regeo	com/loc/fa.java

http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cr.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/ey.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fk.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/autonavi/amap/mapcore/Inner_3dMap_location.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
http://restsdk.amap.com/rest/lbs/dem/dataservice?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile? z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java

https://graph.qq.com/	com/imacapp/wind/api/LoginService.java
https://api.weixin.qq.com/	com/imacapp/wind/api/LoginService.java
http://astat.bugly.qqcloud.com/rqd/async	com/tencent/bugly/crashreport/CrashReport.java
http://rqd.uu.qq.com/rqd/sync	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
http://aexception.bugly.qq.com:8012/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utls/n.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utls/n.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utls/n.java
http://mqqad.html5.qq.com/adjs	com/tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utls/n.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utls/d.java
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/j.java
http://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java

http://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/a/c.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/b/a/a.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/b/a/a.java
https://openmobile.qq.com/oauth2.0/me	com.tencent/connect/UnionInfo.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com.tencent/connect/common/BaseApi.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com.tencent/connect/common/BaseApi.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com.tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com.tencent/connect/auth/AuthAgent.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com.tencent/connect/auth/a.java
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	com.tencent/open/SocialApilml.java
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com.tencent/open/SocialApilml.java
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com.tencent/open/SocialApilml.java
https://login.imgcache.qq.com	com.tencent/open/SocialApilml.java

https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/Utils/g.java
https://cgi.qplus.com/report/report	com/tencent/open/Utils/l.java
https://huatuocode.huatuo.qq.com	com/tencent/open/a/d.java
https://open.weixin.qq.com/connect/sdk/qrconnect? appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
http://playready.directtaps.net/pr/svc/rightsmanager.asmx	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
https://play.google.com/store	Mogua Engine V1
https://appgallery.cloud.huawei.com/app/	Mogua Engine V1
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://store.hispac.hicloud.com/hwmarket/api/	Mogua Engine V1
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2

https://grs.dbankcloud.asia	Mogua Engine V2
http://www.openssl.org/support/faq.html	lib/x86/libijkffmpeg.so
http://mpsapi.amap.com/ws/mps/vmap	lib/x86/libAMapSDK_MAP_v8_0_0.so
http://mpsapi.amap.com/ws/mps/rtt	lib/x86/libAMapSDK_MAP_v8_0_0.so
http://mpsapi.amap.com/ws/mps/smap	lib/x86/libAMapSDK_MAP_v8_0_0.so
http://m5.amap.com/ws/transfer/auth/map/indoor_maps	lib/x86/libAMapSDK_MAP_v8_0_0.so
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	lib/x86/libAMapSDK_MAP_v8_0_0.so
http://mpsapi.amap.com/	lib/x86/libAMapSDK_MAP_v8_0_0.so
http://m5.amap.com	lib/x86/libAMapSDK_MAP_v8_0_0.so

 邮箱线索

邮箱地址	所在文件
danikula@gmail.com	com/danikula/videocache/HttpUrlSource.java
o@netstream.failed	lib/x86/librtmp-jni.so
ffmpeg-devel@ffmpeg.org	lib/x86/libijkplayer.so
v@ro.product	lib/x86/libAMapSDK_MAP_v8_0_0.so

手机线索

手机号	所在文件
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

签名证书

无法读取代码签名证书.

硬编码敏感信息

可能的敏感信息
"wx_appsecret" : ""

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

--	--	--

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。