MoGua

贪吃蛇大作战® 4.4.10.1.APK 分析报告

APP名称:	贪吃蛇大作战®
包名:	com.wepie.snake
域名线索:	187条
URL线索:	160条
邮箱线索:	12条
分析日期:	2025年7月4日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 1574512.apk
文件大小: 147.24MB
MD5值: d6c6220b329b15424a897ccc06357c80
SHA1值: a24d3594514847a287545b72b273cc0b74f4f81d
SHA256值: 32bc01622fef2e4751b11ea9a83bb07e14c5181853ae08bc92b5921248f82e9a

APP 信息

App名称: 贪吃蛇大作战®
包名: com.wepie.snake
主活动Activity: com.wepie.snake.app.activity.StartActivity
安卓版本名称: 4.4.10.1
安卓版本: 2281

域名线索

域名	服务器信息
fr.register.xmpush.global.xiaomi.com	**IP**: 3.127.120.172 **所属国家**: Germany **地区**: Hessen **城市**: Frankfurt am Main **纬度**: 50.115520 **经度**: 8.684170
www.tcsdzz.com	**IP**: 39.100.24.39 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
www.samsungapps.com	**IP**: 52.31.24.56 **所属国家**: Ireland **地区**: Dublin **城市**: Dublin **纬度**: 53.343990 **经度**: -6.267190

sdk.e.qq.com	IP: 119.147.13.93 **所属国家**: China **地区**: Guangdong **城市**: Shenzhen **纬度**: 22.545540 **经度**: 114.068298
snake-d8642.firebaseio.com	IP: 34.120.160.131 **所属国家**: United States of America **地区**: Missouri **城市**: Kansas City **纬度**: 39.099731 **经度**: -94.578568
cn.register.xmpush.xiaomi.com	IP: 118.26.252.220 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
api.twitter.com	IP: 64.13.192.76 **所属国家**: United States of America **地区**: California **城市**: Culver City **纬度**: 34.017185 **经度**: -118.392830
metrics1.data.hicloud.com	IP: 114.115.188.66 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
grs.dbankcloud.asia	没有服务器地理信息.
api.weixin.qq.com	IP: 81.69.216.43 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
store2.hispace.hicloud.com	IP: 13.227.62.71 **所属国家**: Japan **地区**: Tokyo **城市**: Tokyo **纬度**: 35.689507 **经度**: 139.691696
nim.qiyukf.com	IP: 59.111.205.2 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
lkme.cc	IP: 152.136.248.133 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232

mcgw.alipay.com	**IP**: 124.239.239.237 **所属国家**: China **地区**: Hebei **城市**: Langfang **纬度**: 39.509720 **经度**: 116.694717
dev-www.tcsdzz.com	**IP**: 39.100.24.39 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
github.com	**IP**: 20.205.243.166 **所属国家**: United States of America **地区**: Washington **城市**: Redmond **纬度**: 47.682899 **经度**: -122.120903
service.weibo.com	**IP**: 49.7.40.132 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
lf3-ttcdn-tos.pstatp.com	**IP**: 42.81.22.244 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
qytest.netease.com	**IP**: 59.111.241.137 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
ipay.iapppay.com	**IP**: 67.21.93.239 **所属国家**: United States of America **地区**: California **城市**: Los Angeles **纬度**: 34.052986 **经度**: -118.263687
grs.dbankcloud.eu	没有服务器地理信息.
data.iapppay.com	**IP**: 67.21.93.239 **所属国家**: United States of America **地区**: California **城市**: Los Angeles **纬度**: 34.052986 **经度**: -118.263687
	IP: 185.199.111.153

xmlpull.org	**所属国家**: United States of America **地区**: Pennsylvania **城市**: California **纬度**: 40.065632 **经度**: -79.891708
app.qq.com	IP: 175.27.9.46 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
iapppay.halodigit.com	没有服务器地理信息.
127.0.0.1	IP: 127.0.0.1 **所属国家**: **-** **地区**: **-** **城市**: **-** **纬度**: 0.000000 **经度**: 0.000000
api.xmpush.xiaomi.com	IP: 183.84.7.230 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
devapkupgrade.tcsdzz.com	IP: 139.224.202.75 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
qiyukf.netease.com	IP: 59.111.222.254 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
store-drru.hispace.hicloud.com	IP: 159.138.202.186 **所属国家**: Russian Federation **地区**: Moskva **城市**: Moscow **纬度**: 55.752220 **经度**: 37.615559
up.sdk.mob.com	IP: 203.107.55.19 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423

ouplog.umeng.com	IP: 47.246.110.94 **所属国家**: Hong Kong **地区**: Hong Kong **城市**: Hong Kong **纬度**: 22.285521 **经度**: 114.157692
adash.man.aliyuncs.com	IP: 59.82.40.77 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
mclient.alipay.com	IP: 124.239.239.236 **所属国家**: China **地区**: Hebei **城市**: Langfang **纬度**: 39.509720 **经度**: 116.694717
pangolin16.snssdk.com	没有服务器地理信息.
bds.snssdk.com	IP: 27.221.111.101 **所属国家**: China **地区**: Shandong **城市**: Jinan **纬度**: 36.668331 **经度**: 116.997223
graph.facebook.com	IP: 122.10.85.4 **所属国家**: Hong Kong **地区**: Hong Kong **城市**: Hong Kong **纬度**: 22.285521 **经度**: 114.157692
applog.uc.cn	IP: 111.62.115.28 **所属国家**: China **地区**: Hebei **城市**: Shijiazhuang **纬度**: 38.041389 **经度**: 114.478607
idmb.register.xmpush.global.xiaomi.com	IP: 13.234.150.249 **所属国家**: India **地区**: Maharashtra **城市**: Mumbai **纬度**: 19.014410 **经度**: 72.847939
www.jivesoftware.com	IP: 35.238.7.255 **所属国家**: United States of America **地区**: Iowa **城市**: Council Bluffs **纬度**: 41.261940 **经度**: -95.860832
data-drru.push.dbankcloud.com	IP: 159.138.202.31 **所属国家**: Russian Federation **地区**: Moskva **城市**: Moscow **纬度**: 55.752220 **经度**: 37.615559

fusion.qq.com	**IP**: 175.27.9.125 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
tobapplog.tobsnssdk.com	**IP**: 23.44.51.168 **所属国家**: Japan **地区**: Tokyo **城市**: Tokyo **纬度**: 35.689507 **经度**: 139.691696
wespypicuser.afunapp.com	**IP**: 116.114.96.35 **所属国家**: China **地区**: Nei Mongol **城市**: Alxa **纬度**: 38.833332 **经度**: 105.666664
debugtbs.qq.com	**IP**: 175.27.9.46 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
alogsus.umeng.com	**IP**: 223.109.148.176 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
qydev.netease.com	**IP**: 59.111.48.68 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
nim.nosdn.127.net	**IP**: 220.181.158.194 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
wup.imtt.qq.com	**IP**: 42.187.184.221 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
api.utag.mob.com	没有服务器地理信息.
mta.qq.com	**IP**: 0.0.0.1 **所属国家**: - **地区**: - **城市**: - **纬度**: 0.000000

	经度: 0.000000
api-push.in.meizu.com	IP: 206.161.233.191 **所属国家**: United States of America **地区**: Virginia **城市**: Herndon **纬度**: 38.978210 **经度**: -77.386993
open-api1.test.gifshow.com	IP: 103.102.200.28 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
xml.org	IP: 104.239.240.11 **所属国家**: United States of America **地区**: Texas **城市**: Windcrest **纬度**: 29.499678 **经度**: -98.399246
data-dre.push.dbankcloud.com	IP: 80.158.49.244 **所属国家**: Germany **地区**: Schleswig-Holstein **城市**: Kiel **纬度**: 54.321331 **经度**: 10.134890
success.ctobsnssdk.com	IP: 220.181.157.140 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
schemas.android.com	没有服务器地理信息.
api.map.baidu.com	IP: 111.206.208.72 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
dctest.sigmob.cn	IP: 39.105.226.242 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
wappaygw.alipay.com	IP: 124.239.239.236 **所属国家**: China **地区**: Hebei **城市**: Langfang **纬度**: 39.509720 **经度**: 116.694717
snakeup.tcsdzz.com	IP: 220.181.135.224 **所属国家**: China **地区**: Beijing

	城市: Beijing **纬度**: 39.907501 **经度**: 116.397232
uc.qbox.me	IP: 111.225.212.230 **所属国家**: China **地区**: Hebei **城市**: Langfang **纬度**: 39.509720 **经度**: 116.694717
mobilegw.aaa.alipay.net	没有服务器地理信息.
debugx5.qq.com	IP: 175.27.9.46 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
sdfp.snssdk.com	IP: 220.181.157.137 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
ucc.umeng.com	IP: 203.119.169.175 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
adservice.sigmob.cn	IP: 101.200.125.221 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
sca.tcsdzz.com	IP: 116.114.96.35 **所属国家**: China **地区**: Nei Mongol **城市**: Alxa **纬度**: 38.833332 **经度**: 105.666664
androidquery.appspot.com	IP: 128.242.240.91 **所属国家**: United States of America **地区**: California **城市**: Milpitas **纬度**: 37.428268 **经度**: -121.906616
configapi-api.glqa.jpushoa.com	IP: 172.17.5.42 **所属国家**: **-** **地区**: **-** **城市**: **-** **纬度**: 0.000000 **经度**: 0.000000
	IP: 107.155.52.56

ru.register.xmpush.global.xiaomi.com	**所属国家**: Russian Federation **地区**: Moskva **城市**: Moscow **纬度**: 55.752220 **经度**: 37.615559
da.qytest.netease.com	IP: 59.111.241.137 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
apps.samsung.com	IP: 42.81.61.124 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
223.252.220.223	IP: 223.252.220.223 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
wapmap.baidu.com	IP: 111.206.209.212 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
dc.sigmob.cn	IP: 112.126.7.24 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
apk-upgrade.tcsdzz.com	IP: 47.104.0.220 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
store3.hispace.hicloud.com	IP: 104.82.28.111 **所属国家**: United States of America **地区**: Virginia **城市**: Manassas **纬度**: 38.750950 **经度**: -77.475273
norma-external-collect.meizu.com	IP: 113.106.27.98 **所属国家**: China **地区**: Guangdong **城市**: Zhongshan **纬度**: 22.520580 **经度**: 113.382317
	IP: 67.21.93.239

payment.iapppay.com	**所属国家**: United States of America **地区**: California **城市**: Los Angeles **纬度**: 34.052986 **经度**: -118.263687
new.api.ad.xiaomi.com	没有服务器地理信息.
wanproxy.127.net	IP: 223.252.196.40 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 **所属国家**: Singapore **地区**: Singapore **城市**: Singapore **纬度**: 1.289670 **经度**: 103.850067
139.224.2.208	IP: 139.224.2.208 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
pms.mb.qq.com	IP: 175.27.12.246 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
139.224.202.75	IP: 139.224.202.75 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
snakeupload-dev.tcsdzz.com	IP: 139.224.2.208 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
share.imap.baidu.com	IP: 111.206.209.120 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
apmlog.snssdk.com	IP: 220.181.157.140 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232

sf1-ttcdn-tos.pstatp.com	**IP**: 42.81.21.248 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
snakepay.tcsdzz.com	**IP**: 115.28.115.231 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
c.isdspeed.qq.com	没有服务器地理信息.
www.chengzijianzhan.com	**IP**: 42.81.21.242 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
snakeupload.tcsdzz.com	**IP**: 115.28.114.49 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
h5.m.taobao.com	**IP**: 220.181.135.233 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
n.sigmob.cn	**IP**: 222.34.60.100 **所属国家**: China **地区**: Jilin **城市**: Siping **纬度**: 43.163330 **经度**: 124.368607
lbs.netease.im	**IP**: 59.111.211.9 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
api-push.meizu.com	**IP**: 125.94.213.129 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
devsnakeup.tcsdzz.com	**IP**: 139.224.2.208 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423

ad.toutiao.com	**IP**: 58.58.80.217 **所属国家**: China **地区**: Shandong **城市**: Yantai **纬度**: 37.533329 **经度**: 121.400002
ofloc.map.baidu.com	**IP**: 110.242.70.118 **所属国家**: China **地区**: Hebei **城市**: Baoding **纬度**: 38.851109 **经度**: 115.490280
reportlog.cocos.com	**IP**: 39.97.6.35 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
snakeapi2.tcsdzz.com	**IP**: 121.42.243.230 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
long.open.weixin.qq.com	**IP**: 109.244.216.15 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
errlog.umeng.com	**IP**: 223.109.148.180 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
gjapplog.ucweb.com	**IP**: 168.235.204.12 **所属国家**: United States of America **地区**: California **城市**: Monrovia **纬度**: 34.142773 **经度**: -117.999565
api.weibo.com	**IP**: 49.7.37.118 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
apache.org	**IP**: 151.101.2.132 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.775700 **经度**: -122.395203

success.itobsnssdk.com	IP: 23.220.70.147 **所属国家**: Colombia **地区**: Antioquia **城市**: Medellin **纬度**: 6.251840 **经度**: -75.563591
mobilegw.alipaydev.com	IP: 110.75.132.131 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
m.weibo.cn	IP: 49.7.40.136 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
open.weibo.cn	IP: 49.7.37.118 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
toblog.itobsnssdk.com	IP: 23.193.96.89 **所属国家**: United States of America **地区**: Massachusetts **城市**: Cambridge **纬度**: 42.363598 **经度**: -71.085205
loc.map.baidu.com	IP: 111.206.209.174 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
adstage.sigmob.cn	IP: 39.107.214.198 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
bbs.lbsyun.baidu.com	没有服务器地理信息.
uplog.qbox.me	IP: 111.225.212.227 **所属国家**: China **地区**: Hebei **城市**: Langfang **纬度**: 39.509720 **经度**: 116.694717
static.yximgs.com	IP: 222.143.140.107 **所属国家**: China **地区**: Henan **城市**: Hebi **纬度**: 35.899170 **经度**: 114.192497

qzs.qq.com	**IP**: 182.254.52.119 **所属国家**: China **地区**: Guangdong **城市**: Shenzhen **纬度**: 22.545540 **经度**: 114.068298
play.google.com	**IP**: 93.46.8.90 **所属国家**: Italy **地区**: Lombardia **城市**: Milan **纬度**: 45.464272 **经度**: 9.189510
alogus.umeng.com	**IP**: 223.109.148.130 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
ulogs.umeng.com	**IP**: 223.109.148.141 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
mobilegw.alipay.com	**IP**: 203.209.245.77 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
sf6-ttcdn-tos.pstatp.com	**IP**: 123.246.224.109 **所属国家**: China **地区**: Liaoning **城市**: Panjin **纬度**: 41.116669 **经度**: 122.050003
p3-tt.byteimg.com	**IP**: 42.81.21.238 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
is.snssdk.com	**IP**: 106.117.244.230 **所属国家**: China **地区**: Hebei **城市**: Tangshan **纬度**: 39.633331 **经度**: 118.183327
appsupport.qq.com	**IP**: 175.27.9.14 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232

url.havefun.im	没有服务器地理信息.
toblog.ctobsnssdk.com	IP: 221.130.19.101 **所属国家**: China **地区**: Jiangsu **城市**: Nanjing **纬度**: 32.061668 **经度**: 118.777779
iapppay-data.iapppay.com	IP: 67.21.93.239 **所属国家**: United States of America **地区**: California **城市**: Los Angeles **纬度**: 34.052986 **经度**: -118.263687
m.alipay.com	IP: 203.209.245.120 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
open.weixin.qq.com	IP: 175.24.219.72 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
metrics2.data.hicloud.com	IP: 80.158.2.190 **所属国家**: Germany **地区**: Schleswig-Holstein **城市**: Kiel **纬度**: 54.321331 **经度**: 10.134890
plbslog.umeng.com	IP: 36.156.202.75 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
mdc.html5.qq.com	IP: 175.27.9.46 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
www.mob.com	IP: 116.62.130.46 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
tobapplog.ctobsnssdk.com	IP: 36.156.39.101 **所属国家**: China **地区**: Jiangsu **城市**: Yangzhou **纬度**: 32.397221

	经度: 119.435829
success.tobsnssdk.com	**IP**: 103.136.220.205 **所属国家**: Singapore **地区**: Singapore **城市**: Singapore **纬度**: 1.289670 **经度**: 103.850067
register.xmpush.global.xiaomi.com	**IP**: 47.88.199.5 **所属国家**: Singapore **地区**: Singapore **城市**: Singapore **纬度**: 1.289670 **经度**: 103.850067
en.wikipedia.org	**IP**: 199.59.148.9 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.773968 **经度**: -122.410446
nos.netease.com	**IP**: 45.127.129.36 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
log.tbs.qq.com	**IP**: 109.244.244.37 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
snake.tcsdzz.com	**IP**: 220.181.158.196 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
grs.dbankcloud.com	**IP**: 121.36.119.243 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
da.qiyukf.netease.com	**IP**: 59.111.222.254 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
tobapplog.itobsnssdk.com	**IP**: 23.220.70.133 **所属国家**: Colombia **地区**: Antioquia **城市**: Medellin **纬度**: 6.251840 **经度**: -75.563591

api.u.mob.com	没有服务器地理信息.
da.qiyukf.com	**IP**: 59.111.248.114 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
cgi.connect.qq.com	**IP**: 175.27.9.43 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
itsdata.map.baidu.com	**IP**: 111.206.209.180 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
wspeed.qq.com	没有服务器地理信息.
data-dra.push.dbankcloud.com	**IP**: 119.8.163.189 **所属国家**: Singapore **地区**: Singapore **城市**: Singapore **纬度**: 1.289670 **经度**: 103.850067
p.share.mob.com	没有服务器地理信息.
mqqad.html5.qq.com	**IP**: 0.0.0.1 **所属国家**: **-** **地区**: **-** **城市**: **-** **纬度**: 0.000000 **经度**: 0.000000
soft.tbs.imtt.qq.com	**IP**: 220.194.122.241 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
openmobile.qq.com	**IP**: 175.27.9.14 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
resolver.msg.xiaomi.net	**IP**: 183.84.5.221 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232

map.baidu.com	IP: 111.206.208.32 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
sf3-ttcdn-tos.pstatp.com	IP: 42.81.21.239 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142220 **经度**: 117.176666
graph.qq.com	IP: 175.27.9.14 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
grs.dbankcloud.cn	IP: 121.36.119.243 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
developer.umeng.com	IP: 59.82.29.163 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
mobilegw.stable.alipay.net	没有服务器地理信息.
appgallery.cloud.huawei.com	IP: 121.36.118.136 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
cfg.imtt.qq.com	IP: 109.244.173.227 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
huatuocode.huatuo.qq.com	没有服务器地理信息.
ulogs.umengcloud.com	IP: 223.109.148.176 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
	IP: 59.111.248.114 **所属国家**: China **地区**: Guangdong

qy-swallow.qiyukf.com	**城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
j.map.baidu.com	IP: 111.206.209.187 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
metrics5.data.hicloud.com	IP: 159.138.203.215 **所属国家**: Russian Federation **地区**: Moskva **城市**: Moscow **纬度**: 55.752220 **经度**: 37.615559
pangolin.snssdk.com	IP: 220.181.157.142 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
cmnsguider.yunos.com	IP: 203.119.169.44 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
mta.oa.com	IP: 193.123.33.15 **所属国家**: Netherlands **地区**: Noord-Holland **城市**: Amsterdam **纬度**: 52.374031 **经度**: 4.889690
i.snssdk.com	IP: 150.139.245.241 **所属国家**: China **地区**: Shandong **城市**: Jinan **纬度**: 36.668331 **经度**: 116.997223
pingma.qq.com	IP: 119.45.78.184 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
toblog.tobsnssdk.com	IP: 23.44.51.168 **所属国家**: Japan **地区**: Tokyo **城市**: Tokyo **纬度**: 35.689507 **经度**: 139.691696
	IP: 119.29.29.29 **所属国家**: Hong Kong

119.29.29.29	**地区**: Hong Kong **城市**: Hong Kong **纬度**: 22.285521 **经度**: 114.157692
imtest.netease.im	IP: 59.111.209.232 **所属国家**: China **地区**: Guangdong **城市**: Guangzhou **纬度**: 23.116671 **经度**: 113.250000
store.hispace.hicloud.com	IP: 118.194.33.169 **所属国家**: China **地区**: Shanghai **城市**: Shanghai **纬度**: 31.222219 **经度**: 121.458061
www.facebook.com	IP: 199.16.158.9 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.773968 **经度**: -122.410446
store1.hispace.hicloud.com	IP: 118.194.33.169 **所属国家**: China **地区**: Shanghai **城市**: Shanghai **纬度**: 31.222219 **经度**: 121.458061
47.105.174.248	IP: 47.105.174.248 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
pslog.umeng.com	IP: 59.82.29.163 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161423
open.e.kuaishou.com	IP: 103.107.219.5 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232
media.weibo.cn	IP: 180.149.153.242 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397232

URL线索

URL信息
https://github.com/ReactiveX/RxJava/wiki/Plugins
https://github.com/ReactiveX/RxJava/wiki/Plugins
https://github.com/ReactiveX/RxJava/wiki/Error-Handling
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0
http://schemas.android.com/apk/res/android
https://api.weixin.qq.com/sns/oauth2/access_token
https://api.weixin.qq.com/sns/oauth2/refresh_token
https://api.weixin.qq.com/sns/userinfo
http://p.share.mob.com/tags/getTagList
https://)
http://qzs.qq.com/open/mobile/login/qzsjump.html?sdkv=3.3.0.lite&display=mobile
http://app.qq.com/detail/com.tencent.mobileqq?autodownload=1&norecommend=1&rootvia=opensdk
https://graph.qq.com/oauth2.0/m_authorize?response_type=token&client_id=
https://graph.qq.com/user/get_simple_userinfo
https://graph.qq.com
https://graph.qq.com/oauth2.0/m_authorize?response_type=token&client_id=
https://graph.qq.com/user/get_simple_userinfo
https://graph.qq.com/photo/upload_pic
https://graph.qq.com
http://configapi-api.glqa.jpushoa.com/v1/status
http://sdk.e.qq.com/err
http://sdk.e.qq.com/activate
http://sdk.e.qq.com/launch
http://wspeed.qq.com/w.cgi
http://c.isdspeed.qq.com/code.cgi

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/

http://api.map.baidu.com/sdkws/place/v2/detail

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/

http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion

http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/direction/v1

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/

http://j.map.baidu.com/

http://share.imap.baidu.com/ps

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s

http://bbs.lbsyun.baidu.com/forum.php?mod=viewthread&tid=106461\n==========\n

http://map.baidu.com/?newmap=1&s=

http://wapmap.baidu.com/s?tn=Detail&pid=

http://loc.map.baidu.com/sdk.php

http://loc.map.baidu.com/user_err.php

http://loc.map.baidu.com/oqur.php

http://loc.map.baidu.com/tcu.php

http://loc.map.baidu.com/rtbu.php

http://loc.map.baidu.com/iofd.php

http://loc.map.baidu.com/wloc

http://loc.map.baidu.com/sdk_ep.php

http://loc.map.baidu.com/apigetindoordata.php

http://itsdata.map.baidu.com/long-conn-gps/sdk.php

http://loc.map.baidu.com/cc.php

http://ofloc.map.baidu.com/offline_loc

http://%s/%s

http://loc.map.baidu.com/gpsz
https://api.map.baidu.com/sdkcs/verify
https://uplog.qbox.me/log/3
https://uc.qbox.me
http://uc.qbox.me
http://%s
https://lkme.cc/i/
https://lkme.cc/i
https://lkme.cc/i
https://github.com/yyued/SVGAPlayer-Android
https://n.sigmob.cn/icon/sig_logo.png
https://dctest.sigmob.cn/log
https://adstage.sigmob.cn/ad/v3
https://adstage.sigmob.cn/strategy/v3
https://dc.sigmob.cn/log
https://adservice.sigmob.cn/ad/v3
https://adservice.sigmob.cn/strategy/v3
https://adstage.sigmob.cn/config
https://adservice.sigmob.cn/config
http://adstage.sigmob.cn/extconfig
http://adservice.sigmob.cn/extconfig
https://data.iapppay.com/useractive
https://iapppay-data.iapppay.com/useractive
https://data.iapppay.com/useractive
https://iapppay-data.iapppay.com/useractive
http://data.iapppay.com:8048/domain?dn=data.iapppay.com
http://119.29.29.29/d?dn=
http://119.29.29.29/d?dn=

http://127.0.0.1/

https://ipay.iapppay.com

https://payment.iapppay.com

https://iapppay.halodigit.com

https://api.twitter.com/oauth/access_token

https://api.twitter.com/oauth/authorize

https://api.twitter.com/oauth/request_token

https://graph.facebook.com/oauth/authorize

https://www.facebook.com/connect/login_success.html

https://graph.facebook.com/oauth/authorize?

https://graph.facebook.com/me

https://androidquery.appspot.com

https://api.xmpush.xiaomi.com/upload/xmsf_log?file=

https://api.xmpush.xiaomi.com/upload/app_log?file=

https://api.xmpush.xiaomi.com/upload/crash_log?file=

http://xmlpull.org/v1/doc/features.html

http://www.jivesoftware.com/xmlns/xmpp/properties\

http://xmlpull.org/v1/doc/features.html

http://new.api.ad.xiaomi.com/logNotificationAdActions

http://xmlpull.org/v1/doc/features.html

http://xmlpull.org/v1/doc/features.html

http://%1$s/gslb/?ver=4.0

https://cn.register.xmpush.xiaomi.com

https://register.xmpush.global.xiaomi.com

https://fr.register.xmpush.global.xiaomi.com

https://ru.register.xmpush.global.xiaomi.com

https://idmb.register.xmpush.global.xiaomi.com

http://resolver.msg.xiaomi.net/psc/?t=a

https://errlog.umeng.com/upload

https://applog.uc.cn/collect

https://gjapplog.ucweb.com/collect

https://errlog.umeng.com

https://mobilegw.alipay.com/mgw.htm

https://mobilegw.alipaydev.com/mgw.htm

http://m.alipay.com/?action=h5quit

https://wappaygw.alipay.com/home/exterfaceAssign.htm?

https://mclient.alipay.com/home/exterfaceAssign.htm?

http://h5.m.taobao.com/trade/paySuccess.html?bizOrderId=$OrderId$&

https://mcgw.alipay.com/sdklog.do

http://mobilegw.stable.alipay.net/mgw.htm

https://mobilegw.alipay.com/mgw.htm

http://mobilegw-1-64.test.alipay.net/mgw.htm

http://mobilegw.aaa.alipay.net/mgw.htm

https://en.wikipedia.org/wiki/Hostname

http://snakeapi2.tcsdzz.com/

http://139.224.2.208:8020/

http://139.224.2.208:8099/

http://47.105.174.248:8091/

http://139.224.202.75:8099/

http://devapkupgrade.tcsdzz.com:8010/api/upgrade/snake

http://apk-upgrade.tcsdzz.com/api/upgrade/snake

http://snakepay.tcsdzz.com/

http://snakeapi2.tcsdzz.com/

http://139.224.2.208:8020/

http://snakeup.tcsdzz.com/

http://devsnakeup.tcsdzz.com/

http://snakeupload.tcsdzz.com/

http://snakeupload-dev.tcsdzz.com/

http://snake.tcsdzz.com?

http://url.havefun.im/u/LuPWvH

http://wespypicuser.afunapp.com/wechat_reward_qr_code.jpg

http://wespypicuser.afunapp.com/snake/fly_food_1476847774035

http://wespypicuser.afunapp.com/snake/fly_food_1476847774035

https://sca.tcsdzz.com/snake_food_4.png\

https://sca.tcsdzz.com/snake_body_4.png\

https://sca.tcsdzz.com/snake_skin_1473422503122\

http://snakeapi2.tcsdzz.com/

https://api.weixin.qq.com/sns/oauth2/access_token

http://dev-www.tcsdzz.com/policies_detail_official_cp_ad.html

https://www.tcsdzz.com/policies_detail_official_cp_ad.html

https://snake.tcsdzz.com/children_privacy_policy.html

https://snake.tcsdzz.com/user_agreement/official.html

https://www.tcsdzz.com/logout.html

http://snakepay.tcsdzz.com/

https://api.weibo.com/2/proxy/sdk/statistic.json

https://api.weibo.com/oauth2/getaid.json

https://api.weibo.com/oauth2/getaid.json

http://m.weibo.cn/u/

http://media.weibo.cn/article?

http://m.weibo.cn/comment?

http://m.weibo.cn/

http://m.weibo.cn/index/router?

https://m.weibo.cn/p/100103type=1&

http://m.weibo.cn/mblog?

http://service.weibo.com/share/mobilesdk.php

http://service.weibo.com/share/mobilesdk_uppic.php

https://api.weibo.com/oauth2/access_token

https://open.weibo.cn/oauth2/authorize?

http://xmlpull.org/v1/doc/features.html

http://xmlpull.org/v1/doc/features.html

https://open.e.kuaishou.com

http://e-api-

https://open-api1.test.gifshow.com

http://ad-open-api-

http://apps.samsung.com/appquery/appDetail.as?appId=

https://static.yximgs.com/udata/pkg/KS-Android-KSAdSDk/ks_so-kwaiPlayer-release-320.apk

https://open.e.kuaishou.com/rest/e/v3/open/sdk

https://)nos.netease.com/nim/

https://nim.nosdn.127.net/

http://da.qytest.netease.com

http://da.qiyukf.netease.com

https://da.qiyukf.com

http://qytest.netease.com

http://qiyukf.netease.com

https://qy-swallow.qiyukf.com

http://qydev.netease.com

https://nim.qiyukf.com

https://wanproxy.127.net/lbs

http://imtest.netease.im/lbs/conf

http://223.252.220.223/lbsrc/conf.jsp

https://lbs.netease.im/lbs/conf.jsp

https://adash.man.aliyuncs.com/man/api?ak=23356390&s=

http://xml.org/sax/features/namespaces

http://xml.org/sax/features/namespace-prefixes

http://xml.org/sax/features/validation

http://xml.org/sax/features/external-general-entities

http://xml.org/sax/features/external-parameter-entities

http://xml.org/sax/features/string-interning

http://xml.org/sax/features/namespaces

http://xml.org/sax/features/validation

http://xmlpull.org/v1/doc/features.html

https://reportlog.cocos.com

https://github.com/lingochamp/FileDownloader/wiki/filedownloader.properties

https://api-push.meizu.com/garcia/api/client/

https://api-push.in.meizu.com/garcia/api/client/

https://api-push.meizu.com/garcia/api/client/log/upload

https://api-push.meizu.com/garcia/api/server/getPublicKey

https://api-push.in.meizu.com

https://api-push.meizu.com

http://norma-external-collect.meizu.com/android/exchange/getpublickey.do

http://norma-external-collect.meizu.com/push/android/external/add.do

https://api.weibo.com/oauth2/default.html

https://toblog.ctobsnssdk.com

https://tobapplog.ctobsnssdk.com

https://toblog.tobsnssdk.com

https://tobapplog.tobsnssdk.com

https://toblog.itobsnssdk.com

https://tobapplog.itobsnssdk.com

https://toblog.ctobsnssdk.com/service/2/device_register_only/

https://toblog.ctobsnssdk.com/service/2/app_alert_check/

https://toblog.ctobsnssdk.com/service/2/log_settings/

https://toblog.ctobsnssdk.com/service/2/abtest_config/

https://success.ctobsnssdk.com

https://toblog.tobsnssdk.com/service/2/device_register_only/

https://toblog.tobsnssdk.com/service/2/app_alert_check/

https://toblog.tobsnssdk.com/service/2/log_settings/

https://toblog.tobsnssdk.com/service/2/abtest_config/

https://success.tobsnssdk.com

https://toblog.itobsnssdk.com/service/2/device_register_only/

https://toblog.itobsnssdk.com/service/2/app_alert_check/

https://toblog.itobsnssdk.com/service/2/log_settings/

https://toblog.itobsnssdk.com/service/2/abtest_config/

https://success.itobsnssdk.com

https://pangolin.snssdk.com

https://is.snssdk.com

https://pangolin16.snssdk.com

http://p3-tt.byteimg.com/img/web.business.image/201907245d0d495a0568785742e0b940

http://sf3-ttcdn-tos.pstatp.com/obj/mosaic-legacy/2b96e0005c6b6019f8a5b\

https://www.chengzijianzhan.com/tetris/page/1639938884171780/?
ad_id=1639940885031987&_toutiao_params=%7B%22cid%22%3A1639941324071955%2C%22device_id%22%3A38167681029%2C%22log_extra%22%3A%22%7B%5C%22ad_price%5C%22%3A%5C%22XThCVgADKYpdOEJWAAMpijdExKKDLYCp1GNXWw%5C%22%2C%5C%22convert_id%5
bf4b-4ff8-be68-9149e288a420u6714%5C%22%2C%5C%22rit%5C%22%3A901121375%7D%22%2C%22orit%22%3A900000000%2C%22req_id%22%3A%220781feb2-bf4b-4ff8-be68-9149e288a420u6714%22%2C%22rit%22%3A901121375%2C%22sign%22%3A%22D41D8CD98F00B204E98

http://sf3-ttcdn-tos.pstatp.com/img/mosaic-legacy/2b96e0005c6b6019f8a5b

https://sf1-ttcdn-tos.pstatp.com/obj/union-fe/playable/97699c8fb31e7836e828cffdd428bc80/index.html?toutiao_card_params=%7B%22name%22%3A%20%22%5Cu5168%5Cu6c11%5Cu6f02%5Cu79fb-
3D%5Cu98d9%5Cu8f66%22%2C%20%22pkg_name%22%3A%20%22com.joyfort.merge.car%22%2C%20%22id%22%3A%201639299979328516%2C%20%22download_url%22%3A%20%22https%3A//itunes.apple.com/cn/app/%25E5%2585%25A8%25E6%25B0%2591%25E6%25BC%2582%

http://sf1-ttcdn-tos.pstatp.com/obj/ttfe/adfe/union_endcard/union_test_tool.mp4\

http://sf1-ttcdn-tos.pstatp.com/obj/ttfe/adfe/union_endcard/Lark20190725-175511.png

https://i.snssdk.com/inspect/aegis/client/page/

https://sf3-ttcdn-tos.pstatp.com/obj/ad-pattern/renderer/package.json

http://sf6-ttcdn-tos.pstatp.com/obj/ad-tetris-site/personal-privacy-page.html

http://sf6-ttcdn-tos.pstatp.com/obj/ad-tetris-site/personal-privacy-page.html

https://i.snssdk.com/api/ad/union/sdk/stats/

https://sf3-ttcdn-tos.pstatp.com/obj/ad-pattern/renderer/latest/index.html

http://127.0.0.1:

http://apmlog.snssdk.com/apm/collect/crash/

https://plbslog.umeng.com

https://ouplog.umeng.com

https://ulogs.umeng.com/unify_logs

https://alogus.umeng.com/unify_logs

https://alogsus.umeng.com/unify_logs

https://ulogs.umengcloud.com/unify_logs

https://cmnsguider.yunos.com:443/genDeviceToken

https://cmnsguider.yunos.com:443/genDeviceToken

https://pslog.umeng.com

https://pslog.umeng.com/

https://developer.umeng.com/docs/66632/detail/

http://developer.umeng.com/docs/66650/cate/66650

https://ucc.umeng.com/v1/fetch

https://pslog.umeng.com/ablog

https://bds.snssdk.com

https://sdfp.snssdk.com

http://api.u.mob.com

http://api.utag.mob.com/bdata

http://api.utag.mob.com/conf

http://up.sdk.mob.com

http://log.tbs.qq.com/ajax?c=pu&v=2&k=

http://log.tbs.qq.com/ajax?c=pu&tk=

http://wup.imtt.qq.com:8080

http://log.tbs.qq.com/ajax?c=dl&k=

http://cfg.imtt.qq.com/tbs?v=2&mk=

http://log.tbs.qq.com/ajax?c=ul&v=2&k=

http://mqqad.html5.qq.com/adjs

http://log.tbs.qq.com/ajax?c=ucfu&k=

http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs

http://pms.mb.qq.com/rsp204

http://debugtbs.qq.com

http://debugx5.qq.com

http://debugtbs.qq.com?10000\

http://mdc.html5.qq.com/mh?channel_id=50079&u=

http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047

http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041

http://pingma.qq.com:80/mstat/report

http://mta.qq.com/

http://mta.oa.com/

https://graph.qq.com/oauth2.0/me

http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1$s&from=%2$s&isOpenAppID=1

http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1$s&from=%2$s&isOpenAppID=1

http://openmobile.qq.com/oauth2.0/m_jump_by_version?

http://qzs.qq.com/open/mobile/login/qzsjump.html?

https://openmobile.qq.com/oauth2.0/m_authorize?

https://openmobile.qq.com/user/user_login_statis

https://openmobile.qq.com/v3/user/get_info

http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi

http://qzs.qq.com/open/mobile/login/qzsjump.html?

https://github.com/Tencent/tinker/issues

https://github.com/Tencent/tinker/issues

http://qzs.qq.com/open/mobile/request/sdk_request.html?

http://qzs.qq.com/open/mobile/invite/sdk_invite.html?

http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?

http://qzs.qq.com

http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf

https://huatuocode.huatuo.qq.com

https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s

https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s

http://ad.toutiao.com/advertiser_package/

https://ad.toutiao.com/advertiser_package/

http://lf3-ttcdn-tos.pstatp.com/

https://lf3-ttcdn-tos.pstatp.com/

http://www.samsungapps.com/appquery/appDetail.as?appId=

https://i.snssdk.com/inspect/aegis/client/app/resend/

http://apache.org/xml/features/nonvalidating/load-external-dtd

https://snake-d8642.firebaseio.com

https://play.google.com/store

https://appgallery.cloud.huawei.com/app/

https://play.google.com/store/apps/details?id=

https://appgallery.cloud.huawei.com

http://www.mob.com/policy/en

http://www.mob.com/policy/en.

http://www.mob.com

https://store.hispace.hicloud.com/hwmarket/api/

http://www.mob.com/policy/zh

http://www.mob.com/policy/zh

https://data-drcn.push.dbankcloud.com

https://data-dra.push.dbankcloud.com

https://data-dre.push.dbankcloud.com

https://data-drru.push.dbankcloud.com
https://grs.dbankcloud.com
https://grs.dbankcloud.cn
https://grs.dbankcloud.eu
https://grs.dbankcloud.asia
https://store1.hispace.hicloud.com/hwmarket/api/
https://store2.hispace.hicloud.com/hwmarket/api/
https://store3.hispace.hicloud.com/hwmarket/api/
https://store-drru.hispace.hicloud.com/hwmarket/api/
https://metrics1.data.hicloud.com:6447
https://metrics-dra.dt.hicloud.com:6447
https://metrics2.data.hicloud.com:6447
https://metrics5.data.hicloud.com:6447
http://wespypicuser.afunapp.com/snake_skin_1518161804.png
http://wespypicuser.afunapp.com/snake_skin_1518261223.gif

邮箱线索

邮箱地址	所在文件
weapp2013@163.com	com/wepie/snake/module/pay/a/a.java
mei号和大体定位时间到loc-bugs@baidu.com	com/wepie/location/a.java
进阶徽章@3x.png bg@3x.png 椭圆形@3x.png copy@3x.png	Mogua Engine V2
show等级提升@2x.png	Mogua Engine V2
4@3x.png	Mogua Engine V2
团战模式@2x.png 未解鎖狀態@2x.png 標題@2x.png 确定-btn@2x.png	Mogua Engine V2
copy@2x.png	Mogua Engine V2
114@2x.png	

113@2x.png 112@2x.png 星星@2x.png 彩带@2x.png 云@2x.png 蓝@2x.png 黄@2x.png 红@2x.png 星1@2x.png 星2@2x.png	Mogua Engine V2
1_objects@2x_8.png 1_objects@2x_6.png	Mogua Engine V2
1_objects@2x_8.png 1_objects@2x_5.png 1_objects@2x_4.png	Mogua Engine V2
手@2x.png	Mogua Engine V2
手@2x.png	Mogua Engine V2

手机线索

手机号	所在文件
18345352118	com/baidu/platform/comapi/util/b.java
15555215554	com/ishumei/c/g.java
15555215556	com/ishumei/c/g.java
15555215558	com/ishumei/c/g.java
15555215560	com/ishumei/c/g.java
15555215562	com/ishumei/c/g.java
15555215564	com/ishumei/c/g.java
15555215566	com/ishumei/c/g.java
15555215568	com/ishumei/c/g.java
15555215570	com/ishumei/c/g.java
15555215572	com/ishumei/c/g.java
15555215574	com/ishumei/c/g.java
15555215576	com/ishumei/c/g.java
15555215578	com/ishumei/c/g.java
15555215580	com/ishumei/c/g.java

15555215582	com/ishumei/c/g.java
15555215584	com/ishumei/c/g.java
13763928516	com/wepie/snake/module/game/b/a.java
13517322249	com/wepie/snake/module/game/b/a.java
18650467792	com/wepie/snake/module/game/b/a.java
15230338525	com/wepie/snake/module/game/b/a.java
19700101000	com/bytedance/sdk/adnet/c/f.java
19199999641	Mogua Engine V2
16667175293	Mogua Engine V2
13300000359	Mogua Engine V2
16667175293	Mogua Engine V2

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: L=wuhan, CN=guo
签名算法: rsassa_pkcs1v15
有效期自: 2016-06-23 02:18:17+00:00
有效期至: 2076-06-08 02:18:17+00:00
发行人: L=wuhan, CN=guo
序列号: 0x35cff6fe
哈希算法: sha256
md5值: 678a930b9829b54a44f92a840916f7d1
sha1值: e03c84c886288e54add469c0a25200ba6c882bc1
sha256值: 167f2de6e0d57a884093343cc93058543701601aefd47fc23448bf5f8016ec4a
sha512值: abcb687be45f26b7feb98b13b5c65c8ca6e961f558c2b5571b4dd452dd7b18e54e02ceb22f956e457b12f0d37eaa9c083b8491df3a7e96c159d4e40e154f742b
公钥算法: rsa
密钥长度: 2048
指纹: 46a57a6633b08c5b1f0ae949b3f122fa2c1bd0a83c846e490571483ba967df05

硬编码敏感信息

可能的敏感信息
"firebase_database_url" : "https://snake-d8642.firebaseio.com"
"google_api_key" : "AIzaSyDPR2C-q3vdFrhxkF1MC2VHK6qHFZSxDNs"
"google_crash_reporting_api_key" : "AIzaSyDPR2C-q3vdFrhxkF1MC2VHK6qHFZSxDNs"
"ipay_password" : "密 码"

"ipay_ui_input_original_pwd" : "请输入原登录密码"

"ipay_ui_input_wrong_pwd" : "密码输入有误"

"ipay_ui_login_find_pwd" : "找回密码"

"ipay_ui_login_forget_pwd" : "忘记密码"

"ipay_ui_login_input_pwd" : "请输入密码"

"ipay_ui_login_input_pwd_again" : "请再次输入登录密码"

"ipay_ui_pwd_not_null" : "密码不能为空"

"ipay_ui_pwd_set" : "请输入6~24位登录密码"

"ipay_ui_reset_pwd" : "重置密码"

"ipay_ui_set_pwd" : "设置密码"

"ipay_ui_setting_pwd" : "正在设置密码..."

"ksad_ad_default_author" : "@可爱的广告君创造的原声"

"ksad_ad_default_username" : "@可爱的广告君"

"mobcommon_authorize_dialog_accept" : "Accept"

"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click "accept", if you do not agree with our service policy, please click "reject""

"mobcommon_authorize_dialog_reject" : "Reject"

"mobcommon_authorize_dialog_title" : "Terms of Use"

"private_chat" : "私聊"

"ssdk_cmcc_auth" : "手机认证服务由中国移动提供"

"ssdk_cmcc_login_one_key" : "本机号码一键登录"

"ssdk_instapaper_pwd" : "密码"

"ssdk_weibo_oauth_regiseter" : "应用授权"

"user_name" : "用户名"

"ysf_dialog_close_session" : "确认退出对话？"

"ysf_menu_close_session" : "退出"

"mobcommon_authorize_dialog_accept" : "Accept"

"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click "accept", if you do not agree with our service policy, please click "reject""

"mobcommon_authorize_dialog_reject" : "Reject"
"mobcommon_authorize_dialog_title" : "Terms of Use"
"ssdk_cmcc_auth" : "Provided by China Mobile"
"ssdk_cmcc_login_one_key" : "PhoneNum Login"
"ssdk_instapaper_pwd" : "Password"
"ssdk_weibo_oauth_regiseter" : "Authorization"
"mobcommon_authorize_dialog_accept" : "同意"
"mobcommon_authorize_dialog_content" : "为了给您提供Mobservice相关产品服务，请您详细查看我们的隐私政策，详见http://www.mob.com/policy/zh。如您同意我们的隐私政策，请点击“接受”，如您不同意我们的隐私政策，请点击“拒绝”。"
"mobcommon_authorize_dialog_reject" : "拒绝"
"mobcommon_authorize_dialog_title" : "服务授权"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等

android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.USE_CREDENTIALS	危险	使用帐户的身份验证凭据	允许应用程序请求身份验证令牌
android.permission.SET_DEBUG_APP	危险	启用应用程序调试	允许一个应用程序打开另一个应用程序的调试。恶意应用程序可以使用它来杀死其他应用程序
com.wepie.snake.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
com.wepie.snake.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.wepie.snake.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.wepie.snake.permission.KW_SDK_BROADCAST	未知	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.CHANGE_CONFIGURATION	系统需要	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference

com.wepie.snake.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	**通信**(INTENT)
com.wepie.snake.app.activity.StartActivity	Schemes: app://, wp.snake://, https://, http://, Hosts: snake, linkedme, lkme.cc, Paths: /StartActivity/, Path Prefixes: /G5D,
com.tencent.tauth.AuthActivity	Schemes: tencent1105424927://,

报告由 **摸瓜**APK**反编译平台** 自动生成，并非包含所有检测结果，有疑问请联系管理员。