



MoGua

贪吃蛇大作战® 4.4.10.1.APK 分析报告



APP名称:	贪吃蛇大作战®
包名:	com.wepie.snake
域名线索:	187条
URL线索:	160条
邮箱线索:	12条
分析日期:	2024年9月16日
分析平台:	摸瓜APK反编译平台

📁 文件信息

文件名: 1574512.apk
文件大小: 147.24MB
MD5值: d6c6220b329b15424a897ccc06357c80
SHA1值: a24d3594514847a287545b72b273cc0b74f4f81d
SHA256值: 32bc01622fef2e4751b11ea9a83bb07e14c5181853ae08bc92b5921248f82e9a

📱 APP 信息

App名称: 贪吃蛇大作战®
包名: com.wepie.snake
主活动Activity: com.wepie.snake.app.activity.StartActivity
安卓版本名称: 4.4.10.1
安卓版本: 2281

🔍 域名线索

域名	服务器信息
fr.register.xmpush.global.xiaomi.com	IP: 3.127.120.172 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
www.tcsdzz.com	IP: 39.100.24.39 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.samsungapps.com	IP: 52.31.24.56 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.343990 经度: -6.267190

sdk.e.qq.com	IP: 119.147.13.93 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298
snake-d8642.firebaseio.com	IP: 34.120.160.131 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
cn.register.xmpush.xiaomi.com	IP: 118.26.252.220 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.twitter.com	IP: 64.13.192.76 所属国家: United States of America 地区: California 城市: Culver City 纬度: 34.017185 经度: -118.392830
metrics1.data.hicloud.com	IP: 114.115.188.66 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.asia	没有服务器地理信息.
api.weixin.qq.com	IP: 81.69.216.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
store2.hispace.hicloud.com	IP: 13.227.62.71 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
nim.qiyukf.com	IP: 59.111.205.2 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
lkme.cc	IP: 152.136.248.133 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

mcgw.alipay.com	IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
dev-www.tcsdzz.com	IP: 39.100.24.39 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
service.weibo.com	IP: 49.7.40.132 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
lf3-ttcdn-tos.pstatp.com	IP: 42.81.22.244 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
qytest.netease.com	IP: 59.111.241.137 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
ipay.iapppay.com	IP: 67.21.93.239 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052986 经度: -118.263687
grs.dbankcloud.eu	没有服务器地理信息.
data.iapppay.com	IP: 67.21.93.239 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052986 经度: -118.263687
	IP: 185.199.111.153

xmlpull.org	所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
app.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
iapppay.halodigit.com	没有服务器地理信息.
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
api.xmpush.xiaomi.com	IP: 183.84.7.230 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
devapkupgrade.tcsdzz.com	IP: 139.224.202.75 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
qiyukf.netease.com	IP: 59.111.222.254 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
store-drru.hispace.hicloud.com	IP: 159.138.202.186 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
up.sdk.mob.com	IP: 203.107.55.19 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

ouplog.umeng.com	IP: 47.246.110.94 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
adash.man.aliyuncs.com	IP: 59.82.40.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mclient.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
pangolin16.snssdk.com	没有服务器地理信息.
bds.snssdk.com	IP: 27.221.111.101 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
graph.facebook.com	IP: 122.10.85.4 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
applog.uc.cn	IP: 111.62.115.28 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041389 经度: 114.478607
idmb.register.xmpush.global.xiaomi.com	IP: 13.234.150.249 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.014410 经度: 72.847939
www.jivesoftware.com	IP: 35.238.7.255 所属国家: United States of America 地区: Iowa 城市: Council Bluffs 纬度: 41.261940 经度: -95.860832
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559

fusion.qq.com	IP: 175.27.9.125 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
tobapplog.tobsnsdk.com	IP: 23.44.51.168 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
wespycuser.afunapp.com	IP: 116.114.96.35 所属国家: China 地区: Nei Mongol 城市: Alxa 纬度: 38.833332 经度: 105.666664
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
alogsus.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
qydev.netease.com	IP: 59.111.48.68 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
nim.nosdn.127.net	IP: 220.181.158.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wup.imtt.qq.com	IP: 42.187.184.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.utag.mob.com	没有服务器地理信息.
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000

	经度: 0.000000
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
open-api1.test.gifshow.com	IP: 103.102.200.28 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
success.ctobsnssdk.com	IP: 220.181.157.140 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
schemas.android.com	没有服务器地理信息.
api.map.baidu.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
dctest.sigmob.cn	IP: 39.105.226.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
wappaygw.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
snakeup.tcsdzz.com	IP: 220.181.135.224 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397232
uc.qbox.me	IP: 111.225.212.230 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
mobilegw.aaa.alipay.net	没有服务器地理信息.
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sdfp.snssdk.com	IP: 220.181.157.137 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ucc.umeng.com	IP: 203.119.169.175 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
adservice.sigmob.cn	IP: 101.200.125.221 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
sca.tcsdzz.com	IP: 116.114.96.35 所属国家: China 地区: Nei Mongol 城市: Alxa 纬度: 38.833332 经度: 105.666664
androidquery.appspot.com	IP: 128.242.240.91 所属国家: United States of America 地区: California 城市: Milpitas 纬度: 37.428268 经度: -121.906616
configapi-api.g1qa.jpushoa.com	IP: 172.17.5.42 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 107.155.52.56

ru.register.xmpush.global.xiaomi.com	所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
da.qytest.netease.com	IP: 59.111.241.137 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
apps.samsung.com	IP: 42.81.61.124 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
223.252.220.223	IP: 223.252.220.223 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
wapmap.baidu.com	IP: 111.206.209.212 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
dc.sigmob.cn	IP: 112.126.7.24 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
apk-upgrade.tcsdzz.com	IP: 47.104.0.220 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
store3.hispace.hicloud.com	IP: 104.82.28.111 所属国家: United States of America 地区: Virginia 城市: Manassas 纬度: 38.750950 经度: -77.475273
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
	IP: 67.21.93.239

payment.iapppay.com	所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052986 经度: -118.263687
new.api.ad.xiaomi.com	没有服务器地理信息.
wanproxy.127.net	IP: 223.252.196.40 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
139.224.2.208	IP: 139.224.2.208 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
139.224.202.75	IP: 139.224.202.75 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
snakeupload-dev.tcsdz.com	IP: 139.224.2.208 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
share.imap.baidu.com	IP: 111.206.209.120 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
apmlog.snssdk.com	IP: 220.181.157.140 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

sf1-ttcdn-tos.pstatp.com	IP: 42.81.21.248 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
snakepay.tcsdzz.com	IP: 115.28.115.231 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
c.isdspeed.qq.com	没有服务器地理信息.
www.chengzijianzhan.com	IP: 42.81.21.242 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
snakeupload.tcsdzz.com	IP: 115.28.114.49 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
h5.m.taobao.com	IP: 220.181.135.233 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
n.sigmob.cn	IP: 222.34.60.100 所属国家: China 地区: Jilin 城市: Siping 纬度: 43.163330 经度: 124.368607
lbs.netease.im	IP: 59.111.211.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
devsnakeup.tcsdzz.com	IP: 139.224.2.208 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

ad.toutiao.com	IP: 58.58.80.217 所属国家: China 地区: Shandong 城市: Yantai 纬度: 37.533329 经度: 121.400002
ofloc.map.baidu.com	IP: 110.242.70.118 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
reportlog.cocos.com	IP: 39.97.6.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
snakeapi2.tcsdzz.com	IP: 121.42.243.230 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
long.open.weixin.qq.com	IP: 109.244.216.15 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
errlog.umeng.com	IP: 223.109.148.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
gjapplog.ucweb.com	IP: 168.235.204.12 所属国家: United States of America 地区: California 城市: Monrovia 纬度: 34.142773 经度: -117.999565
api.weibo.com	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

success.itobsnssdk.com	IP: 23.220.70.147 所属国家: Colombia 地区: Antioquia 城市: Medellin 纬度: 6.251840 经度: -75.563591
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
m.weibo.cn	IP: 49.7.40.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
open.weibo.cn	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
toblog.itobsnssdk.com	IP: 23.193.96.89 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.363598 经度: -71.085205
loc.map.baidu.com	IP: 111.206.209.174 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
adstage.sigmob.cn	IP: 39.107.214.198 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
bbs.lbsyun.baidu.com	没有服务器地理信息.
uplog.qbox.me	IP: 111.225.212.227 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
static.yximgs.com	IP: 222.143.140.107 所属国家: China 地区: Henan 城市: Hebi 纬度: 35.899170 经度: 114.192497

qzs.qq.com	IP: 182.254.52.119 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298
play.google.com	IP: 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464272 经度: 9.189510
alogus.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ulogs.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mobilegw.alipay.com	IP: 203.209.245.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
sf6-ttcdn-tos.pstatp.com	IP: 123.246.224.109 所属国家: China 地区: Liaoning 城市: Panjin 纬度: 41.116669 经度: 122.050003
p3-tt.byteimg.com	IP: 42.81.21.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
is.snssdk.com	IP: 106.117.244.230 所属国家: China 地区: Hebei 城市: Tangshan 纬度: 39.633331 经度: 118.183327
appsupport.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

url.havefun.im	没有服务器地理信息.
toblog.ctobsnssdk.com	IP: 221.130.19.101 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777779
iapppay-data.iapppay.com	IP: 67.21.93.239 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052986 经度: -118.263687
m.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
open.weixin.qq.com	IP: 175.24.219.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
plbslog.umeng.com	IP: 36.156.202.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.mob.com	IP: 116.62.130.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
tobapplog.ctobsnssdk.com	IP: 36.156.39.101 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221

	经度: 119.435829
success.tobsnssdk.com	IP: 103.136.220.205 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
en.wikipedia.org	IP: 199.59.148.9 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
nos.netease.com	IP: 45.127.129.36 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
log.tbs.qq.com	IP: 109.244.244.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
snake.tcsdzz.com	IP: 220.181.158.196 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.com	IP: 121.36.119.243 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
da.qiyukf.netease.com	IP: 59.111.222.254 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
tobapplog.itobsnssdk.com	IP: 23.220.70.133 所属国家: Colombia 地区: Antioquia 城市: Medellin 纬度: 6.251840 经度: -75.563591

api.u.mob.com	没有服务器地理信息.
da.qiyukf.com	IP: 59.111.248.114 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
cgi.connect.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
itsdata.map.baidu.com	IP: 111.206.209.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wspeed.qq.com	没有服务器地理信息.
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
p.share.mob.com	没有服务器地理信息.
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
soft.tbs.imtt.qq.com	IP: 220.194.122.241 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
openmobile.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
resolver.msg.xiaomi.net	IP: 183.84.5.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

map.baidu.com	IP: 111.206.208.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sf3-ttcdn-tos.pstatp.com	IP: 42.81.21.239 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
graph.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.cn	IP: 121.36.119.243 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
developer.umeng.com	IP: 59.82.29.163 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw.stable.alipay.net	没有服务器地理信息.
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
cfg.imtt.qq.com	IP: 109.244.173.227 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
huatuocode.huatuo.qq.com	没有服务器地理信息.
ulogs.umengcloud.com	IP: 223.109.148.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 59.111.248.114 所属国家: China 地区: Guangdong

qy-swallow.qiyukf.com	城市: Guangzhou 纬度: 23.116671 经度: 113.250000
j.map.baidu.com	IP: 111.206.209.187 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
pangolin.snssdk.com	IP: 220.181.157.142 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cmnsguider.yunos.com	IP: 203.119.169.44 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mta.oa.com	IP: 193.123.33.15 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.374031 经度: 4.889690
i.snssdk.com	IP: 150.139.245.241 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
pingma.qq.com	IP: 119.45.78.184 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
toblog.tobsnssdk.com	IP: 23.44.51.168 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
	IP: 119.29.29.29 所属国家: Hong Kong

119.29.29.29	地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
imtest.netease.im	IP: 59.111.209.232 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
store.hispac.hicloud.com	IP: 118.194.33.169 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
www.facebook.com	IP: 199.16.158.9 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
store1.hispac.hicloud.com	IP: 118.194.33.169 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
47.105.174.248	IP: 47.105.174.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
pslog.umeng.com	IP: 59.82.29.163 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
open.e.kuaishou.com	IP: 103.107.219.5 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
media.weibo.cn	IP: 180.149.153.242 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

URL信息
https://github.com/ReactiveX/RxJava/wiki/Plugins
https://github.com/ReactiveX/RxJava/wiki/Plugins
https://github.com/ReactiveX/RxJava/wiki/Error-Handling
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0
http://schemas.android.com/apk/res/android
https://api.weixin.qq.com/sns/oauth2/access_token
https://api.weixin.qq.com/sns/oauth2/refresh_token
https://api.weixin.qq.com/sns/userinfo
http://p.share.mob.com/tags/getTagList
https:///
http://qzs.qq.com/open/mobile/login/qzsjump.html?sdkv=3.3.0.lite&display=mobile
http://app.qq.com/detail/com.tencent.mobileqq?autodownload=1&norecommend=1&rootvia=opensdk
https://graph.qq.com/oauth2.0/m_authorize?response_type=token&client_id=
https://graph.qq.com/user/get_simple_userinfo
https://graph.qq.com
https://graph.qq.com/oauth2.0/m_authorize?response_type=token&client_id=
https://graph.qq.com/user/get_simple_userinfo
https://graph.qq.com/photo/upload_pic
https://graph.qq.com
http://configapi-api.glqajpushoa.com/v1/status
http://sdk.e.qq.com/err
http://sdk.e.qq.com/activate
http://sdk.e.qq.com/launch
http://wspeed.qq.com/w.cgi
http://c.isdspeed.qq.com/code.cgi

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/
http://api.map.baidu.com/sdkws/place/v2/detail
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/direction/v1
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/
http://j.map.baidu.com/
http://share.imap.baidu.com/ps
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s
http://bbs.lbsyun.baidu.com/forum.php?mod=viewthread&tid=106461\n=====\\n
http://map.baidu.com/?newmap=1&s=
http://wapmap.baidu.com/s?tn=Detail&pid=
http://loc.map.baidu.com/sdk.php
http://loc.map.baidu.com/user_err.php
http://loc.map.baidu.com/oqur.php
http://loc.map.baidu.com/tcu.php
http://loc.map.baidu.com/rtbu.php
http://loc.map.baidu.com/iofd.php
http://loc.map.baidu.com/wloc
http://loc.map.baidu.com/sdk_ep.php
http://loc.map.baidu.com/apigetindoordata.php
http://itsdata.map.baidu.com/long-conn-gps/sdk.php
http://loc.map.baidu.com/cc.php
http://ofloc.map.baidu.com/offline_loc
http://%/s/%s

http://loc.map.baidu.com/gpsz
https://api.map.baidu.com/sdkcs/verify
https://uplog.qbox.me/log/3
https://uc.qbox.me
http://uc.qbox.me
http://%s
https://lkme.cc/i/
https://lkme.cc/i
https://lkme.cc/i
https://github.com/yyued/SVGAPlayer-Android
https://n.sigmob.cn/icon/sig_logo.png
https://dctest.sigmob.cn/log
https://adstage.sigmob.cn/ad/v3
https://adstage.sigmob.cn/strategy/v3
https://dc.sigmob.cn/log
https://adservice.sigmob.cn/ad/v3
https://adservice.sigmob.cn/strategy/v3
https://adstage.sigmob.cn/config
https://adservice.sigmob.cn/config
http://adstage.sigmob.cn/extconfig
http://adservice.sigmob.cn/extconfig
https://data.iapppay.com/useractive
https://iapppay-data.iapppay.com/useractive
https://data.iapppay.com/useractive
https://iapppay-data.iapppay.com/useractive
http://data.iapppay.com:8048/domain?dn=data.iapppay.com
http://119.29.29.29/d?dn=
http://119.29.29.29/d?dn=

http://127.0.0.1/
https://ipay.iapppay.com
https://payment.iapppay.com
https://iapppay.halodigit.com
https://api.twitter.com/oauth/access_token
https://api.twitter.com/oauth/authorize
https://api.twitter.com/oauth/request_token
https://graph.facebook.com/oauth/authorize
https://www.facebook.com/connect/login_success.html
https://graph.facebook.com/oauth/authorize?
https://graph.facebook.com/me
https://androidquery.appspot.com
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=
https://api.xmpush.xiaomi.com/upload/app_log?file=
https://api.xmpush.xiaomi.com/upload/crash_log?file=
http://xmlpull.org/v1/doc/features.html
http://www.jivesoftware.com/xmlns/xmpp/properties
http://xmlpull.org/v1/doc/features.html
http://new.api.ad.xiaomi.com/logNotificationAdActions
http://xmlpull.org/v1/doc/features.html
http://xmlpull.org/v1/doc/features.html
http://%1\$s/gslb/?ver=4.0
https://cn.register.xmpush.xiaomi.com
https://register.xmpush.global.xiaomi.com
https://fr.register.xmpush.global.xiaomi.com
https://ru.register.xmpush.global.xiaomi.com
https://idmb.register.xmpush.global.xiaomi.com
http://resolver.msg.xiaomi.net/psc?t=a

https://errlog.umeng.com/upload
https://applog.uc.cn/collect
https://gjapplog.ucweb.com/collect
https://errlog.umeng.com
https://mobilegw.alipay.com/mgw.htm
https://mobilegw.alipaydev.com/mgw.htm
http://m.alipay.com/?action=h5quit
https://wappaygw.alipay.com/home/exterfaceAssign.htm?
https://mclient.alipay.com/home/exterfaceAssign.htm?
http://h5.m.taobao.com/trade/paySuccess.html?bizOrderId=\$OrderId\$&
https://mcgw.alipay.com/sdklog.do
http://mobilegw.stable.alipay.net/mgw.htm
https://mobilegw.alipay.com/mgw.htm
http://mobilegw-1-64.test.alipay.net/mgw.htm
http://mobilegw.aaa.alipay.net/mgw.htm
https://en.wikipedia.org/wiki/Hostname
http://snakeapi2.tcsdz.com/
http://139.224.2.208:8020/
http://139.224.2.208:8099/
http://47.105.174.248:8091/
http://139.224.202.75:8099/
http://devapkupgrade.tcsdz.com:8010/api/upgrade/snake
http://apk-upgrade.tcsdz.com/api/upgrade/snake
http://snakepay.tcsdz.com/
http://snakeapi2.tcsdz.com/
http://139.224.2.208:8020/
http://snakeup.tcsdz.com/
http://devsnakeup.tcsdz.com/

http://snakeupload.tcsdz.com/
http://snakeupload-dev.tcsdz.com/
http://snake.tcsdz.com/
http://url.havefun.im/u/LuPWWH
http://wespyicuser.afunapp.com/wechat_reward_qr_code.jpg
http://wespyicuser.afunapp.com/snake/fly_food_1476847774035
http://wespyicuser.afunapp.com/snake/fly_food_1476847774035
https://sca.tcsdz.com/snake_food_4.png
https://sca.tcsdz.com/snake_body_4.png
https://sca.tcsdz.com/snake_skin_1473422503122
http://snakeapi2.tcsdz.com/
https://api.weixin.qq.com/sns/oauth2/access_token
http://dev-www.tcsdz.com/policies_detail_official_cp_ad.html
https://www.tcsdz.com/policies_detail_official_cp_ad.html
https://snake.tcsdz.com/children_privacy_policy.html
https://snake.tcsdz.com/user_agreement/official.html
https://www.tcsdz.com/logout.html
http://snakepay.tcsdz.com/
https://api.weibo.com/2/proxy/sdk/statistic.json
https://api.weibo.com/oauth2/getaid.json
https://api.weibo.com/oauth2/getaid.json
http://m.weibo.cn/u/
http://media.weibo.cn/article?
http://m.weibo.cn/comment?
http://m.weibo.cn/
http://m.weibo.cn/index/router?
https://m.weibo.cn/p/100103type=1&
http://m.weibo.cn/mblog?

http://service.weibo.com/share/mobilesdk.php
http://service.weibo.com/share/mobilesdk_uppic.php
https://api.weibo.com/oauth2/access_token
https://open.weibo.cn/oauth2/authorize?
http://xmlpull.org/v1/doc/features.html
http://xmlpull.org/v1/doc/features.html
https://open.e.kuaishou.com
http://e-api-
https://open-api1.test.gifshow.com
http://ad-open-api-
http://apps.samsung.com/appquery/appDetail.as?appId=
https://static.yximgs.com/udata/pkg/KS-Android-KSAdSDK/ks_so-kwaiPlayer-release-320.apk
https://open.e.kuaishou.com/rest/e/v3/open/sdk
https://)nos.netease.com/nim/
https://nim.nosdn.127.net/
http://da.qytest.netease.com
http://da.qiyukf.netease.com
https://da.qiyukf.com
http://qytest.netease.com
http://qiyukf.netease.com
https://qy-swallow.qiyukf.com
http://qydev.netease.com
https://nim.qiyukf.com
https://wanproxy.127.net/lbs
http://imtest.netease.im/lbs/conf
http://223.252.220.223/lbsrc/conf.jsp
https://lbs.netease.im/lbs/conf.jsp
https://adash.man.aliyuncs.com/man/api?ak=23356390&s=

http://xml.org/sax/features/namespaces
http://xml.org/sax/features/namespace-prefixes
http://xml.org/sax/features/validation
http://xml.org/sax/features/external-general-entities
http://xml.org/sax/features/external-parameter-entities
http://xml.org/sax/features/string-interning
http://xml.org/sax/features/namespaces
http://xml.org/sax/features/validation
http://xmipull.org/v1/doc/features.html
https://reportlog.cocos.com
https://github.com/lingochamp/FileDownloader/wiki/filedownloader.properties
https://api-push.meizu.com/garcia/api/client/
https://api-push.in.meizu.com/garcia/api/client/
https://api-push.meizu.com/garcia/api/client/log/upload
https://api-push.meizu.com/garcia/api/server/getPublicKey
https://api-push.in.meizu.com
https://api-push.meizu.com
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do
http://norma-external-collect.meizu.com/push/android/external/add.do
https://api.weibo.com/oauth2/default.html
https://toblog.ctobsnssdk.com
https://tobapplog.ctobsnssdk.com
https://toblog.tobsnssdk.com
https://tobapplog.tobsnssdk.com
https://toblog.itobsnssdk.com
https://tobapplog.itobsnssdk.com
https://toblog.ctobsnssdk.com/service/2/device_register_only/
https://toblog.ctobsnssdk.com/service/2/app_alert_check/

https://i.snssdk.com/api/ad/union/sdk/stats/
https://sf3-ttcdn-tos.pstatp.com/obj/ad-pattern/renderer/latest/index.html
http://127.0.0.1:
http://apmlog.snssdk.com/apm/collect/crash/
https://plbslog.umeng.com
https://ouplog.umeng.com
https://ulogs.umeng.com/unify_logs
https://alogus.umeng.com/unify_logs
https://alogsus.umeng.com/unify_logs
https://ulogs.umengcloud.com/unify_logs
https://cmnsguider.yunos.com:443/genDeviceToken
https://cmnsguider.yunos.com:443/genDeviceToken
https://pslog.umeng.com
https://pslog.umeng.com/
https://developer.umeng.com/docs/66632/detail/
http://developer.umeng.com/docs/66650/cate/66650
https://ucc.umeng.com/v1/fetch
https://pslog.umeng.com/ablog
https://bds.snssdk.com
https://sdfp.snssdk.com
http://api.u.mob.com
http://api.utag.mob.com/bdata
http://api.utag.mob.com/conf
http://up.sdk.mob.com
http://log.tbs.qq.com/ajax?c=pu&v=2&k=
http://log.tbs.qq.com/ajax?c=pu&tk=
http://wup.imtt.qq.com:8080
http://log.tbs.qq.com/ajax?c=dl&k=

http://cfg.imtt.qq.com/tbs?v=2&mk=
http://log.tbs.qq.com/ajax?c=ul&v=2&k=
http://mqqad.html5.qq.com/adjs
http://log.tbs.qq.com/ajax?c=ucfu&k=
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs
http://pms.mb.qq.com/rsp204
http://debugtbs.qq.com
http://debugx5.qq.com
http://debugtbs.qq.com?10000\
http://mdc.html5.qq.com/mh?channel_id=50079&u=
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041
http://pingma.qq.com:80/mstat/report
http://mta.qq.com/
http://mta.oa.com/
https://graph.qq.com/oauth2.0/me
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1
http://openmobile.qq.com/oauth2.0/m_jump_by_version?
http://qzs.qq.com/open/mobile/login/qzsjump.html?
https://openmobile.qq.com/oauth2.0/m_authorize?
https://openmobile.qq.com/user/user_login_statis
https://openmobile.qq.com/v3/user/get_info
http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi
http://qzs.qq.com/open/mobile/login/qzsjump.html?
https://github.com/Tencent/tinker/issues
https://github.com/Tencent/tinker/issues
http://qzs.qq.com/open/mobile/request/sdk_request.html?

http://qzs.qq.com/open/mobile/invite/sdk_invite.html?
http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?
http://qzs.qq.com
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf
https://huatuocode.huatuo.qq.com
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s
http://ad.toutiao.com/advertiser_package/
https://ad.toutiao.com/advertiser_package/
http://f3-ttcdn-tos.pstatp.com/
https://f3-ttcdn-tos.pstatp.com/
http://www.samsungapps.com/appquery/appDetail.as?appId=
https://i.snssdk.com/inspect/aegis/client/app/resend/
http://apache.org/xml/features/nonvalidating/load-external-dtd
https://snake-d8642.firebaseio.com
https://play.google.com/store
https://appgallery.cloud.huawei.com/app/
https://play.google.com/store/apps/details?id=
https://appgallery.cloud.huawei.com
http://www.mob.com/policy/en
<a href="http://www.mob.com/policy/en">http://www.mob.com/policy/en
http://www.mob.com
https://store.hispace.hicloud.com/hwmarket/api/
http://www.mob.com/policy/zh
<a href="http://www.mob.com/policy/zh">http://www.mob.com/policy/zh
https://data-drcn.push.dbankcloud.com
https://data-dra.push.dbankcloud.com
https://data-dre.push.dbankcloud.com

https://data-drru.push.dbankcloud.com
https://grs.dbankcloud.com
https://grs.dbankcloud.cn
https://grs.dbankcloud.eu
https://grs.dbankcloud.asia
https://store1.hispac.hicloud.com/hwmarket/api/
https://store2.hispac.hicloud.com/hwmarket/api/
https://store3.hispac.hicloud.com/hwmarket/api/
https://store-drru.hispac.hicloud.com/hwmarket/api/
https://metrics1.data.hicloud.com:6447
https://metrics-dra.dt.hicloud.com:6447
https://metrics2.data.hicloud.com:6447
https://metrics5.data.hicloud.com:6447
http://wesypycuser.afunapp.com/snake_skin_1518161804.png
http://wesypycuser.afunapp.com/snake_skin_1518261223.gif

✉ 邮箱线索

邮箱地址	所在文件
weapp2013@163.com	com/wepie/snake/module/pay/a/a.java
mei号和大体定位时间到loc-bugs@baidu.com	com/wepie/location/a.java
进阶徽章@3x.png bg@3x.png 椭圆形@3x.png copy@3x.png	Mogua Engine V2
show等级提升@2x.png	Mogua Engine V2
4@3x.png	Mogua Engine V2
团战模式@2x.png 未解锁状态@2x.png 标题@2x.png 确定-btn@2x.png	Mogua Engine V2
copy@2x.png	Mogua Engine V2
114@2x.png	

113@2x.png 112@2x.png 星星@2x.png 彩带@2x.png 云@2x.png 蓝@2x.png 黄@2x.png 红@2x.png 星1@2x.png 星2@2x.png	Mogua Engine V2
1_objects@2x_8.png 1_objects@2x_6.png	Mogua Engine V2
1_objects@2x_8.png 1_objects@2x_5.png 1_objects@2x_4.png	Mogua Engine V2
手@2x.png	Mogua Engine V2
手@2x.png	Mogua Engine V2

手机线索

手机号	所在文件
18345352118	com/baidu/platform/comapi/util/b.java
15555215554	com/ishumei/c/g.java
15555215556	com/ishumei/c/g.java
15555215558	com/ishumei/c/g.java
15555215560	com/ishumei/c/g.java
15555215562	com/ishumei/c/g.java
15555215564	com/ishumei/c/g.java
15555215566	com/ishumei/c/g.java
15555215568	com/ishumei/c/g.java
15555215570	com/ishumei/c/g.java
15555215572	com/ishumei/c/g.java
15555215574	com/ishumei/c/g.java
15555215576	com/ishumei/c/g.java
15555215578	com/ishumei/c/g.java
15555215580	com/ishumei/c/g.java

15555215582	com/ishumei/c/g.java
15555215584	com/ishumei/c/g.java
13763928516	com/wepie/snake/module/game/b/a.java
13517322249	com/wepie/snake/module/game/b/a.java
18650467792	com/wepie/snake/module/game/b/a.java
15230338525	com/wepie/snake/module/game/b/a.java
19700101000	com/bytedance/sdk/adnet/c/f.java
19199999641	Mogua Engine V2
16667175293	Mogua Engine V2
13300000359	Mogua Engine V2
16667175293	Mogua Engine V2

🔐 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: L=wuhan, CN=guo

签名算法: rsassa_pkcs1v15

有效期自: 2016-06-23 02:18:17+00:00

有效期至: 2076-06-08 02:18:17+00:00

发行人: L=wuhan, CN=guo

序列号: 0x35cff6fe

哈希算法: sha256

md5值: 678a930b9829b54a44f92a840916f7d1

sha1值: e03c84c886288e54add469c0a25200ba6c882bc1

sha256值: 167f2de6e0d57a884093343cc93058543701601aefd47fc23448bf5f8016ec4a

sha512值: abcb687be45f26b7feb98b13b5c65c8ca6e961f558c2b5571b4dd452dd7b18e54e02ceb22f956e457b12f0d37eaa9c083b8491df3a7e96c159d4e40e154f742b

公钥算法: rsa

密钥长度: 2048

指纹: 46a57a6633b08c5b1f0ae949b3f122fa2c1bd0a83c846e490571483ba967df05

🔑 硬编码敏感信息

可能的敏感信息
"firebase_database_url": "https://snake-d8642.firebaseio.com"
"google_api_key": "AlzaSyDPR2C-q3vdFrhxkF1MC2VHK6qHFZSxDNs"
"google_crash_reporting_api_key": "AlzaSyDPR2C-q3vdFrhxkF1MC2VHK6qHFZSxDNs"
"ipay_password": "密码"

"ipay_ui_input_original_pwd": "请输入原登录密码"
"ipay_ui_input_wrong_pwd": "密码输入有误"
"ipay_ui_login_find_pwd": "找回密码"
"ipay_ui_login_forget_pwd": "忘记密码"
"ipay_ui_login_input_pwd": "请输入密码"
"ipay_ui_login_input_pwd_again": "请再次输入登录密码"
"ipay_ui_pwd_not_null": "密码不能为空"
"ipay_ui_pwd_set": "请输入6~24位登录密码"
"ipay_ui_reset_pwd": "重置密码"
"ipay_ui_set_pwd": "设置密码"
"ipay_ui_setting_pwd": "正在设置密码..."
"ksad_ad_default_author": "@可爱的广告君创造的原声"
"ksad_ad_default_username": "@可爱的广告君"
"mobcommon_authorize_dialog_accept": "Accept"
"mobcommon_authorize_dialog_content": "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click \"accept\", if you do not agree with our service policy, please click \"reject\""
"mobcommon_authorize_dialog_reject": "Reject"
"mobcommon_authorize_dialog_title": "Terms of Use"
"private_chat": "私聊"
"ssdk_cmcc_auth": "手机认证服务由中国移动提供"
"ssdk_cmcc_login_one_key": "本机号码一键登录"
"ssdk_instapaper_pwd": "密码"
"ssdk_weibo_oauth_regiseter": "应用授权"
"user_name": "用户名"
"ysf_dialog_close_session": "确认退出对话? "
"ysf_menu_close_session": "退出"
"mobcommon_authorize_dialog_accept": "Accept"
"mobcommon_authorize_dialog_content": "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click \"accept\", if you do not agree with our service policy, please click \"reject\""

"mobcommon_authorize_dialog_reject": "Reject"
"mobcommon_authorize_dialog_title": "Terms of Use"
"ssdk_cmcc_auth": "Provided by China Mobile"
"ssdk_cmcc_login_one_key": "PhoneNum Login"
"ssdk_instapaper_pwd": "Password"
"ssdk_weibo_oauth_regiseter": "Authorization"
"mobcommon_authorize_dialog_accept": "同意"
"mobcommon_authorize_dialog_content": "为了给您提供Mobservice相关产品服务, 请您详细查看我们的隐私政策, 详见 http://www.mob.com/policy/zh > http://www.mob.com/policy/zh 。如您同意我们的隐私政策, 请点击“接受”, 如您不同意我们的隐私政策, 请点击“拒绝”。
"mobcommon_authorize_dialog_reject": "拒绝"
"mobcommon_authorize_dialog_title": "服务授权"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等

android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.USE_CREDENTIALS	危险	使用帐户的身份验证凭据	允许应用程序请求身份验证令牌
android.permission.SET_DEBUG_APP	危险	启用应用程序调试	允许一个应用程序打开另一个应用程序的调试。恶意应用程序可以使用它来杀死其他应用程序
com.wepie.snake.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置 (如果可用)。恶意应用程序可以使用它来确定您的大致位置
com.wepie.snake.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.wepie.snake.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.wepie.snake.permission.KW_SDK_BROADCAST	未知	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.CHANGE_CONFIGURATION	系统需要	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference

com.wepie.snake.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.wepie.snake.app.activity.StartActivity	Schemes: app://, wp.snake://, https://, http://, Hosts: snake, linkedme, lkme.cc, Paths: /StartActivity/, Path Prefixes: /G5D,
com.tencent.tauth.AuthActivity	Schemes: tencent1105424927://,