



伯索云学堂 5.39.310.APK 分析报告



APP名称:

伯索云学堂

包名:	com.plaso.yxt
域名线索:	149条
URL线索:	131条
邮箱线索:	5条
分析日期:	2025年7月9日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: bsxxd_157427.apk

文件大小: 233.39MB
MD5值: d6d0fba64b9edbe63239207ed5c6c59c
SHA1值: def326ef1d539b46167ea91659ba7e79abaea676
SHA256值: 32b92dcae54d7416ec8ba1958d3d5c5797abc5110507cdbec5b715086a94813f

i APP 信息

App名称: 伯索云学堂
包名: com.plaso.yxt
主活动Activity: com.plaso.student.lib.login.Login
安卓版本名称: 5.39.310
安卓版本: 5393100

🔍 域名线索

域名	服务器信息
up4-intl.ucweb.com	IP: 157.185.188.1 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
192.168.1.32	IP: 192.168.1.32 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin

	纬度: 39.142181 经度: 117.176102
render.alipay.com	IP: 125.38.11.193 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.office.microsoft.com	IP: 52.109.120.88 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
tongbu.eduyun.cn	没有服务器地理信息.

www.youtube.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
r.office.microsoft.com	IP: 52.109.0.141 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
ip.plaso.cn	IP: 120.55.234.100 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
woodpecker.uc.cn	IP: 116.132.219.154 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
wappaygw.alipay.com	IP: 125.39.135.206 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
itest.hxonline.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161583
mdc.html5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
download.plaso.cn	IP: 119.249.53.111 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
b.hxonline.cn	IP: 47.114.218.108 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
s.s.s	没有服务器地理信息.
m.alipay.com	IP: 203.209.245.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

up4.ucweb.com	IP: 116.132.217.241 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
v.polyv.net	IP: 47.115.33.221 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
ftestai.infi.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ccs.umeng.com	IP: 110.253.189.138 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
grs.dbankcloud.eu	没有服务器地理信息.
dev.hxonline.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 142.251.42.238 所属国家: United States of America

developer.android.com	地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
applog.uc.cn	IP: 116.132.216.227 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
grs.dbankcloud.cn	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
testlog.plaso.cn	IP: 188.131.209.42 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
c-adash.m.taobao.com	IP: 59.82.39.12 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
mcgw.alipay.com	IP: 125.39.135.206 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

cgi.qplus.com	没有服务器地理信息.
alogsus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
usa.hxonline.cn	没有服务器地理信息.
bai.infi.cn	IP: 47.96.144.151 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
officeredir.microsoft.com	IP: 52.109.0.141 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
www.plaso.cn	IP: 188.131.209.42 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

mpush-api.aliyun.com	IP: 140.205.160.128 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
s.s	没有服务器地理信息.
sss.umeng.com	IP: 59.82.31.210 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
alogus.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mobilegw.alipay.com	IP: 203.209.250.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 13.107.6.156 所属国家: United States of America

office.com	地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
tbsrecovery.imtt.qq.com	IP: 61.181.204.91 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
schemas.microsoft.com	IP: 13.107.246.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
devlog.plaso.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

sdk.talkingdata.com	IP: 116.196.91.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
oss-cn-.aliyuncs.comor	没有服务器地理信息.
schemas.android.com	没有服务器地理信息.
jquery.org	IP: 104.17.20.100 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
zhibodownload.eduyun.cn	没有服务器地理信息.
wpk-auth.ucweb.com	IP: 157.185.188.1 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
tbs.imtt.qq.com	IP: 116.136.170.207 所属国家: China 地区: Nei Mongol 城市: Hohhot 纬度: 40.810650 经度: 111.650665
play.google.com	IP: 142.251.43.14 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991

	经度: -122.078514
yangguan.plaso.cn	IP: 120.55.234.100 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
audid.umeng.com	IP: 36.143.252.104 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.smpte-ra.org	IP: 52.20.185.129 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
imgcache.qq.com	IP: 61.49.23.182 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
resolver.msg.xiaomi.net	IP: 111.202.1.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein

metrics2.data.hicloud.com	城市: Kiel 纬度: 54.321358 经度: 10.134532
dev.plaso.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umengcloud.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mclient.alipay.com	IP: 125.39.135.57 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
developer.umeng.com	IP: 59.82.60.43 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
wwwr.hxonline.cn	IP: 124.163.197.229 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
offmsg.umeng.com	IP: 59.82.60.44 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
players.youku.com	IP: 106.11.43.107 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
getbootstrap.com	IP: 104.22.58.100 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg

	纬度: 56.857498 经度: 60.612499
open.weixin.qq.com	IP: 140.207.58.67 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
zhibodevapp.eduyun.cn	IP: 116.62.181.233 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
cgi.connect.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.macromedia.com	IP: 124.216.0.168 所属国家: Korea (Republic of) 地区: Ulsan-gwangyeoksi 城市: Ulsan 纬度: 35.537197 经度: 129.316422
	IP: 124.95.231.218

log.tbs.qq.com	所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
itestlog.plaso.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
vod.cn-shanghai.aliyuncs.com	IP: 106.15.83.32 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.mozilla.org	IP: 108.157.254.156 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842

pms.mb.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
wwwr.plaso.cn	IP: 121.17.123.103 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
pslog.umeng.com	IP: 59.82.29.163 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
testai.infi.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
trails.robotpen.cn	IP: 47.94.89.70 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
loggw-exsdk.alipay.com	IP: 110.76.3.2 所属国家: China 地区: Zhejiang

	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ftest.hxonline.cn	没有服务器地理信息.
res.wx.qq.com	IP: 61.54.94.215 所属国家: China 地区: Henan 城市: Luoyang 纬度: 34.683289 经度: 112.453911
go2.microsoft.com	IP: 116.92.245.203 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
usaai.plaso.cn	IP: 120.55.234.100 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181

	经度: 117.176102
avatar.robotpen.cn	IP: 218.25.106.79 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
usa-plaso.oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.201 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
	IP: 60.28.215.27

appsupport.qq.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
b.plaso.cn	IP: 47.114.218.108 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
log.plaso.cn	IP: 47.111.29.123 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
test.plaso.cn	IP: 188.131.209.42 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	IP: 119.8.176.197 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

utoken.umeng.com	IP: 223.109.148.139 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
school.ppwrite.com	IP: 47.94.89.70 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
office.microsoft.com	IP: 52.109.120.88 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
zhibohome.eduyun.cn	IP: 114.215.217.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
grs.platform.dbankcloud.ru	没有服务器地理信息.
ai.infi.cn	IP: 42.193.74.177 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 188.131.209.42

test.hxonline.cn	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.hxonline.cn	没有服务器地理信息.
itestai.infi.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
203.107.1.1	IP: 203.107.1.1 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 59.82.39.14 所属国家: China 地区: Shanghai

adash.m.taobao.com	城市: Shanghai 纬度: 31.224333 经度: 121.468948
b.username	没有服务器地理信息.
schemas.xmlsoap.org	IP: 13.107.213.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
ftestlog.plaso.cn	IP: 188.131.209.42 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
itest.plaso.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
image.cnamedomain.com	没有服务器地理信息.
	IP: 47.114.218.108 所属国家: China

blog.plaso.cn	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
docs.agora.io	IP: 42.59.4.93 所属国家: China 地区: Liaoning 城市: Dalian 纬度: 41.069592 经度: 122.598511
metrics1.data.hicloud.com	IP: 111.202.17.12 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.com	IP: 113.201.107.90 所属国家: China 地区: Shaanxi 城市: Baoji 纬度: 34.353611 经度: 107.375275
jic.talkingdata.com	IP: 114.67.241.135 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
usa.plaso.cn	IP: 120.55.234.100 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

ai-cdn.infi.cn	IP: 125.38.11.215 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
file-plaso.oss-cn-hangzhou.aliyuncs.com	IP: 124.160.145.3 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
cn.register.xmpush.xiaomi.com	IP: 111.202.1.240 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h5.m.taobao.com	IP: 221.195.63.176 所属国家: China 地区: Hebei 城市: Cangzhou 纬度: 38.316669 经度: 116.866669
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
gjapplog.ucweb.com	IP: 157.185.189.158 所属国家: Canada 地区: Ontario 城市: North York

	纬度: 43.771862 经度: -79.331528
www.aiwenyun.cn	IP: 42.193.74.177 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
msg.umengcloud.com	IP: 124.239.14.132 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
hw.plaso.cn	IP: 120.55.234.100 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
player.youku.com	IP: 106.11.43.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
devai.infi.cn	IP: 47.98.193.253 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 36.156.202.68 所属国家: China

plbslog.umeng.com	地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
ftest.plaso.cn	IP: 188.131.209.42 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

 URL线索

URL信息	Url所在文件
https://www.plaso.cn	cn/plaso/Globals.java
https://log.plaso.cn	cn/plaso/Globals.java
https://www.plaso.cn?	cn/plaso/Globals.java
https://www.plaso.cn?\$query\	cn/plaso/Globals.java
https://www.plaso.cn?	cn/plaso/api/resp/MeetingConfig.java
https://www.plaso.cn?	cn/plaso/data/LiveClassConfig.java
https://docs.agora.io/cn/Video/API%20Reference/java/index.html)	cn/plaso/rtdcs/agora/AgoraEngine1609.java
https://docs.agora.io/cn/Video/API%20Reference/java/index.html)	cn/plaso/rtdcs/agora/AgoraEngine.java
http://avatar.robotpen.cn/VIDEO/	cn/robotpen/model/entity/VideoEntity.java

http://avatar.robotpen.cn/PHOTO/	cn/robotpen/model/entity/UserEntity.java
http://avatar.robotpen.cn/LIVE/	cn/robotpen/model/entity/LiveEntity.java
https://trails.robotpen.cn/	cn/robotpen/pen/http/HttpConfig.java
https://trails.robotpen.cn/	cn/robotpen/pen/http/HttpServer.java
https://trails.robotpen.cn/original/create_note	cn/robotpen/pen/http/HttpServer.java
https://trails.robotpen.cn/original/append_note_trails	cn/robotpen/pen/http/HttpServer.java
https://trails.robotpen.cn/notes/item_recog	cn/robotpen/pen/http/HttpServer.java
http://school.ppwrite.com/api/Alilot/moPenCreateDeviceResponse	cn/robotpen/pen/http/HttpService.java
http://xml.apache.org/xslt	cn/robotpen/utils/log/XmlLog.java
http://adash.m.taobao.com/rest/abtest	com/alibaba/motu/tbrest/rest/RestConstants.java
http://c-adash.m.taobao.com/rest/gc	com/alibaba/motu/tbrest/rest/RestConstants.java
http://adash.m.taobao.com/rest/sur	com/alibaba/motu/tbrest/rest/RestConstants.java
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
https://203.107.1.1/181345/d?host=	com/alibaba/sdk/android/oss/common/utils/HttpdnsMini.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java

http://image.cnamedomain.com/!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/cons/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/cons/a.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/cons/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/data/a.java
https://vod.cn-shanghai.aliyuncs.com/	com/aliyun/auth/common/AliyunVodHttpCommon.java
https://vod.	com/aliyun/auth/common/AliyunVodHttpCommon.java
http://xml.apache.org/xslt	com/aliyun/vod/common/logger/LoggerPrinter.java
https://videocloud.	com/aliyun/vod/log/core/AliyunLogCommon.java
http://vod.	com/aliyun/vod/log/report/AliyunReportParam.java
http://www.smp-te-ra.org/schemas/2052-1/2010/smp-te-tt	com/googlecode/mp4parser/authoring/tracks/SMPTETTTrackImpl.java
http://www.w3.org/ns/ttml	com/googlecode/mp4parser/authoring/tracks/SMPTETTTrackImpl.java

http://schemas.android.com/apk/res/android	com/hjq/permissions/AndroidManifestParser.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmllpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmLPullParserFactorySecurity.java
http://xml.apache.org/xslt	com/orhanobut/logger/LoggerPrinter.java
https://www.plaso.cn?	com/plaso/plasoliveclassandroidsdk/PlasoVideoLiveClassManager.java
http://schemas.android.com/android/skin	com/plaso/plasoliveclassandroidsdk/skin/entity/SkinConfig.java
https://download.plaso.cn	com/plaso/plasoliveclassandroidsdk/util/Res.java
https://zhibodownload.eduyun.cn	com/plaso/plasoliveclassandroidsdk/util/Res.java
https://wwwr.plaso.cn/static/privacyPolicy/ai_privacy_zh.html	com/plaso/student/lib/AppConfig.java
https://wwwr.plaso.cn/static/privacyPolicy/plaso_privacy_zh.html	com/plaso/student/lib/AppConfig.java
http://v.polyv.net/uc/services/rest?method=uploadfile	com/plaso/student/lib/AppConfig.java

https://wwwr.plaso.cn/static/privacyPolicy/ai_user.html	com/plaso/student/lib/AppConfig.java
https://wwwr.plaso.cn/static/privacyPolicy/plaso_user.html	com/plaso/student/lib/AppConfig.java
http://192.168.1.32/	com/plaso/student/lib/api/RetrofitHelper.java
https://www.plaso.cn?	com/plaso/student/lib/api/response/MeetingConfigResp.java
http://yangguan.plaso.cn/	com/plaso/student/lib/base/BaseFragment.java
http://yangguan.plaso.cn/	com/plaso/student/lib/classfunction/view/InviteStudentDialog.java
http://yangguan.plaso.cn/	com/plaso/student/lib/classfunction/view/TJoinCodeDialog.java
https://log.plaso.cn	com/plaso/student/lib/logger/Uploader.java
https://devlog.plaso.cn	com/plaso/student/lib/logger/Uploader.java
https://testlog.plaso.cn	com/plaso/student/lib/logger/Uploader.java
https://blog.plaso.cn	com/plaso/student/lib/logger/Uploader.java
https://itestlog.plaso.cn	com/plaso/student/lib/logger/Uploader.java
https://ftestlog.plaso.cn	com/plaso/student/lib/logger/Uploader.java
https://download.plaso.cn/plaso/default/poster/thumbnail1.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/poster1.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/thumbnail2.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/poster2.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java

https://download.plaso.cn/plaso/default/poster/thumbnail3.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/poster3.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/thumbnail4.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/poster4.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/thumbnail5.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://download.plaso.cn/plaso/default/poster/poster5.png	com/plaso/student/lib/mine/SGeneratePosterDialogFragment.java
https://dev.plaso.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://b.plaso.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://www.plaso.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://test.plaso.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://usa.plaso.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://dev.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://devai.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://dev.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://ftest.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://ftestai.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://ftest.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://b.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java

https://bai.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://b.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://itest.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://itestai.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://itest.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://www.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://ai.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://www.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://test.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://testai.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://test.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://usa.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://usaai.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java
https://usa.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://file-plaso.oss-cn-hangzhou.aliyuncs.com/	com/plaso/student/lib/model/EnvConstant.java
https://usa-plaso.oss-cn-hangzhou.aliyuncs.com/	com/plaso/student/lib/model/EnvConstant.java
https://wwwr.plaso.cn/	com/plaso/student/lib/model/EnvConstant.java

https://ai-cdn.infi.cn/	com/plaso/student/lib/model/EnvConstant.java
https://wwwr.hxonline.cn/	com/plaso/student/lib/model/EnvConstant.java
https://dev.plaso.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
https://b.plaso.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
https://www.plaso.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
https://test.plaso.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
https://usa.plaso.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
https://www.aiwenyun.cn/	com/plaso/student/lib/model/EnvConstant.java
https://zhibodevapp.eduyun.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://zhibohome.eduyun.cn/nc/	com/plaso/student/lib/model/EnvConstant.java
https://zhibodevapp.eduyun.cn/	com/plaso/student/lib/model/EnvConstant.java
https://zhibohome.eduyun.cn/	com/plaso/student/lib/model/EnvConstant.java
https://zhibodevapp.eduyun.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
https://zhibohome.eduyun.cn/smalltool/susuan/index.html?token=	com/plaso/student/lib/model/EnvConstant.java
http://%.%s	com/plaso/student/lib/model/StsInfo.java
https://ip.plaso.cn/	com/plaso/student/lib/service/DataService.java
https://download.plaso.cn	com/plaso/student/lib/util/Res.java
https://www	com/plaso/student/lib/util/StringUtils.java

https://www.plaso.cn?	com/plaso/student/lib/util/UriUtil.java
https://loadlocalurl/	com/plaso/student/lib/view/LocalPlayerWebViewWrapper.java
https://loadlocalurl/	com/plaso/student/lib/view/WebViewWrapper.java
http://tongbu.eduyun.cn	com/plaso/student/lib/web/SynClassFragmentPad.java
https://loadlocalurl/	com/plaso/student/lib/web/SingleUrlGetter.java
http://tongbu.eduyun.cn	com/plaso/student/lib/web/SynClassFragmentPadPad.java
http://xml.apache.org/xslt	com/plaso/xlog/formatter/message/xml/DefaultXmlFormatter.java
https://mpush-api.aliyun.com/v2.0/a/audid/req/	com/ta/a/d/h.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/b/a/a.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/b/a/e.java
https://openmobile.qq.com/oauth2.0/me	com/tencent/connect/UnionInfo.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/a.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
https://cgi.qplus.com/report/report	com/tencent/connect/avatar/ImageActivity.java

https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/connect/common/BaseApi.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/common/BaseApi.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect? appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://imgcache.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApilml.java
https://imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApilml.java
https://imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApilml.java
https://imgcache.qq.com	com/tencent/open/SocialApilml.java
https://h.trace.qq.com/kv	com/tencent/open/b/b.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/tencent/open/b/h.java
https://openmobile.qq.com/	com/tencent/open/utils/HttpUtils.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utils/i.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java

https://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/m.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041&is64=0	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041&is64=1	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047&is64=0	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047&is64=1	com.tencent/smtt/sdk/ui/dialog/d.java
https://tbs.imtt.qq.com/plugin/DebugPlugin_v2.tbs	com.tencent/smtt/utils/d.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utils/o.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utils/o.java
https://mqqqad.html5.qq.com/adjs	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utils/o.java
https://tbsrecovery.imtt.qq.com/getconfig	com.tencent/smtt/utils/o.java
https://github.com/Tencent/tinker/issues	com.tencent/tinker/lib/reporter/DefaultPatchReporter.java

https://github.com/Tencent/tinker/issues	com/tencent/tinker/lib/reporter/DefaultLoadReporter.java
https://up4-intl.ucweb.com/upload	com/uc/crashsdk/e.java
https://up4.ucweb.com/upload	com/uc/crashsdk/e.java
https://woodpecker.uc.cn	com/uc/crashsdk/a/d.java
https://wpk-auth.ucweb.com	com/uc/crashsdk/a/d.java
https://applog.uc.cn/collect	com/uc/crashsdk/a/h.java
https://gjapplog.ucweb.com/collect	com/uc/crashsdk/a/h.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java

https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://msg.umengcloud.com/admsg/v3/launch	com/umeng/message/proguard/ag.java
https://msg.umengcloud.com/admsg/v3/getmsg	com/umeng/message/proguard/ag.java
https://msg.umengcloud.com/admsg/v3/stats	com/umeng/message/proguard/ag.java
https://msg.umengcloud.com/v3/tag/add	com/umeng/message/proguard/an.java
https://msg.umengcloud.com/v3/tag/delete	com/umeng/message/proguard/an.java
https://msg.umengcloud.com/v3/tag/get	com/umeng/message/proguard/an.java
https://offmsg.umeng.com/v2/offmsg/req	com/umeng/message/proguard/s.java
https://offmsg.umeng.com/v2/offmsg/switch	com/umeng/message/proguard/ai.java
https://ccs.umeng.com/aa	com/umeng/message/proguard/o.java
https://sss.umeng.com/api/v2/al	com/umeng/message/proguard/o.java
https://msg.umengcloud.com/v3/alias	com/umeng/message/proguard/x.java
https://msg.umengcloud.com/v3/alias/set	com/umeng/message/proguard/x.java
https://msg.umengcloud.com/v3/alias/delete	com/umeng/message/proguard/x.java
https://utoken.umeng.com/api/postZdata/v4	com/umeng/umzid/ZIDManager.java
https://utoken.umeng.com/api/updateZdata/v4	com/umeng/umzid/ZIDManager.java
https://audid.umeng.com/v3/a/audid/req	com/umeng/ut/a/b/g.java

https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/cu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gb.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fp.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bw.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/u.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/PlatformPlugin.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/rxjava3/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/rxjava3/exceptions/UndeliverableException.java
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1

https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2
https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://grs.platform.dbankcloud.ru	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://github.com/richttr/NoSleep.js/issues/15	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/API/WakeLockSentinel/released	Mogua Engine V2
https://github.com/jquery/jquery-color	Mogua Engine V2
http://jquery.org/license	Mogua Engine V2

https://dev.plaso.cn	Mogua Engine V2
https://github.com/zloirock/core-js/blob/v3.21.1/LICENSE	Mogua Engine V2
https://github.com/zloirock/core-js	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
https://players.youku.com/jsapi	Mogua Engine V2
http://player.youku.com/jsapi	Mogua Engine V2
https://www.youtube.com/player_api	Mogua Engine V2
http://www.youtube.com/player_api	Mogua Engine V2
https://www.macromedia.com/go/getflashplayer	Mogua Engine V2
https://github.com/zloirock/core-js/blob/v3.26.1/LICENSE	Mogua Engine V2
https://github.com/zloirock/core-js	Mogua Engine V2
https://github.com/facebook/regenerator/blob/main/LICENSE	Mogua Engine V2
https://github.com/zloirock/core-js/blob/v3.26.1/LICENSE	Mogua Engine V2
https://github.com/zloirock/core-js	Mogua Engine V2
https://res.wx.qq.com/open/js/jweixin-1.3.2.js	Mogua Engine V2
https://jic.talkingdata.com/app/h5/v1?appid=7B88D82775BFB1EA2CF099E8221EBF9B&vn=	Mogua Engine V2
http://sdk.talkingdata.com/app/h5/v1?	Mogua Engine V2

appid=7B88D82775BFB1EA2CF099E8221EBF9B&vn=	
http://www.w3.org/2000/svg	Mogua Engine V2
https://hw.plaso.cn/	Mogua Engine V2
http://getbootstrap.com)	Mogua Engine V2
http://www.office.microsoft.com/	Mogua Engine V2
http://www.w3.org/2001/XMLSchema-instance	Mogua Engine V2
http://www.w3.org/2001/XMLSchema	Mogua Engine V2
http://schemas.xmlsoap.org/soap/envelope/	Mogua Engine V2
http://office.microsoft.com/r/rlidOfficeWACMacTrial	Mogua Engine V2
http://office.microsoft.com/r/rlidWACWindowsTrial?clid=	Mogua Engine V2
http://www.mozilla.org/newlayout/xml/parsererror.xml	Mogua Engine V2
http://r.office.microsoft.com/r/	Mogua Engine V2
http://office.com	Mogua Engine V2
http://office.com/webapps	Mogua Engine V2
http://officeredir.microsoft.com/r/rlidwacsupbrowser	Mogua Engine V2
http://www.w3.org/TR/SVG11/feature	Mogua Engine V2
http://schemas.microsoft.com/sharepoint/	Mogua Engine V2
http://r.office.microsoft.com/r/rlidPPTWebMediaCodecHelp?p1=PowerPoint&clid=	Mogua Engine V2

http://go2.microsoft.com/fwlink/?LinkID=	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
http://www.w3.org/1999/xlink	Mogua Engine V2
http://www.mozilla.org/newlayout/xml/parsererror.xml	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://a');	Mogua Engine V2
http://a/c%20d?a=1&c=3'	Mogua Engine V2
https://a@b').username	Mogua Engine V2
http://a	Mogua Engine V2
http://x',	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
http://www.w3.org/XML/1998/namespace	Mogua Engine V2
http://www.w3.org/1999/xlink	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://a');	Mogua Engine V2
http://a/c%20d?a=1&c=3'	Mogua Engine V2
https://a@b').username	Mogua Engine V2

http://a	Mogua Engine V2
http://x',	Mogua Engine V2

 邮箱线索

邮箱地址	所在文件
xxx@email.elided	com/tencent/liteav/base/PiiElider.java
请输入有效的邮箱地址如abc@123.com abc@123.com	Mogua Engine V1
bg@1x.png ic_auxiliary_camera@2x.png ic_class_interaction@2x.png lass_synchronization@2x.png ic_file_center@2x.png ic_photo@2x.png ic_user_manage@2x.png ic_write_board@2x.png	Mogua Engine V2
wacerror@microsoft.com	Mogua Engine V2
service@officeweb365.com	Mogua Engine V2

 手机线索

手机号	所在文件
	org/joda/time/chrono/BasicFixedMonthChronology.java

15778800000	
15778476000	org/joda/time/chrono/GregorianChronology.java
15778800000	org/joda/time/chrono/JulianChronology.java
15308640144	org/joda/time/chrono/IslamicChronology.java

🌟 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: O=plaso, OU=plaso, CN=plaso
签名算法: rsassa_pkcs1v15
有效期自: 2021-03-06 06:20:13+00:00
有效期至: 2048-07-21 06:20:13+00:00
发行人: O=plaso, OU=plaso, CN=plaso
序列号: 0x1fbeca48
哈希算法: sha256
md5值: 4703427eae6963054652c1286d58455e
sha1值: 26ebee22682c5eb64132d2628da31ee5bfbdf317
sha256值: 6e54647826e1c5312c7ea59b134e8642a09266171d5d93e565997968a4f9dc99
sha512值: 7e5252664b8222cf4579dcb492c5e27bb78a27edcc315dc53a3b9d1576eb1317cda7ec7fb98fc1556711138e9d21c3ef5ba6298adf693590fe4bb3b26e9656b1
公钥算法: rsa
密钥长度: 2048
指纹: 47e6d201ee3af4c965e9ed46372630b11bec9968cea648627e622ee8b7b626a9

🔑 硬编码敏感信息

可能的敏感信息

"ams_appKey" : "29322251"
"ams_appSecret" : "ca3f9e4aa57b0fa411d81d69ee3d3b6c"
"class_key" : "班级邀请码"
"dialog_content_input_user" : "请输入用户名"
"dialog_content_no_user" : "用户名或密码错误，请重新填写"
"dialog_content_reset_pwd_err" : "密码重置失败，请重试"
"dialog_content_reset_pwd_succ" : "密码重置成功，请登录邮箱修改密码"
"enter_aigin_pwd" : "请再次输入新密码"
"enter_origin_pwd" : "请输入原密码"
"find_pwd" : "可用于找回密码服务"
"findpwd_url" : ""
"forget_pwd" : "忘记密码"
"group_resetpwd_fail" : "重置失败"
"group_resetpwd_student" : "重置密码"
"group_resetpwd_succ" : "重置成功"
"input_pwd" : "请输入密码"
"input_six_pwd" : "密码长度须为6-20位，建议包含数字和大小写字母"
"limit_pwd" : "4-20位数字字母组合"

"limit_username" : "用户名只能包含数字，字母，下划线，点号, 最多16个字符。"
"modify_pwd" : "修改密码"
"modify_username" : "修改姓名"
"nb_user" : "我的"
"origin_pwd" : "原密码"
"origin_pwd_err" : "原密码错误"
"originpwd_wrong" : "原密码不正确,请重新输入"
"password" : "密码"
"pwd_ignore" : "忽略"
"pwd_length_err" : "密码长度不能小于4"
"pwd_length_err_long" : "密码长度不能大于20"
"pwd_safetip" : "为保证您的账户安全,请修改默认密码"
"pwd_suggestion" : "注: 密码长度6~20位，建议包含数字和大小写字母"
"pwd_updte_succeed" : "密码更新成功,请保护你的密码"
"reset_pwd" : "重置密码"
"reset_pwd_and_copy" : "重置并复制密码"
"reset_pwd_copy_info_format" : "您的用户名是%s 密码是%s 请妥善保管，为了您的账号安全，请及时修改密码。"

"reset_pwd_success" : "重置并复制密码成功"
"rest_pwd_fail" : "重置并复制密码失败"
"token_tip" : "对不起，本次请求受限制"
"user_name" : "用户名"
"class_key" : "class code"
"dialog_content_input_user" : "Please enter the username"
"dialog_content_no_user" : "Incorrect user ID or password. Please try again."
"dialog_content_reset_pwd_err" : "Password reset failed, please try again"
"dialog_content_reset_pwd_succ" : "The password reset is successful, please log in to change the password in the mailbox"
"enter_aigin_pwd" : "confirm new password"
"enter_origin_pwd" : "Current password"
"find_pwd" : "To retrieve password service"
"findpwd_url" : ""
"forget_pwd" : "Forgot password"
"group_resetpwd_fail" : "reset failed"
"group_resetpwd_student" : "Reset pwd"
"group_resetpwd_succ" : "Reset success"

"input_pwd" : "Enter your password"
"input_six_pwd" : "Password has to be 6–20 digits in length,it is recommended to include numbers and upper and lower case letters."
"limit_pwd" : "4-20 alphanumeric"
"limit_username" : "Usernames can only contain numbers, letters, underscores, periods, and a maximum of 16 characters."
"modify_pwd" : "Change Password "
"modify_username" : "Modify name"
"nb_user" : "Profile"
"origin_pwd" : "Original password"
"origin_pwd_err" : "The original password is incorrect"
"originpwd_wrong" : "The original password is incorrect, please enter again."
"password" : "Password"
"pwd_ignore" : "Ignore"
"pwd_length_err" : "password length can not be less than 4"
"pwd_length_err_long" : "password length can not be greater than 20"
"pwd_safetip" : "To ensure the security of your account, please change the default password."
"pwd_suggestion" : "Note: the password is 6-20 digits long, and it is recommended to include numbers and upper and lower case letters."
"pwd_updte_succeed" : "Password updated successfully, please protect your password"

"reset_pwd" : "Reset password"
"reset_pwd_and_copy" : "Reset and copy PWD"
"reset_pwd_copy_info_format" : "Your username is %s password is %s Please keep it safe.To ensure the security of your account,please change the password in time."
"reset_pwd_success" : "Password resetted and copied"
"rest_pwd_fail" : "Password resetted and copied failed"
"token_tip" : "Sorry, this request has been limited."
"user_name" : "username"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度

android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.BROADCAST_PACKAGE_ADDED	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_PACKAGE_CHANGED	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_PACKAGE_INSTALL	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_PACKAGE_REPLACED	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
com.plaso.P_yxt	未知	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.plaso.yxt.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.plaso.yxt.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference

com.plaso.yxt.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒

应用内通信

活动(ACTIVITY)	通信(INTENT)
	Scheme: plaso:// yxt.plaso://

com.plaso.student.lib.login.Login	Scnemes: plaso://, yxtplaso://, Hosts: plaso, visitor,
com.tencent.tauth.AuthActivity	Schemes: \ 1109677053://,
com.plaso.student.lib.app.MessageActivity	Schemes: agoo://, Hosts: com.plaso.yxt, Paths: /thirdpush,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。