



MoGua

PG电游城 110.0.1.8_g.APK 分析报告



APP名称:

PG电游城

包名:

com.tydssdhalil513kaiyuanf.www

域名线索:

99条

URL线索:	88条
邮箱线索:	4条
分析日期:	2024年11月1日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: ujjyhqy.apk
文件大小: 47.18MB
MD5值: d97b52b233776a1753950493aa35cbc9
SHA1值: 6da6227dff3b93ec3ea6ade605fe791cea88afae
SHA256值: 2d6fb6b2d03e1a45be17c100da5179413d2f29935f63ebd6de0abd9525f779c0

APP 信息

App名称: PG电游城
包名: com.tydssdhali513kaiyuangf.www
主活动Activity: demo.sample.txcode.addfile.ui.acitivity.StartUpActivity
安卓版本名称: 110.0.1.8_g
安卓版本: 110

🔍 域名线索

域名	服务器信息
tun-cos-1258344701.file.myqcloud.com	IP: 123.6.25.199 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
livepullpv6.tlivesource.com	IP: 163.177.30.38 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
webrd0d.is.autonavi.com	没有服务器地理信息.
epalbigty513laosi.xn--ojqs38cba559m.cn	IP: 207.46.141.190 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
apiinit.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
issuetracker.google.com	IP: 172.217.160.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
cloud.tim.qq.com	IP: 111.206.149.220 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
test.tim.qq.com	IP: 106.55.123.101 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
intl.cloud.tencent.com	IP: 61.49.23.183 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
liteav.sdk.qcloud.com	IP: 42.236.89.7 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
www.sl4j.org	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709
web.sdk.qcloud.com	IP: 123.6.37.172 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
lbs.amap.com	IP: 59.82.60.60 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 182.50.13.56 所属国家: China 地区: Beijing

mqqeve.beacon.qq.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
log.tbs.qq.com	IP: 124.95.231.218 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
apilocatesrc.amap.com	IP: 106.11.43.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
otheve.beacon.qq.com	IP: 113.56.189.242 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
android.bugly.qq.com	IP: 124.95.225.169 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
	IP: 116.130.220.107

snowflake.qq.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
sdkconfig.tlivesource.com	IP: 140.207.121.106 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
grid.amap.com	IP: 59.82.31.137 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
162.14.19.114	IP: 162.14.19.114 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
trtc-sdk-config-xjp-1258344699.cos.ap-singapore.intl.tencentcos.com	IP: 119.28.121.12 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724

mst0d.is.autonavi.com	没有服务器地理信息.
cgicol.amap.com	IP: 123.125.216.211 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
tcdns.tlivesource.com	IP: 109.244.168.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
zzh3.sin55ck8.xyz	IP: 20.24.194.210 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
cos-android-sdk-doc-1253960454.cos.ap-shanghai.myqcloud.com	IP: 112.86.231.46 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
119.29.29.98	IP: 119.29.29.98 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
dashif.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California

	纬度: 40.065647 经度: -79.891724
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
1.12.12.12	IP: 1.12.12.12 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
rtnkbigty513erfb.xn--mjrs9ykk0bopd.cn	IP: 123.126.74.190 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
common-proxy-test.rtc.tencent.com	IP: 175.27.204.228 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
223.6.6.6	IP: 223.6.6.6 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 59.82.31.99 所属国家: China

tm.amap.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
speedtestint.trtc.tencent-cloud.com	IP: 43.156.86.158 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
test.snowflake.qq.com	IP: 221.198.69.15 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
schemas.android.com	没有服务器地理信息.
logs.amap.com	IP: 123.125.216.212 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
162.14.3.250	IP: 162.14.3.250 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
maps.google.cn	IP: 114.250.69.34 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

buy.cloud.tencent.com	IP: 123.125.244.107 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
developer.android.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
ns.adobe.com	没有服务器地理信息.
sdkdc.live.tlivesource.com	IP: 43.130.137.111 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
www.example.com	IP: 93.184.215.14 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
mdc.html5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
	IP: 36.248.13.178 所属国家: China 地区: Fujian

trtc-sdk-log-1258344699.cos.ap-guangzhou.tencentcos.cn	城市: Fuzhou 纬度: 26.061390 经度: 119.306107
inland-sdklog.trtc.tencent-cloud.com	IP: 120.53.64.22 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
qaty366webapi.ebgb0c05.xyz	IP: 43.249.29.19 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
flvmock.tencent.com	没有服务器地理信息.
livepull.tlivesource.com	IP: 116.130.223.85 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cfg.imtt.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
speedtest.trtc.tencent-cloud.com	IP: 162.14.20.26 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
m5.amap.com	IP: 106.11.35.98 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
106.55.123.30	IP: 106.55.123.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
restapi.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
tbs.imtt.qq.com	IP: 124.95.177.244 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
wb.amap.com	IP: 59.82.31.104 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
1.0.0.1	IP: 1.0.0.1 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390

	经度: -121.894958
intl-sdklog.trtc.tencent-cloud.com	IP: 43.156.222.59 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
dartbug.com	IP: 216.239.32.21 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
common-proxy.rtc.tencent.com	IP: 106.53.137.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
othstr.beacon.qq.com	IP: 140.206.162.29 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
common-proxyintl.rtc.tencent.com	IP: 43.156.223.209 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
yuntuapi.amap.com	没有服务器地理信息.
	IP: 104.21.15.155

ipof.in	所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mlvbdc.live.tlivesource.com	IP: 116.147.17.62 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
privacy.qq.com	IP: 123.6.33.209 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
www.ibm.com	IP: 23.13.189.250 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
wap.amap.com	IP: 125.39.43.232 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
sdk-liteav-1252463788.cos.ap-hongkong.tencentcos.cn	IP: 43.128.240.61 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
trtc-client-log-overseas-1258344699.cos.ap-singapore.intltencentcos.com	IP: 150.109.0.195 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

apisgp.my-imcloud.com	IP: 123.123.191.101 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.tencentcloud.com	IP: 43.152.65.114 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
demos.trtc.tencent-cloud.com	IP: 123.125.244.54 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
wprd0d.is.autonavi.com	没有服务器地理信息.
events.my-imcloud.com	IP: 111.206.147.103 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
avmonitortest.trtc.tencent-cloud.com	IP: 106.53.137.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
tcdnsipv6.tlivesource.com	没有服务器地理信息.
	IP: 61.49.23.183 所属国家: China

cloud.tencent.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
htrace.wetvinfo.com	IP: 60.28.215.54 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
8.8.4.4	IP: 8.8.4.4 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
console.cloud.tencent.com	IP: 123.125.244.107 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pms.mb.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
im.sdk.qcloud.com	IP: 123.6.37.221 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613

URL线索

URL信息	Url所在文件

http://dashif.org/guidelines/last-segment-number	a7/d.java
http://dashif.org/guidelines/trickmode	a7/d.java
http://dashif.org/thumbnail_tile	a7/d.java
http://dashif.org/guidelines/thumbnail_tile	a7/d.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://wap.amap.com/	com/amap/api/maps2d/AMapUtils.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingTabLayout.java
http://www.example.com	com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHelper.java
https://h.trace.qq.com/kv	com/tencent/beacon/a/b/g.java
https://htrace.wetvinfo.com/kv	com/tencent/beacon/a/b/d.java
https://h.trace.qq.com/kv	com/tencent/beacon/a/b/d.java
https://otheve.beacon.qq.com/analytics/v2_upload	com/tencent/beacon/base/net/b/b.java
https://othstr.beacon.qq.com/analytics/v2_upload	com/tencent/beacon/base/net/b/b.java
https://mqqeve.beacon.qq.com/analytics/v2_upload	com/tencent/beacon/base/net/b/b.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://web.sdk.qcloud.com/component/tuiroom/index.html	com/tencent/cloud/tuikit/roomkit/viewmodel/RoomInfoViewModel.java

https://cos-android-sdk-doc-1253960454.cos.ap-shanghai.myqcloud.com/beacon_cc/android/	com.tencent/cos/xml/CloudControl.java
http://xmlpull.org/v1/doc/features.html	com.tencent/cos/xml/transfer/XmlSlimBuilder.java
http://xmlpull.org/v1/doc/features.html	com.tencent/cos/xml/transfer/XmlBuilder.java
http://www.w3.org/2001/XMLSchema-instance	com.tencent/cos/xml/transfer/XmlBuilder.java
http://xmlpull.org/v1/doc/features.html	com.tencent/qcloud/qcloudxml/core/QCloudXml.java
http://second	com.tencent/qcloud/tim/demo/DemoApplication.java
http://debugtbs.qq.com	com.tencent/qcloud/tim/demo/main/MainNormalActivity.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tim/demo/profile/AboutIMActivity.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tim/demo/profile/AboutIMMinamalistActivity.java
https://im.sdk.qcloud.com/download/tuikit-resource/avatar/avatar_%s.png	com.tencent/qcloud/tim/demo/utills/Constants.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tim/demo/utills/Constants.java
https://privacy.qq.com/document/preview/c63a48325d0e4a35b93f675205a65a77	com.tencent/qcloud/tim/demo/utills/Constants.java
https://privacy.qq.com/document/preview/1cfe904fb7004b8ab1193a55857f7272	com.tencent/qcloud/tim/demo/utills/Constants.java
https://privacy.qq.com/document/preview/45ba982a1ce6493597a00f8c86b52a1e	com.tencent/qcloud/tim/demo/utills/Constants.java
https://privacy.qq.com/document/preview/dea84ac4bb88454794928b77126e9246	com.tencent/qcloud/tim/demo/utills/Constants.java
https://web.sdk.qcloud.com/document/Tencent-IM-User-Agreement.html	com.tencent/qcloud/tim/demo/utills/Constants.java
https://cloud.tencent.com/document/product/269/32458	com.tencent/qcloud/tuicore/TUIConstants.java
https://intl.cloud.tencent.com/document/product/1047/36021?lang=en&pg=	com.tencent/qcloud/tuicore/TUIConstants.java
https://cloud.tencent.com/document/product/269/11673?from=17219	com.tencent/qcloud/tuicore/TUIConstants.java
https://www.tencentcloud.com/document/product/1047/34349	com.tencent/qcloud/tuicore/TUIConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/conversation-backgroundImage/backgroundImage_%s.png	com.tencent/qcloud/tuicore/TUIConstants.java

https://im.sdk.qcloud.com/download/tuikit-resource/conversation-backgroundImage/backgroundImage_%s_full.png	com.tencent/qcloud/tuicore/TUIConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuicore/TUIConstants.java
https://demos.trtc.tencent-cloud.com/prod/base/v1/events/stat	com.tencent/qcloud/tuicore/TUIConfig.java
https://buy.cloud.tencent.com/avc	com.tencent/qcloud/tuikit/tuicallengine/a.java
https://console.cloud.tencent.com/im/detail	com.tencent/qcloud/tuikit/tuicallengine/a.java
https://cloud.tencent.com/document/product/269/32458	com.tencent/qcloud/tuikit/tuichat/TUIChatConstants.java
https://intl.cloud.tencent.com/document/product/1047/36021?lang=en&pg=	com.tencent/qcloud/tuikit/tuichat/TUIChatConstants.java
https://cloud.tencent.com/document/product/269/3794	com.tencent/qcloud/tuikit/tuichat/bean/CustomHelloMessage.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuicomunity/ui/page/CreateCommunityActivity.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuicomunity/ui/page/CommunitySettingsActivity.java
https://cloud.tencent.com/document/product/269/75979	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/community-cover/community_cover_%s.png	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/community-cover/community_cover_default.png	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_default.png	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://cloud.tencent.com/document/product/269/36852	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://cloud.tencent.com/act/pro/imnew?from=17971	com.tencent/qcloud/tuikit/tuicomunity/utills/CommunityConstants.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tuikit/tuicontact/TUIContactConstants.java
https://www.tencentcloud.com/products/im?lang=en&pg=	com.tencent/qcloud/tuikit/tuicontact/TUIContactConstants.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tuikit/tuicontact/classicui/pages/GroupTypeSelectActivity.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tuikit/tuicontact/classicui/pages/CreateGroupActivity.java

https://cloud.tencent.com/product/im	com.tencent/qcloud/tuikit/tuicontact/minimalistui/pages/GroupTypeSelectMinimalistActivity.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuicontact/minimalistui/pages/CreateGroupMinimalistActivity.java
https://cloud.tencent.com/product/im	com.tencent/qcloud/tuikit/tuicontact/minimalistui/pages/CreateGroupMinimalistActivity.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuigroup/TUIGroupConstants.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuigroup/classicui/page/GroupInfoFragment.java
https://im.sdk.qcloud.com/download/tuikit-resource/group-avatar/group_avatar_%s.png	com.tencent/qcloud/tuikit/tuigroup/minimalistui/page/GroupInfoMinimalistFragment.java
https://tun-cos-1258344701.file.myqcloud.com/fp.js	com.tencent/qimei/ae/a.java
https://tun-cos-1258344701.file.myqcloud.com/fp.js	com.tencent/qimei/ae/c.java
https://tun-cos-1258344701.file.myqcloud.com/my.html	com.tencent/qimei/ae/c.java
https://snowflake.qq.com/ola	com.tencent/qimei/h/b.java
https://test.snowflake.qq.com/ola	com.tencent/qimei/h/b.java
https://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
https://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/j.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/stat/MttLoader.java
https://tbs.imtt.qq.com/plugin/DebugPlugin_v2.tbs	com.tencent/smtt/utills/d.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utills/o.java

https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utills/o.java
https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utills/o.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utills/o.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utills/o.java
http://ns.adobe.com/xap/1.0/\u0000	d2/a.java
https://ipof.in/txt	dd/q.java
http://zzh3.sin55ck8.xyz/api/v1/alert	dd/q.java
http://second	dd/e.java
http://maps.google.cn/maps/api/staticmap?size=200x100&zoom=13&markers=color:red	demo/sample/txcode/addfile/ui/acitivity/LocationAmapActivity.java
http://schemas.android.com/apk/res/android	e1/j.java
http://ns.adobe.com/xap/1.0/	g6/a.java
https://8.8.4.4/resolve	gc/a.java
https://1.0.0.1/dns-query	gc/a.java
https://1.12.12.12/dns-query	gc/a.java
https://223.6.6.6/resolve	gc/a.java
http://restapi.amap.com/v3/place/around?	i3/a.java
http://restapi.amap.com/v3/place/text?	i3/a.java
http://restapi.amap.com/v3/config/district?	i3/a.java
http://restapi.amap.com	i3/d4.java
http://apilocate.amap.com/mobile/binary	i3/f4.java
http://apilicatesrc.amap.com/mobile/binary	i3/f4.java

http://abroad.apilocate.amap.com/mobile/binary	i3/f4.java
http://restapi.amap.com/v3	i3/g2.java
https://restapi.amap.com/v3	i3/g2.java
http://yuntuapi.amap.com	i3/g2.java
https://yuntuapi.amap.com	i3/g2.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	i3/g2.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	i3/g2.java
http://tm.amap.com	i3/i0.java
http://wprd0%d.is.autonavi.com	i3/i0.java
http://webrd0%d.is.autonavi.com	i3/i0.java
http://grid.amap.com/grid/%d/%d/%d?ds=	i3/i0.java
http://mst0%d.is.autonavi.com	i3/i0.java
http://logs.amap.com/ws/log/upload?product=%s&type=%s&platform=%s&channel=%s&sign=%s	i3/j4.java
http://abroad.apilocate.amap.com/mobile/binary	i3/j7.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	i3/t3.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	i3/t3.java
http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	i3/t3.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	i3/t3.java
https://restapi.amap.com/v3/iasdkauth	i3/x3.java
http://apiinit.amap.com/v3/log/init	i3/y3.java
http://cgicol.amap.com/collection/writedata?ver=v1.0_ali&	i3/q6.java

http://restapi.amap.com/v3/geocode/regeo	i3/q6.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ie/h.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ie/c.java
http://www.slf4j.org/codes.html	ig/c.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/f.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	ke/f.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	ke/d.java
http://www.w3.org/ns/ttml	m7/c.java
https://github.com/Baseflow/flutter-permission-handler/issues	o3/p.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/f.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
https://developer.android.com/guide/topics/media/issues/cleartext-not-permitted	q7/x.java
https://issuetracker.google.com/issues/new?component=907884&template=1466542	t1/m.java
https://developer.android.com/guide/topics/media/issues/player-accessed-on-wrong-thread	w5/b1.java
https://epalbigty513laosi.xn--ojqs38cba559m.cn/tyinibigty513asd/pashroot	Mogua Engine V1
https://rtnkbigty513erfb.xn--mjrs9ykk0bopd.cn/tyinibigty513asd/pashroot	Mogua Engine V1
https://cloud.tencent.com/document/product/269/37059	Mogua Engine V1
https://qaty366webapi.ebgb0c05.xyz	Mogua Engine V2
https://github.com/richttr/NoSleep.js/issues/15	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/API/WakeLockSentinel/released	Mogua Engine V2

http://www.w3.org/XML/1998/namespace	lib/armeabi-v7a/libflutter.so
http://www.w3.org/2000/xmlns/	lib/armeabi-v7a/libflutter.so
https://www.w3.org/Style/CSS/Test/Fonts/Ahem/	lib/armeabi-v7a/libflutter.so
https://github.com/flutter/flutter/issues	lib/armeabi-v7a/libflutter.so
https://dartbug.com/52121	lib/armeabi-v7a/libflutter.so
https://sdkdc.live.tlivesource.com/liteav	lib/armeabi-v7a/libliteavsdk.so
https://mlvbdc.live.tlivesource.com/liteav	lib/armeabi-v7a/libliteavsdk.so
https://intl-sdklog.trtc.tencent-cloud.com/log/report	lib/armeabi-v7a/libliteavsdk.so
https://inland-sdklog.trtc.tencent-cloud.com/log/report	lib/armeabi-v7a/libliteavsdk.so
https://106.55.123.30/rainbowapi.configs/getdatas	lib/armeabi-v7a/libliteavsdk.so
https://trtc-sdk-config-xjp-1258344699.cos.ap-singapore.intltencentcos.com/liteavsrcfg/v3/serverconfig_enc.zip	lib/armeabi-v7a/libliteavsdk.so
https://sdk-liteav-1252463788.cos.ap-hongkong.tencentcos.cn/sdkres/config/v2/serverconfig_enc.zip	lib/armeabi-v7a/libliteavsdk.so
https://intl-sdklog.trtc.tencent-cloud.com/log/appsign	lib/armeabi-v7a/libliteavsdk.so
https://inland-sdklog.trtc.tencent-cloud.com/log/appsign	lib/armeabi-v7a/libliteavsdk.so
https://trtc-sdk-log-1258344699.cos.ap-guangzhou.tencentcos.cn	lib/armeabi-v7a/libliteavsdk.so
https://common-proxy.rtc.tencent.com	lib/armeabi-v7a/libliteavsdk.so
https://common-proxy-test.rtc.tencent.com	lib/armeabi-v7a/libliteavsdk.so
https://common-proxyintl.rtc.tencent.com	lib/armeabi-v7a/libliteavsdk.so
https://trtc-client-log-overseas-1258344699.cos.ap-singapore.intltencentcos.com	lib/armeabi-v7a/libliteavsdk.so
https://test.tim.qq.com	lib/armeabi-v7a/libliteavsdk.so
https://events.my-imcloud.com	lib/armeabi-v7a/libliteavsdk.so

https://apisgp.my-imcloud.com	lib/armeabi-v7a/libliteavsdk.so
https://speedtest.trtc.tencent-cloud.com	lib/armeabi-v7a/libliteavsdk.so
https://speedtestint.trtc.tencent-cloud.com	lib/armeabi-v7a/libliteavsdk.so
https://avmonitortest.trtc.tencent-cloud.com:8000	lib/armeabi-v7a/libliteavsdk.so
http://flvmock.tencent.com	lib/armeabi-v7a/libliteavsdk.so
https://cloud.tencent.com/act/event/License	lib/armeabi-v7a/libliteavsdk.so
https://liteav.sdk.qcloud.com/sdkres/trtc/AiVoiceEnhancement	lib/armeabi-v7a/libliteavsdk.so
https://liteav.sdk.qcloud.com/sdkres/trtc/AiVoiceEnhancement/TNNE_HOWLING_SUPPRESSION_1.37_11.0.zip	lib/armeabi-v7a/libliteavsdk.so
https://sdkconfig.tlivesource.com/rainbowapi.configs/getdatas	lib/armeabi-v7a/libliteavsdk.so
https://tcdns.tlivesource.com/queryip	lib/armeabi-v7a/libliteavsdk.so
https://tcdnsipv6.tlivesource.com/queryip	lib/armeabi-v7a/libliteavsdk.so
https://livepull.tlivesource.com/getpulladdr	lib/armeabi-v7a/libliteavsdk.so
https://livepullipv6.tlivesource.com/getpulladdr	lib/armeabi-v7a/libliteavsdk.so
https://cloud.tim.qq.com	lib/armeabi-v7a/libliteavsdk.so
https://developer.mozilla.org/en-US/docs/Web/HTTP/Status	lib/armeabi-v7a/libapp.so
http://www.ibm.com/data/dtd/v11/ibmxhtml1-transitional.dtd	lib/armeabi-v7a/libapp.so
http://www.w3.org/1998/Math/MathML	lib/armeabi-v7a/libapp.so
http://www.w3.org/2000/svg	lib/armeabi-v7a/libapp.so
http://www.w3.org/2000/xmlns/	lib/armeabi-v7a/libapp.so
https://api.flutter.dev/flutter/material/Scaffold/of.html	lib/armeabi-v7a/libapp.so
https://flutter.dev/docs/release/breaking-changes/network-policy-ios-android	lib/armeabi-v7a/libapp.so

https://github.com/flutter/flutter/issues/new.	lib/armeabi-v7a/libapp.so
http://162.14.3.250/v4/ConfigGetSvc/GetOpenSSOIPList	lib/armeabi-v7a/libImSDK.so
http://119.29.29.98/d?id=39662	lib/armeabi-v7a/libImSDK.so
http://162.14.19.114/	lib/armeabi-v7a/libImSDK.so

邮箱线索

邮箱地址	所在文件
xxx@email.elided	com/tencent/liteav/base/PiiElider.java
x5tbs@tencent.com	com/tencent/smtt/sdk/X5Downloader.java
checked2@2x.png	Mogua Engine V2
_nativesocket@14069316.listen _httpparser@13463476.responsepa checked2@2x.png _internetaddress@14069316.fixed _double@0150898.fromintege _future@4048458.immediate _growablelist@0150898._literal _link@14069316.fromrawpat _growablelist@0150898.withcapaci _routedata@1070504625.ofroute _growablelist@0150898._literal6 _receiveportimpl@1026248.fromrawrec _imagefilter@15065589.composed _list@0150898._ofarray _timer@1026248.periodic _growablelist@0150898._literal2 _bigintimpl@0150898.from _list@0150898.empty _directory@14069316.fromrawpat _invocationmirror@0150898._withtype androidstorage@27339836.implementa channelcontroller@29156646.implementa _colorfilter@15065589.lineartosr _growablelist@0150898._literal1 _uri@0150898.file	

_imagefilter@15065589.blur
 _growablelist@0150898._literal4
 _growablelist@0150898._ofgrowabl
 _growablelist@0150898.of
 authenticationscheme@13463476.fromstring
 _pointerpanzoomdata@605213599.fromupdate
 _list@0150898.of
 _compressednode@107137193.single
 _list@0150898.generate
 _typeid@0150898._create
 _list@0150898._ofgrowabl
 _list@0150898._ofefficie
 _growablelist@0150898._ofarray
 _growablelist@0150898._literal3
 _growablelist@0150898._ofother
 _future@4048458.value
 _timer@1026248._internal
 _growablelist@0150898._literal5
 _assetmanifestbin@45287047.fromstanda
 _list@0150898._ofother
 _bytebuffer@7027147._new
 ngstreamssubscription@4048458.zoned
 _assertionerror@0150898._create
 _nativesocket@14069316.normal
 _hashcollisionnode@107137193.fromcollis
 _imagefilter@15065589.fromcolorf
 _colorfilter@15065589.srgbtoline
 _uri@0150898.directory
 _httpparser@13463476.requestpar
 _growablelist@0150898._literal8
 _file@14069316.fromrawpat
 _growablelist@0150898.generate
 _uri@0150898.notsimple
 _growablelist@0150898._literal7
 _future@4048458.zonevalue
 _growablelist@0150898._ofefficie
 _future@4048458.immediatee

lib/armeabi-v7a/libapp.so

手机线索

手机号	所在文件
17179869184	com.tencent/qcloud/tuikit/tuigroupnoteplugin/f/f.java
17179869184	com.tencent/qcloud/tuikit/tuigroupnoteplugin/f/c.java

1822222222	h6/e.java
1922222222	h6/e.java
17512775099	q8/a.java

🌸 签名证书

无法读取代码签名证书。

🔑 硬编码敏感信息

可能的敏感信息
"Proxy_Authorization" : "6dDUxMw==c"
"SecretKey" : ""
"appzhifumima" : "APP支付密码: "
"contact_no_such_user" : "该用户不存在"
"haimeiyoushezhizhifumima_qingxianshezhizhifumima" : "还没有设置支付密码, 请先设置支付密码"
"haimeiyoushezhizhifumima_shifoushezhizhi" : "还没有设置支付密码, 是否设置? "
"input_password" : "请输入密码"
"jizhumima" : "记住密码"
"liangcimimabuyizhi_qingjiancha" : "两次密码不一致, 请检查"
"liangcimimarushubuyizhi" : "两次密码输入不一致"
"meizuPushAppKey" : "xxxxxx"
"mimabunengweikong" : "密码不能为空"

"mimaxiugaichenggong" : "密码修改成功"
"oppoPushAppKey" : "xxxxxx"
"oppoPushAppSecret" : "xxxxxx"
"password" : "密码"
"please_zhifumima" : "请输入支付密码"
"private_group" : "讨论组"
"qingjietubaocunnindezhanghaohemima" : "请截图保存您的账号和密码： 账号： %s 密码： %s"
"qingquerenxinmima" : "请确认新密码"
"qingshezhizhifumima" : "设置支付密码"
"qingshurujiumima" : "请输入旧密码"
"qingshuruxinmima" : "请输入新密码"
"qingshuruyuanmima" : "请输入原密码"
"qingshuruzhifumima" : "请输入支付密码"
"qingzaicishurumima" : "请再次输入密码"
"qingzaicishuruquerenmima" : "请再次输入确认密码"
"querenmima" : "确认密码"
"tuiroomkit_mute_user" : "禁言"
"tuiroomkit_un_mute_user" : "取消禁言"
"wangjimima" : "忘记密码"
"xiaomiPushAppKey" : "xxxxxx"
"xinmima" : "新密码"

"xinmimabuyizhi" : "新密码不一致"
"xinmimaqueren" : "新密码确认"
"xiugaimima" : "修改密码"
"xiugaizhifumima" : "修改支付密码"
"yuanmima" : "原密码"
"zhifumima" : "支付密码"
"zhifumimashezchichenggong" : "支付密码设置成功"
"zhifumimaxiugaichenggong" : "支付密码修改成功"
"appzhifumima" : "APP 支払いパスワード:"
"contact_no_such_user" : "ユーザーは存在しません"
"haimeiyoushezhezhi zhifumima_qingxianshezhezhi zhifumima" : "支払いパスワードがまだ設定されていません。最初に支払いパスワードを設定してください。"
"haimeiyoushezhezhi zhifumima_shifoushezhi" : "支払いパスワードがまだ設定されていませんが、設定されていますか?"
"input_password" : "パスワードを 6 ~ 20 文字の文字または数字で入力してください"
"jizhumima" : "パスワードを覚えておいてください"
"liangcimimabuyizhi_qingjiancha" : "2 つのパスワードが一致しません。確認してください。"
"liangcimimarushubuyizhi" : "入力された 2 つのパスワードは矛盾しています"
"mimabunengweikong" : "パスワードを空にすることはできません"
"mimaxiugaichenggong" : "パスワードが正常に変更されました"
"password" : "パスワード"
"please_zhifumima" : "支払いパスワードを入力してください"
"private_group" : "ディスカッショングループ"

"qingjietubaocunnindezhanghaothemima" : "スクリーンショットを撮ってアカウントとパスワードを保存してください: アカウント: %s パスワード: %s"
"qingquerenxinmima" : "新しいパスワードを確認してください"
"qingshezhihifumima" : "支払いパスワードを設定する"
"qingshuruxinmima" : "新しいパスワードを入力してください"
"qingshuruyuanmima" : "元のパスワードを入力してください"
"qingshuruzhifumima" : "支払いパスワードを入力してください"
"qingzaicishurumima" : "パスワードをもう一度入力してください"
"qingzaicishuruquerenmima" : "確認パスワードをもう一度入力してください"
"querenmima" : "パスワードの確認"
"tuiroomkit_mute_user" : "ミュート"
"tuiroomkit_un_mute_user" : "禁止解除"
"wangjimima" : "パスワードを忘れた"
"xinmima" : "新しいパスワード"
"xinmimabuyizhi" : "新しいパスワードは一貫がありません"
"xinmimaqueren" : "新しいパスワードの確認"
"xiugaimima" : "パスワードを変更"
"xiugaizhifumima" : "支払いパスワードを変更する"
"yuanmima" : "のパスワード"
"zhifumimashezhihengong" : "支払いパスワードが正常に設定されました"
"zhifumimaxiugaichengong" : "支払いパスワードが正常に変更されました"
"appzhifumima" : "Mật khẩu thanh toán APP:"

"contact_no_such_user" : "Người dùng không tồn tại"
"haimeiyoushezhizhifumima_qingxianshezhizhifumima" : "Mật khẩu thanh toán chưa được đặt, vui lòng đặt mật khẩu thanh toán trước"
"haimeiyoushezhizhifumima_shifoushezhizhi" : "Mật khẩu thanh toán chưa được đặt, đã đặt chưa?"
"input_password" : "Vui lòng nhập mật khẩu, 6-20 chữ cái hoặc số"
"jizhumima" : "Nhớ mật khẩu"
"liangcimimabuyizhi_qingjiancha" : "Hai mật khẩu không nhất quán, vui lòng kiểm tra"
"liangcimimarushubuyizhi" : "Hai mật khẩu đã nhập không nhất quán"
"mimabunengweikong" : "Mật khẩu không được để trống"
"mimaxiugaichenggong" : "Mật khẩu đã được thay đổi thành công"
"password" : "Mật khẩu"
"please_zhifumima" : "Vui lòng nhập mật khẩu thanh toán"
"private_group" : "Nhóm thảo luận"
"qingjietubaocunnindezhanghaohemima" : "Vui lòng chụp ảnh màn hình để lưu tài khoản và mật khẩu của bạn: Tài khoản: %s Mật khẩu: %s"
"qingquerenxinmima" : "Vui lòng xác nhận mật khẩu mới"
"qingshezhizhifumima" : "Đặt mật khẩu thanh toán"
"qingshuruxinmima" : "Vui lòng nhập mật khẩu mới"
"qingshuruyuanmima" : "Vui lòng nhập mật khẩu ban đầu"
"qingshuruzhifumima" : "Vui lòng nhập mật khẩu thanh toán"
"qingzaicishurumima" : "Vui lòng nhập lại mật khẩu của bạn"
"qingzaicishuruquerenmima" : "Vui lòng nhập lại mật khẩu xác nhận"
"querenmima" : "Xác nhận mật khẩu"

"tuiroomkit_mute_user" : "Tắt tiếng"
"tuiroomkit_un_mute_user" : "Bỏ cấm"
"wangjimima" : "quên mật khẩu"
"xinmima" : "Mật khẩu mới"
"xinmimabuyizhi" : "Mật khẩu mới không nhất quán"
"xinmimaqueren" : "Xác nhận mật khẩu mới"
"xiugaimima" : "Đổi mật khẩu"
"xiugaizhifumima" : "Thay đổi mật khẩu thanh toán"
"yuanmima" : "Mật khẩu gốc"
"zhifumimashezhihengong" : "Đã đặt mật khẩu thanh toán thành công"
"zhifumimaxiugaichengong" : "Mật khẩu thanh toán đã được thay đổi thành công"
"appzhifumima" : "APP支付密码: "
"contact_no_such_user" : "该用户不存在"
"haimeiyoushezhihifumima_qingxianshezhihifumima" : "还没有设置支付密码, 请先设置支付密码"
"haimeiyoushezhihifumima_shifoushezhi" : "还没有设置支付密码, 是否设置? "
"input_password" : "请输入密码"
"jizhumima" : "记住密码"
"liangcimimabuyizhi_qingjiancha" : "两次密码不一致, 请检查"
"liangcimimarushubuyizhi" : "两次密码输入不一致"
"mimabunengweikong" : "密码不能为空"
"mimaxiugaichengong" : "密码修改成功"

"password" : "密码"
"please_zhifumima" : "请输入支付密码"
"private_group" : "讨论组"
"qingjietubaocunnindezhanghaohemima" : "请截图保存您的账号和密码： 账号： %s 密码： %s"
"qingquerenxinmima" : "请确认新密码"
"qingshezhihfumima" : "设置支付密码"
"qingshuruxinmima" : "请输入新密码"
"qingshuruyuanmima" : "请输入原密码"
"qingshuruzhfumima" : "请输入支付密码"
"qingzaicishurumima" : "请再次输入密码"
"qingzaicishuruquerenmima" : "请再次输入确认密码"
"querenmima" : "确认密码"
"tuiroomkit_mute_user" : "禁言"
"tuiroomkit_un_mute_user" : "取消禁言"
"wangjimima" : "忘记密码"
"xinmima" : "新密码"
"xinmimabuyizhi" : "新密码不一致"
"xinmimaqueren" : "新密码确认"
"xiugaimima" : "修改密码"
"xiugaizhfumima" : "修改支付密码"
"yuanmima" : "原密码"

"zhifumimashezhihenggong" : "支付密码设置成功"
"zhifumimaxiugaichenggong" : "支付密码修改成功"
"appzhifumima" : "APP payment password:"
"contact_no_such_user" : "This user does not exist"
"haimeiyoushezhihifumima_qingxianshezhihifumima" : "The payment password has not been set yet, please set the payment password first"
"haimeiyoushezhihifumima_shifoushezhi" : "The payment password has not been set yet. Do you want to set it?"
"input_password" : "Please enter password, 6-20 letters or numbers"
"jizhumima" : "Remember the password"
"liangcimimabuyizhi_qingjiancha" : "The two passwords are inconsistent, please check"
"liangcimimarushubuyizhi" : "The two password inputs are inconsistent"
"mimabunengweikong" : "Password cannot be empty"
"mimaxiugaichenggong" : "Password changed successfully"
"password" : "Password"
"please_zhifumima" : "Please enter the payment password"
"private_group" : "discussion group"
"qingjietubaocunnindezhanghaohemima" : "Please take a screenshot to save your account and password: Account: %s Password: %s"
"qingquerenxinmima" : "Please confirm the new password"
"qingshezhihifumima" : "Set payment password"
"qingshuruxinmima" : "Please enter a new password"
"qingshuruyuanmima" : "Please enter the original password"
"qingshuruzhifumima" : "Please enter the payment password"

"qingzaicishurumima" : "Please enter the password again"
"qingzaicishuruquerenmima" : "Please enter the confirmation password again"
"querenmima" : "Confirm password"
"tuiroomkit_mute_user" : "Mute"
"tuiroomkit_un_mute_user" : "Unban"
"wangjimima" : "forgot password"
"xinmima" : "New password"
"xinmimabuyizhi" : "New password is inconsistent"
"xinmimaqueren" : "New password confirmation"
"xiugaimima" : "Change password"
"xiugaizhifumima" : "Change payment password"
"yuanmima" : "Original password"
"zhifumimashezchichenggong" : "The payment password is set successfully"
"zhifumimaxiugaichenggong" : "Payment password changed successfully"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接

登陆摸瓜网站后查看

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.POS	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作

android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
com.tydssdhal513kaiyuanf.www.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
demo.sample.txcode.addfile.ui.acitivity.StartupActivity	Schemes: idolchat://, X://, fi3z0h7b://, Hosts: idolchatadd, idolchatshare,
com.tencent.qcloud.tim.demo.main.MainNormalActivity	Schemes: pushscheme://, Hosts: com.tencent.qcloud,

	Paths: /detail,
com.tencent.qcloud.tim.demo.main.MainMinimalistActivity	Schemes: pushscheme://, Hosts: com.tencent.qcloud, Paths: /detail,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。