




MoGua

普适排口 4.1.8.APK 分析报告



APP名称:

普适排口

包名:	com.pushi
域名线索:	56条
URL线索:	38条
邮箱线索:	1条
分析日期:	2024年9月8日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: pspk.apk

文件大小: 40.98MB

MD5值: db69ab7e8daaf14cc1ce869cb6a077c6

SHA1值: 40d0c0003eb7c714547eb1784a5ed0e06425db13

SHA256值: 0c7b58c72beacc2c41c7a3104953231f34bc3bd3c5788f94e43c4dfcb74ac6f4

i APP 信息

App名称: 普适排口

包名: com.pushi

主活动Activity: com.pushi.MainActivity

安卓版本名称: 4.1.8

安卓版本: 418

🔍 域名线索

域名	服务器信息
ns.useplus.org	IP: 54.83.4.77 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
dualstack.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161583
oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.250 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
image.cnamedomain.com	没有服务器地理信息.
oss-cn-.aliyuncs.comor	没有服务器地理信息.
maps.google.com	IP: 142.251.43.14 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
docs.swmansion.com	IP: 172.67.142.188 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
paulbourke.net	IP: 216.137.177.54 所属国家: United States of America 地区: Michigan 城市: Ann Arbor

	纬度: 42.228848 经度: -83.735924
139.224.72.67	IP: 139.224.72.67 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.google.com	IP: 199.59.148.20 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
apilocate.amap.com	IP: 106.11.43.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
earth.google.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 118.178.29.5

oss.aliyuncs.com	所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
drewnoakes.com	IP: 34.229.76.186 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
www.opengis.net	IP: 66.244.86.70 所属国家: United States of America 地区: Indiana 城市: Bloomington 纬度: 39.220310 经度: -86.458237
xerces.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
raw.githubusercontent.com	IP: 0.0.0.0 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
schemas.opengis.net	IP: 66.244.86.52 所属国家: United States of America 地区: Indiana 城市: Bloomington 纬度: 39.220310 经度: -86.458237

cipa.jp	IP: 118.82.81.189 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
www.aiim.org	IP: 199.60.103.225 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129 经度: -71.086304
adiu.amap.com	IP: 203.119.204.133 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.topografix.com	IP: 104.209.197.87 所属国家: United States of America 地区: Virginia 城市: Boydton 纬度: 36.667641 经度: -78.387497
221.181.88.134	IP: 221.181.88.134 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
developers.google.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View

	<p>纬度: 37.405991 经度: -122.078514</p>
stamen.com	<p>IP: 141.193.213.10 所属国家: United States of America 地区: Texas 城市: Austin 纬度: 30.271158 经度: -97.741699</p>
ns.adobe.com	<p>没有服务器地理信息.</p>
ubinavi-paikou.oss-cn-shanghai.aliyuncs.com	<p>IP: 47.101.83.173 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
apache.org	<p>IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203</p>
lbs.amap.com	<p>IP: 110.253.189.211 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349</p>
perfectionkills.com	<p>IP: 192.30.252.153 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203</p>

codepush.appcenter.ms	IP: 52.232.227.249 所属国家: United States of America 地区: Virginia 城市: Boydton 纬度: 36.667641 经度: -78.387497
mobile.events.data.microsoft.com	IP: 20.189.173.5 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
aps.testing.amap.com	IP: 140.205.69.9 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.npes.org	IP: 104.21.43.185 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
dualstack-restapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
pushi.ubinavi.com.cn	IP: 221.181.88.134 所属国家: China 地区: Shanghai 城市: Shanghai

	纬度: 31.224333 经度: 121.468948
javax.xml.xmlconstants	没有服务器地理信息.
www.microsoft.com	IP: 218.58.101.49 所属国家: China 地区: Shandong 城市: Zibo 纬度: 36.790775 经度: 118.063354
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
dev.dcloud.net.cn	IP: 116.136.188.184 所属国家: China 地区: Nei Mongol 城市: Hohhot 纬度: 40.810650 经度: 111.650665
192.168.2.45	IP: 192.168.2.45 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
ask.dcloud.net.cn	IP: 119.188.180.230 所属国家: China 地区: Shandong 城市: jinan 纬度: 36.668331 经度: 116.997223

in.appcenter.ms	IP: 52.247.72.241 所属国家: United States of America 地区: Virginia 城市: Boydton 纬度: 36.667641 经度: -78.387497
dev.virtualearth.net	IP: 13.107.246.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
openlayers.org	IP: 104.21.51.32 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mapserver.gis.umn.edu	IP: 140.211.15.3 所属国家: United States of America 地区: Oregon 城市: Eugene 纬度: 44.036083 经度: -123.052429
creativecommons.org	IP: 172.67.1.191 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
restapi.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang

	<p>城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
iptc.org	<p>IP: 3.64.29.21 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996</p>
www.openstreetmap.org	<p>IP: 185.45.6.57 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: London 纬度: 51.508530 经度: -0.125740</p>
127.0.0.1	<p>IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000</p>
www.movable-type.co.uk	<p>IP: 88.98.24.69 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: Rochdale 纬度: 53.617661 经度: -2.155200</p>
purl.org	<p>IP: 207.241.239.241 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.781734 经度: -122.459435</p>

URL线索

URL信息	Url所在文件
http://ns.adobe.com/StockPhoto/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/asf/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/bwf/bext/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/camera-raw-settings/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/creatorAtom/1.0/	com/adobe/xmp/XMPConst.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/XMPConst.java
http://purl.org/dc/1.1/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/DICOM/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/1.0/DynamicMedia/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/XMPConst.java
http://cipa.jp/exif/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/exif/1.0/aux/	com/adobe/xmp/XMPConst.java
http://iptc.org/std/lptc4xmpCore/1.0/xmlns/	com/adobe/xmp/XMPConst.java
http://iptc.org/std/lptc4xmpExt/2008-02-29/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/iX/1.0/	com/adobe/xmp/XMPConst.java

http://ns.adobe.com/jp2k/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/jpeg/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/pdf/1.3/	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/extension/	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/field	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/id/	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/property	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/schema	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/type	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/pdfx/1.3/	com/adobe/xmp/XMPConst.java
http://www.npes.org/pdfx/ns/id/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/photoshop/1.0/	com/adobe/xmp/XMPConst.java
http://ns.useplus.org/ldf/xmp/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/png/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/album/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/riff/info/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/1.0/Script/	com/adobe/xmp/XMPConst.java

http://ns.adobe.com/swf/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/tiff/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/transient/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/TransformXMP/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/wav/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/bj/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/mm/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/note/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/rights/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Dimensions	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Font	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/g/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/Identifier/qual/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/g/img/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/ManifestItem	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/t/pg/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/ResourceEvent	com/adobe/xmp/XMPConst.java

http://ns.adobe.com/xap/1.0/sType/ResourceRef	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Job	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Version	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/t/	com/adobe/xmp/XMPConst.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/tiff/1.0/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/exif/1.0/aux/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/tiff/1.0/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/exif/1.0/aux/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/impl/XMPSerializerRDF.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/ParseRDF.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/XMPNormalizer.java

http://ns.adobe.com/exif/1.0/	com/adobe/xmp/impl/XMPNormalizer.java
http://javax.xml.XMLConstants/feature/secure-processing	com/adobe/xmp/impl/XMPMetaParser.java
http://apache.org/xml/features/disallow-doctype-decl	com/adobe/xmp/impl/XMPMetaParser.java
http://xml.org/sax/features/external-general-entities	com/adobe/xmp/impl/XMPMetaParser.java
http://xerces.apache.org/xerces2-j/features.html	com/adobe/xmp/impl/XMPMetaParser.java
http://xml.org/sax/features/external-parameter-entities	com/adobe/xmp/impl/XMPMetaParser.java
http://apache.org/xml/features/nonvalidating/load-external-dtd	com/adobe/xmp/impl/XMPMetaParser.java
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
http://oss.aliyuncs.com	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://127.0.0.1	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
https://raw.githubusercontent.com/drewnoakes/metadata-extractor-images/master/%s\	com/drew/imaging/ImageMetadataReader.java
http://purl.org/dc/elements/1.1/	com/drew/metadata/Schema.java

http://ns.adobe.com/exif/1.0/aux/	com/drew/metadata/Schema.java
http://ns.adobe.com/exif/1.0/	com/drew/metadata/Schema.java
http://ns.adobe.com/tiff/1.0/	com/drew/metadata/Schema.java
http://ns.adobe.com/xap/1.0/	com/drew/metadata/Schema.java
http://ns.adobe.com/xmp/note/	com/drew/metadata/xmp/XmpReader.java
http://ns.adobe.com/xmp/extension/\u0000	com/drew/metadata/xmp/XmpReader.java
http://ns.adobe.com/xap/1.0/\u0000	com/drew/metadata/xmp/XmpReader.java
https://drewnoakes.com/code/exif/\n	com/drew/tools/ProcessAllImagesInFolderUtility.java
https://raw.githubusercontent.com/drewnoakes/metadata-extractor-images/master/%s/%s	com/drew/tools/ProcessAllImagesInFolderUtility.java
\n">https://raw.githubusercontent.com/drewnoakes/metadata-extractor-images/master/%s/metadata/%s.txt)\n	com/drew/tools/ProcessAllImagesInFolderUtility.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
https://adiu.amap.com/ws/device/adius	com/loc/av.java
http://apilocate.amap.com/mobile/binary	com/loc/en.java
http://dualstack.apilocate.amap.com/mobile/binary	com/loc/en.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/en.java
http://aps.testing.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cf.java
http://restapi.amap.com	com/loc/s.java

http://restapi.amap.com/v3/place/text?	com/loc/a.java
http://restapi.amap.com/v3/config/district?	com/loc/a.java
http://restapi.amap.com/v3/place/around?	com/loc/a.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/er.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/eg.java
http://dualstack-restapi.amap.com/v3/geocode/regeo	com/loc/ei.java
http://restapi.amap.com/v3/geocode/regeo	com/loc/ei.java
https://restapi.amap.com/v3/iasdkauth	com/loc/l.java
http://restapi.amap.com/v3/iasdkauth	com/loc/l.java
https://in.appcenter.ms	com/microsoft/appcenter/ingestion/AppCenterIngestion.java
https://mobile.events.data.microsoft.com/OneCollector/1.0	com/microsoft/appcenter/ingestion/OneCollectorIngestion.java
https://codepush.appcenter.ms/	com/microsoft/codepush/react/CodePush.java
http://139.224.72.67:8081/outletcloud/	com/pushi/BuildConfig.java
http://pushi.ubinavi.com.cn:8081/imgeditor/	com/pushi/BuildConfig.java
https://ubinavi-paikou.oss-cn-shanghai.aliyuncs.com/outletImgList/	com/pushi/BuildConfig.java
http://221.181.88.134:8081/ubireportapi/burying-point-record/report	com/pushi/BuildConfig.java
https://docs.swmansion.com/react-native-gesture-handler/docs/guides/migrating-off-rnghenableroot	com/swmansion/gesturehandler/react/RNGestureHandlerEnabledRootView.java

https://github.com/software-mansion/react-native-screens/issues/17	com/swmansion/rnscreens/ScreenStackFragment.java
https://github.com/software-mansion/react-native-screens/issues/17	com/swmansion/rnscreens/ScreenFragment.java
http://139.224.72.67:8081/outletcloud/	摸瓜V1引擎
http://pushi.ubinavi.com.cn:8081/imgeditor/	摸瓜V1引擎
https://ubinavi-paikou.oss-cn-shanghai.aliyuncs.com/outletImgList/	摸瓜V1引擎
http://221.181.88.134:8081/ubireportapi/burying-point-record/report	摸瓜V1引擎
http://t	摸瓜V2引擎
http://192.168.2.45:6080/arcgis/rest/services/pudong202207/MapServer/tile/	摸瓜V2引擎
http://pushi.ubinavi.com.cn:26688/geoserver/pushi/wms?service=WMS'	摸瓜V2引擎
https://restapi.amap.com/v3/assistant/coordinate/convert? coordsys=gps&key=8aa60321bc4665ecd66aea2854cf82ef&locations='	摸瓜V2引擎
https://restapi.amap.com/v3/geocode/regeo? key=8aa60321bc4665ecd66aea2854cf82ef&location='	摸瓜V2引擎
https://openlayers.org/en/	摸瓜V2引擎
http://www.movable-type.co.uk/scripts/latlong.html	摸瓜V2引擎
http://www.opengis.net/gml/srs/epsg.xml	摸瓜V2引擎
http://paulbourke.net/geometry/pointlineplane/).	摸瓜V2引擎
https://dev.virtualearth.net/REST/v1/Imagery/Metadata/	摸瓜V2引擎
https://www.microsoft.com/maps/product/terms.html	摸瓜V2引擎

https://www.openstreetmap.org/copyright	摸瓜V2引擎
https://stamen.com/	摸瓜V2引擎
https://creativecommons.org/licenses/by/3.0/	摸瓜V2引擎
https://stamen-tiles-	摸瓜V2引擎
http://www.opengis.net/gml	摸瓜V2引擎
http://schemas.opengis.net/gml/3.1.1/profiles/gmlsfProfile/1.0.0/gmlsf.xsd	摸瓜V2引擎
http://schemas.opengis.net/gml/2.1.2/feature.xsd	摸瓜V2引擎
http://schemas.opengis.net/gml/3.2.1/gml.xsd	摸瓜V2引擎
http://www.opengis.net/gml/3.2	摸瓜V2引擎
http://www.topografix.com/GPX/1/0	摸瓜V2引擎
http://www.topografix.com/GPX/1/1	摸瓜V2引擎
http://www.topografix.com/GPX/1/1/gpx.xsd	摸瓜V2引擎
http://www.google.com/kml/ext/2.2	摸瓜V2引擎
http://earth.google.com/kml/2.0	摸瓜V2引擎
http://earth.google.com/kml/2.1	摸瓜V2引擎
http://earth.google.com/kml/2.2	摸瓜V2引擎
http://www.opengis.net/kml/2.2	摸瓜V2引擎
https://maps.google.com/mapfiles/kml/pushpin/ylw-pushpin.png	摸瓜V2引擎

https://developers.google.com/kml/schema/kml22gx.xsd	摸瓜V2引擎
http://www.opengis.net/wfs	摸瓜V2引擎
http://www.opengis.net/ogc	摸瓜V2引擎
http://www.opengis.net/fes	摸瓜V2引擎
http://schemas.opengis.net/wfs/1.1.0/wfs.xsd	摸瓜V2引擎
http://schemas.opengis.net/wfs/1.0.0/wfs.xsd	摸瓜V2引擎
http://www.opengis.net/wms	摸瓜V2引擎
http://mapserver.gis.umn.edu/mapserver	摸瓜V2引擎
http://www.opengis.net/ows/1.1	摸瓜V2引擎
http://www.opengis.net/wmts/1.0	摸瓜V2引擎
http://dev.dcloud.net.cn/mui	摸瓜V2引擎
http://ask.dcloud.net.cn/article/113 ;	摸瓜V2引擎
http://perfectionkills.com/global-eval-what-are-the-options/	摸瓜V2引擎
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libnative-image-transcoder.so

邮箱线索

邮箱地址	所在文件
------	------

手机线索

手机号	所在文件
15569251296	net/time4j/calendar/VietnameseCalendar.java
15569251296	net/time4j/calendar/KoreanCalendar.java
15569251296	net/time4j/calendar/ChineseCalendar.java
14403429586	net/time4j/calendar/hindu/HinduVariant.java
15040511099	net/time4j/tz/model/SPX.java
18067104000	net/time4j/tz/model/SPX.java

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=US, ST=Unknown, L=Unknown, O=Unknown, OU=Android, CN=Android Debug

签名算法: rsassa_pkcs1v15

有效期自: 2013-12-31 22:35:04+00:00

有效期至: 2052-04-30 22:35:04+00:00

发行人: C=US, ST=Unknown, L=Unknown, O=Unknown, OU=Android, CN=Android Debug

序列号: 0x232eae62

哈希算法: sha1

md5值: 20f46148b72d8e5e5ca23d37a4f41490

sha1值: 5e8f16062ea3cd2c4a0d547876baa6f38cabf625

sha256值: fac61745dc0903786fb9ede62a962b399f7348f0bb6f899b8332667591033b9c

sha512值: 926c0550edaee7aed1211b91fde06be4cc4748e61d8f1afbe0bd12f3949a0d09a1cf4306c72e6662ae4c7b8ae7a573a81d7e52e5b6124444eaf8f413e6b1fa69

公钥算法: rsa

密钥长度: 2048

指纹: b759a55bdc298b16f7a102f3107f3db38110f3dc7da00b1e981e9b257a9cf1af

硬编码敏感信息

可能的敏感信息

"CodePushDeploymentKey": "PP-n3yVidI5D9cpqTmHe7lh3UxLlJ-_BbvKez"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用

android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令, 恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
com.android.vending.CHECK_LICENSE	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。