



MoGua

丝瓜 3.3.4.APK 分析报告



APP名称:

丝瓜

包名:	com.siguatalk.im
域名线索:	17条
URL线索:	4条
邮箱线索:	0条
分析日期:	2025年7月3日
分析平台:	摸瓜APK反编译平台

文件名: sigua.apk
文件大小: 101.9MB
MD5值: df4a9f31b5f50d44cab8aefac6ef8d16
SHA1值: 219bf39f9c351a2b1af34dfc75778252fe0835f6
SHA256值: 5ff3b4daa0179818f2360d39b75600dab069133c46128f05e36d9fe11c21af2d

i APP 信息

App名称: 丝瓜
包名: com.siguatalk.im
主活动Activity: com.vvchat.vcapp.activity.MainActivity
安卓版本名称: 3.3.4
安卓版本: 334

🔍 域名线索

域名	服务器信息
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
metrics1-drcn.dt.dbankcloud.cn	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein

	城市: Kiel 纬度: 54.321358 经度: 10.134532
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
grs.platform.dbankcloud.ru	没有服务器地理信息.
www.zetetic.net	IP: 13.35.37.42 所属国家: Taiwan (Province of China) 地区: Taipei 城市: Taipei 纬度: 25.038172 经度: 121.563599
grs.dbankcloud.eu	没有服务器地理信息.
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast'

metrics5.data.hicloud.com	城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
grs.dbankcloud.cn	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.com	IP: 60.28.200.159 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.qiyunxin.com	IP: 101.132.184.113 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
grs.dbankcloud.asia	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572

 URL线索

URL信息	Url所在文件
https://www.zetetic.net/sqlcipher/	摸瓜V1引擎
https://www.zetetic.net/sqlcipher/license/	摸瓜V1引擎
https://github.com/sqlcipher/android-database-sqlcipher	摸瓜V1引擎
https://github.com/vinc3m1	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView.git	摸瓜V1引擎
http://www.qiyunxin.com	摸瓜V1引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎

https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎

 邮箱线索

 手机线索

手机号	所在文件
-----	------

19539418803	摸瓜V1引擎
16309606758	摸瓜V1引擎

✿ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=cq, ST=cq, L=cq, O=cq, OU=cq, CN=cq
签名算法: rsassa_pkcs1v15
有效期自: 2020-08-31 08:29:25+00:00
有效期至: 2119-08-08 08:29:25+00:00
发行人: C=cq, ST=cq, L=cq, O=cq, OU=cq, CN=cq
序列号: 0x3066402d
哈希算法: sha256
md5值: bbe50640c98749e44bc0d28ae967b673
sha1值: a7888a7940a37737f28e1fa28b32e1adb1c486b9
sha256值: 459fcc5e15d019b9eeac36e1cff87927ac0432602502aad9f24cf7e627dff2ed
sha512值: 5d8b54483c14833689732ee4927d7efddf110b4658ce0bd147ab5ccf0e482071f38fef9e6a86435431e34883004ea390ceb919b3cd15cb2ebf8f281934a82040
公钥算法: rsa
密钥长度: 2048
指纹: 08d7398bc8d7a4b1b133879fc4e949f6568f02b6d262d16a0e3766d5f8b14127

🔑 硬编码敏感信息

可能的敏感信息
"add_auth_info" : "持卡人本人的银行卡号"
"again_pwd" : "确认密码"

"chat_pwd" : "聊天密码"
"chat_pwd_content" : "请前往"我的-安全与隐私-重置聊天密码"，设置您的聊天密码"
"chat_pwd_not_equals" : "聊天密码不一致"
"chat_pwd_title" : "还未设置聊天密码"
"check_unlock_screen_pwd" : "请校验您输入复杂屏幕解锁密码"
"choose_red_cash_user" : "选择提现到账账户"
"clear_lock_screen_pwdtip" : "确定后将会清除现有的解锁密码，如需继续使用，请重新设置"
"complex_pwd_unlock_screen" : "复杂密码解锁屏幕"
"dialog_chat_pwd" : "聊天密码"
"enter_password" : "请输入支付密码，以验证身份"
"forget_paypwd" : "忘记支付密码"
"forget_pwd" : "忘记密码"
"found_pwd_by_phone" : "手机找回密码"
"four_pwd_item_str" : "4位数字密码"
"google_api_key" : "AlzaSyDNwbieWvVTEjEDYExXP0eC5uGkDxNfaQ8"
"google_crash_reporting_api_key" : "AlzaSyDNwbieWvVTEjEDYExXP0eC5uGkDxNfaQ8"
"input_pwd" : "密码"
"input_unlock_screen_pwd" : "请输入复杂屏幕解锁密码"

"library_android_database_sqlcipher_author" : "Zetetic, LLC"
"library_android_database_sqlcipher_authorWebsite" : "https://www.zetetic.net/sqlcipher/"
"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"loading_go_auth" : "Go to Alipay for authorization"
"login_by_pwd" : "账号密码登录"
"login_pwd" : "登录密码"
"no_secret_payment" : "免密支付"
"no_user" : "该用户不存在"
"not_set_pay_pwd" : "您还未设置支付密码，是否立刻设置"
"pay_pwd" : "支付密码"
"pay_pwd_length" : "设置6位数字支付密码"
"phone_and_pwd_not_null" : "手机号和密码不能为空"
"private_policy" : "隐私政策"
"private_str" : "私有"
"pwd" : "密码"
"pwd_can_not_contain_chinese_characters" : "密码不能包含汉字"

"pwd_can_not_contain_space": "密码不能包含空格"
"pwd_input_tip": "请输入密码"
"pwd_length": "密码为8到12位数字字母组合"
"pwd_length_tips": "请输入8-12位数字与字母的组合密码"
"pwd_mistake_tips": "密码格式不正确"
"pwd_not_null": "密码不能为空！ "
"pwd_pay_pwd": "输入密码"
"pwd_repeat_input": "请再次输入密码"
"pwd_setting_failed": "密码设置失败， 请重试"
"pwd_tran_hugo": "丝瓜支付"
"pwd_tran_pwd": "请输入支付密码"
"real_name_no_auth": "未认证"
"real_name_on_auth": "审核中"
"realname_auth_title": "实名认证"
"register_pwd_not_equals": "密码不一致"
"remove_user": "将其移出圈子"
"replace_by_oneKey": "一键验证换号"
"reset_pwd": "重置登录密码"

"same_check_pwd_tip" : "两次输入的密码不一致"
"screen_unlock_pwd" : "锁屏密码"
"screen_unlock_pwd_tip" : "请先解锁密码"
"security_public_key" : "MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQC8hzUojzHX8jDL+97pqr7CaLiKSsZ0aOES7FUcX7vh9PoEDbCKNCTakRXdS5EiurPk3QpvsAGbfyls7JWKm4py9KcldJsZRh9onknVeAVIU++jnrGFGEYfQb8iKzCIN059gYeeJBs9mwi7RGU9tj0KHUG659v5sMBxv7zNse3fjQIDAQAB"
"set_chat_pwd" : "设置聊天密码"
"set_complex_pwd" : "设置解锁密码"
"set_login_pwd" : "组合字母、数字或字符"
"set_paypwd" : "支付密码"
"set_pwd" : "请设置密码"
"set_pwd_again" : "再次确认密码"
"set_pwd_check" : "设置支付密码，用于支付验证"
"setting_up_chat_password" : "请确认您的登录密码后，再设定6位数字密码的聊天密码"
"six_pwd_item_str" : "6位数字密码"
"sure_complex_pwd" : "确认解锁"
"sure_pwd_can_not_contain_chinese_characters" : "确认密码不能包含汉字"
"thePasswordForClearingChatHistoryCannotBeTheSameAsTheLockScreenPassword" : "聊天记录清空密码不能与锁屏密码相同"
"tips_auth" : "该操作需要进行实名认证,是否进行实名认证?"

"two_pwd_not_same" : "两次密码不相同! "
"type_secret_model" : "私密"
"unable_modify_set_password" : "无法修改、设置密码"
"verify_by_onekey" : "本机号码一键验证"
"verify_your_login_password" : "验证您的登录密码"
"withdrawcash_user" : "到账账户"
"add_auth_info" : "Cardholder's own bank card number"
"again_pwd" : "confirm password"
"chat_pwd" : "Chat Password"
"chat_pwd_content" : "please go to my - Security and privacy - reset chat password ", and set your chat password"
"chat_pwd_not_equals" : "inconsistent chat passwords"
"chat_pwd_title" : "chat password has not been set"
"check_unlock_screen_pwd" : "Please verify that you have entered a complex screen unlock password"
"choose_red_cash_user" : "Selection withdrawal account"
"clear_lock_screen_pwdtip" : "After confirmation, the existing unlock password will be cleared. If you want to continue using it, please reset."
"complex_pwd_unlock_screen" : "Complex password unlock screen"
"dialog_chat_pwd" : "Chat Password"

"enter_password" : "Enter the payment password for verification"
"forget_paypwd" : "Forget to pay the password"
"forget_pwd" : "Forgot password"
"found_pwd_by_phone" : "Recover password by phone"
"four_pwd_item_str" : "4-digit password"
"input_pwd" : "Please enter your password"
"input_unlock_screen_pwd" : "Please enter the complex screen unlock password"
"login_by_pwd" : "Log in with your account and password"
"login_pwd" : "Login Password"
"no_secret_payment" : "No secret payment"
"not_set_pay_pwd" : "No payment password yet, set now?"
"pay_pwd" : "Payment password"
"pay_pwd_length" : "Please a 6 digits payment password"
"phone_and_pwd_not_null" : "Please enter your phone number and the password"
"private_policy" : "Privacy policy"
"private_str" : "private"
"pwd" : "password"

"pwd_can_not_contain_chinese_characters" : "Password must not contain chinsese characters"
"pwd_can_not_contain_space" : "Password must not contain space"
"pwd_input_tip" : "Please enter your password"
"pwd_length" : "Password length must be 8 to 24 characters"
"pwd_length_tips" : "The password must be a combination of 8-12 digits and letters"
"pwd_mistake_tips" : "The password format is incorrect"
"pwd_not_null" : "password can not be blank"
"pwd_pay_pwd" : "Password"
"pwd_repeat_input" : "Please enter your password again"
"pwd_setting_failed" : "Password setting failed, please try again"
"pwd_tran_hugo" : "sigua pay"
"pwd_tran_pwd" : "Please enter password"
"remove_user" : "move it out of the circle"
"reset_pwd" : "Reset password"
"same_check_pwd_tip" : "The two passwords are not the same!"
"screen_unlock_pwd" : "Unlock password"
"screen_unlock_pwd_tip" : "Please unlock the password first"
"set_chat_pwd" : "Setting chat password"

"set_complex_pwd" : "Set the unlock password"
"set_login_pwd" : "Combine letters, numbers, or characters"
"set_paypwd" : "Payment Password"
"set_pwd" : "Set a password"
"setting_up_chat_password" : "setting up chat password"
"six_pwd_item_str" : "Six-digit password"
"sure_complex_pwd" : "Confirm to unlock"
"sure_pwd_can_not_contain_chinese_characters" : "Make sure the password does not contain Chinese characters"
"thePasswordForClearingChatHistoryCannotBeTheSameAsTheLockScreenPassword" : "The password for clearing chat history cannot be the same as the lock screen password"
"two_pwd_not_same" : "The passwords do not match"
"type_secret_model" : "private"
"unable_modify_set_password" : "Unable to modify or set password"
"verify_by_onekey" : "One-click verification of the local number"
"verify_your_login_password" : "verify your login password"
"withdrawcash_user" : "Account"
"loading_go_auth" : "去支付宝授权"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.AUTHENTICATE_ACCOUNTS	危险	充当帐户验证器	允许应用程序使用帐户管理器的帐户验证器功能,包括创建帐户以及获取和设置其密码
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.READ_SYNC_SETTINGS	正常	读取同步设置	允许应用程序读取同步设置,例如是否为联系人启用同步
android.permission.RESTART_PACKAGES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.FLASHLIGHT	正	控制手电筒	允许应用程序控制手电筒

	常		
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.SYSTEM_OVERLAY_WINDOW	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.BAIDU_LOCATION_SERVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改

android.permission.ACCESS_GPS	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.BROADCAST_STICKY	正常	发送粘性广播	允许应用程序发送粘性广播,在广播结束后保留。恶意应用程序会导致手机使用过多内存,从而使手机运行缓慢或不稳定
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
			允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可

android.permission.CALL_PHONE	危险	直接拨打电话号码	能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章

com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SYNC_SETTINGS	正常	写入同步设置	允许应用程序修改同步设置,例如是否为联系人启用同步
com.siguatalk.im.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference

android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
com.siguatalk.im.permission.RECEIVE_MSG	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰GPS 或其他位置源的操作

com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.INSTALL_PACKAGES	系统需要	直接安装应用程序	允许应用程序安装新的或更新的 Android 包。恶意应用程序可以使用它来添加具有任意强大权限的新应用程序
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADVERTISE	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MICROPHONE	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_OWN_CALLS	正常		允许调用应用程序通过自我管理的 ConnectionService API 管理自己的调用
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference

com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_ADSERVICES_AD_ID	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.permission.JOPERATE_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
com.siguatalk.im.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.vvchat.vcapp.activity.thirdlogin.ThirdLoginActivity	Schemes: mos://, Hosts: thirdlogin,
com.vvchat.vcapp.activity.home.TabMenuActivity	Schemes: mos://, Hosts: main,

com.vvchat.vcapp.activity.OaWebViewActivity	Schemes: com.vvchat.vcapp://, Hosts: url,
com.vvchat.vcapp.activity.ChatWebViewActivity	Schemes: com.vvchat.vcapp://, Hosts: url,
com.vvchat.vcapp.activity.chat.ChatActivity	Schemes: https://, http://, mos://, Hosts: apprtc.appspot.com, opensessionview,
com.vvchat.vcapp.activity.group.NotJoinGroupActivity	Schemes: mos://, Hosts: group_chat,
com.vvchat.vcapp.activity.contacts.UserDetailActivity	Schemes: mos://, Hosts: user,