



MoGua

连琪资讯 2023.3.13.APK 分析报告



APP名称:

连琪资讯

包名:

com.aykhrq.ergwglngweq.qwedfgs

域名线索:

105条

URL线索:	89条
邮箱线索:	3条
分析日期:	2025年7月9日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: com.aykhrg.ergwglngweq.qwedfgs.apk

文件大小: 74.89MB

MD5值: e27bf39d4d9b45987aa08651ebf9fe46

SHA1值: 9a467dd62eef4e8ae40afbff95581b5fb7b5aa71

SHA256值: 9d7d25e235900f46672006a2d59869e46a327bc34e350bd609d3d892d7e0d091

APP 信息

App名称: 连琪资讯

包名: com.aykhrg.ergwglngweq.qwedfgs

主活动Activity: com.getmessage.lite.shell.ShellSplashA

安卓版本名称: 2023.3.13

域名线索

域名	服务器信息
wallet.95516.com	IP: 116.196.139.5 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
sodipodi.sourceforge.net	IP: 104.18.12.149 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.2.com	没有服务器地理信息.
wspeed.qq.com	没有服务器地理信息.
wiki.eclipse.org	IP: 198.41.30.195 所属国家: Canada 地区: Ontario 城市: Brampton 纬度: 43.702347 经度: -79.711548
m.alipay.com	IP: 203.209.245.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

acs.amazonaws.com	没有服务器地理信息.
api.xmpush.xiaomi.com	IP: 123.125.102.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.4.com	没有服务器地理信息.
cgi.qplus.com	没有服务器地理信息.
mclient.alipay.com	IP: 116.142.235.203 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.google.com	IP: 31.13.112.9 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
bjuser.jppush.cn	IP: 122.9.2.222 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
wappaygw.alipay.com	IP: 116.142.245.205 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
open.weixin.qq.com	IP: 116.128.171.214 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.5.com	没有服务器地理信息.
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
webox.5upay.com	IP: 47.95.113.116 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.geetest.com	IP: 123.6.40.245 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471

merchant.5upay.com	IP: 123.56.64.111 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
d.alipay.com	IP: 116.142.245.206 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
render.alipay.com	IP: 124.165.219.238 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
grs.dbankcloud.eu	没有服务器地理信息.
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 110.43.0.169 所属国家: China

resolver.msg.xiaomi.net	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
loggw-exsdk.alipay.com	IP: 119.42.231.59 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.eclipse.org	IP: 198.41.30.198 所属国家: Canada 地区: Ontario 城市: Brampton 纬度: 43.702347 经度: -79.711548
35.241.108.213	IP: 35.241.108.213 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
169.254.169.254	IP: 169.254.169.254 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.openssl.org	IP: 34.49.79.89 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
h5.m.taobao.com	IP: 119.249.53.161 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280

push.statics	没有服务器地理信息.
www.huawei.com	IP: 120.52.95.235 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
huatuocode.huatuo.qq.com	没有服务器地理信息.
pv.sohu.com	IP: 123.125.244.28 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmipull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724

grs.dbankcloud.cn	IP: 124.70.116.153 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
schemas.microsoft.com	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
ip.chinaz.com	IP: 123.129.219.142 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
login.imgcache.qq.com	IP: 220.194.122.222 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
qa-merchant.5upay.com	IP: 172.24.3.124 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.3.com	没有服务器地理信息.
tsis.jp.push.cn	IP: 1.94.123.7 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich

www.slf4j.org	城市: Zurich 纬度: 47.366825 经度: 8.549790
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
playready.directtaps.net	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
www.inkscape.org	IP: 140.211.9.79 所属国家: United States of America 地区: Oregon 城市: Eugene 纬度: 44.036083 经度: -123.052429
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
uat-webox-api.5upay.com	没有服务器地理信息.
g.cn	IP: 114.250.67.34 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
qa-webox-api.5upay.com	没有服务器地理信息.
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918

appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.sina.com.hk	IP: 93.179.102.140 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.043240 经度: -118.250916
fusion.qq.com	IP: 116.130.228.157 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
new.api.ad.xiaomi.com	没有服务器地理信息.
pms.mb.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
10.10.10.61	IP: 10.10.10.61 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 120.233.118.167 所属国家: China 地区: Guangdong

ce3e75d5.jpusth.cn	城市: Shenzhen 纬度: 22.545673 经度: 114.068108
grs.dbankcloud.com	IP: 60.28.200.159 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
play.google.com	IP: 8.7.198.46 所属国家: United States of America 地区: Louisiana 城市: Monroe 纬度: 32.548328 经度: -92.045235
static.geetest.com	IP: 221.204.209.235 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
dev-sdk.ehking.com	没有服务器地理信息.
tools.ietf.org	IP: 104.16.45.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
www.5upay.com	IP: 118.26.164.135 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cfg.imtt.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mcgw.alipay.com	IP: 116.142.245.206 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mobilegw.aaa.alipay.net	没有服务器地理信息.
grs.dbankcloud.asia	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.qq.com	IP: 221.198.70.47 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 206.161.233.191

api-push.in.meizu.com	所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
10.10.10.176	IP: 10.10.10.176 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
netty.io	IP: 104.21.3.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.wh.com	IP: 13.33.88.66 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
mobilegw.alipay.com	IP: 203.209.250.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

log.tbs.qq.com	IP: 124.95.231.218 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
dev-webox-api.ehking.com	没有服务器地理信息.
lqzx0629.s3.ap-southeast-1.amazonaws.com	IP: 3.5.150.66 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
182.92.20.189	IP: 182.92.20.189 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.ip.sb	IP: 104.26.12.31 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mdc.html5.qq.com	IP: 125.39.196.199 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
app.mi.com	IP: 123.125.102.202 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 119.28.121.133 所属国家: Singapore

astat.bugly.qcloud.com	地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
uat-merchant.5upay.com	IP: 172.16.12.112 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
vfx.mtime.cn	IP: 60.222.116.108 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
mobilegw.stable.alipay.net	没有服务器地理信息.
dev-merchant.5upay.com	IP: 172.24.2.175 所属国家: - 地区: - 城市: - 纬度: 0.000000

URL线索

URL信息	Url所在文件
https://tsis.jpush.cn	cn/jiguang/ao/i.java
https://bjuser.jpush.cn/v1/appawake/status	cn/jiguang/ai/b.java
http://182.92.20.189:9099/	cn/jiguang/r/a.java
https://ce3e75d5.jpush.cn/wi/cjc4sa	cn/jiguang/aj/d.java
http://g.cn/generate_204	com/ehking/sdk/wepay/utlis/CheckWifiLoginTask.java
http://pv.sohu.com/cityjson?ie=utf-8	com/ehking/sdk/wepay/utlis/NetUtils.java
https://wallet.95516.com/s/wl/webV3/activity/yhtzB/insB2c/html/b2cIndex.html?institutionId=E00000295038	com/ehking/sdk/wepay/constant/Constants.java
https://webox.5upay.com/	com/ehking/sdk/wepay/constant/Constants.java
https://merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/constant/Constants.java
https://merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/constant/Constants.java
https://qa-webox-api.5upay.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://qa-merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://qa-merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://webox.5upay.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://uat-webox-api.5upay.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://uat-merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://uat-merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/interfaces/WalletPay.java

https://dev-webox-api.ehking.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://dev-merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://dev-merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://www.geetest.com/first_page	com/geetest/sdk/views/GT3GeetestButton.java
http://app.mi.com/detail/163525?ref=search	com/getmessage/lite/presenter/AboutUsPresenter.java
http://www.huawei.com	com/getmessage/lite/view/TestActivity.java
http://www.qq.com	com/getmessage/lite/view/TestActivity.java
http://www.sina.com.hk	com/getmessage/lite/view/TestActivity.java

http://www.google.com	com/getmessage/lite/view/TestActivity.java
http://vfx.mtime.cn/Video/2019/03/21/mp4/190321153853126488.mp4	com/getmessage/lite/view/TestActivity.java
http://10.10.10.176:80	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.2.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.3.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.4.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.5.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
https://d.alipay.com	com/getmessage/module_base/web/WebViewHelper.java
https://d.alipay.com	com/getmessage/module_base/web/x5WebViewHelper.java
http://sodipodi.sourceforge.net/DTD/sodipodi-0.dtd'	com/github/siyamed/shapeimageview/path/parser/SvgToPath.java
http://www.inkscape.org/namespaces/inkscape'	com/github/siyamed/shapeimageview/path/parser/SvgToPath.java
https://dev-sdk.ehking.com/callback	com/payeeasenet/wepay/ui/viewModel/OrderPayModel.java
https://dev-sdk.ehking.com/onlinepay/notify_V3	com/payeeasenet/wepay/ui/viewModel/OrderPayModel.java
http://pv.sohu.com/cityjson?ie=utf-8	com/payeeasenet/wepay/utlis/NetUtils.java
https://merchant.5upay.com/webbox/agreement/privacyPolicy.html	com/payeeasenet/wepay/constant/Constants.java
https://merchant.5upay.com/webbox/agreement/serviceAgreement.html	com/payeeasenet/wepay/constant/Constants.java
https://www.5upay.com/	com/payeeasenet/wepay/constant/Constants.java
https://push.statics	com/meizu/cloud/pushsdk/networking/http/URLConnectionCall.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/api/PushAPI.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/api/PushAPI.java

https://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
http://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/j.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/ui/dialog/d.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utils/m.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utils/m.java
https://mqqad.html5.qq.com/ads	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utils/m.java
https://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utils/d.java
https://h.trace.qq.com/kv	com.tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com.tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com.tencent/bugly/proguard/ac.java
https://127.0.0.1/android.bugly.qq.com/rqd/async	com.tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com.tencent/mm/opensdk/diffdev/a/c.java

https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
http://xml.apache.org/xslt	com/blankj/utilcode/util/LogUtils.java
https://tools.ietf.org/html/rfc7540	io/netty/handler/codec/http2/HttpConversionUtil.java
https://wiki.eclipse.org/Jetty/Feature/NPN	io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
http://www.eclipse.org/jetty/documentation/current/alpn-chapter.html	io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
https://netty.io/wiki/forked-tomcat-native.html	io/netty/handler/ssl/OpenSsl.java
https://www.openssl.org/docs/man1.0.2/apps/verify.html	io/netty/handler/ssl/OpenSslCertificateException.java
https://netty.io/wiki/sslcontextbuilder-and-private-key.html	io/netty/handler/ssl/PemReader.java
https://netty.io/wiki/reference-counted-objects.html	io/netty/util/ResourceLeakDetector.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/in2.java
https://lqzx0629.s3.ap-southeast-1.amazonaws.com/lq_0629	p/a/y/e/a/s/e/net/l50.java
https://35.241.108.213:39782	p/a/y/e/a/s/e/net/l50.java
https://127.0.0.1/fhim-Proxy.txt	p/a/y/e/a/s/e/net/l50.java
http://pv.sohu.com/cityjson	p/a/y/e/a/s/e/net/kd0.java
http://pv.sohu.com/cityjson?ie=utf-8	p/a/y/e/a/s/e/net/kd0.java
http://ip.chinaz.com/getip.aspx	p/a/y/e/a/s/e/net/kd0.java
http://m.alipay.com/?action=h5quit	p/a/y/e/a/s/e/net/w2.java
https://mobilegw.alipay.com/mgw.htm	p/a/y/e/a/s/e/net/w2.java
https://mcgw.alipay.com/sdklog.do	p/a/y/e/a/s/e/net/w2.java
https://mobilegw.alipaydev.com/mgw.htm	p/a/y/e/a/s/e/net/w2.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	p/a/y/e/a/s/e/net/w2.java

https://wappaygw.alipay.com/home/exterfaceAssign.htm?	p/a/y/e/a/s/e/net/w2.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	p/a/y/e/a/s/e/net/w2.java
http://www.slf4j.org/codes.html	p/a/y/e/a/s/e/net/cs3.java
http://xml.apache.org/xslt	p/a/y/e/a/s/e/net/n62.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	p/a/y/e/a/s/e/net/sn2.java
https://127.0.0.1/cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	p/a/y/e/a/s/e/net/cd2.java
http://new.api.ad.xiaomi.com/logNotificationAdActions	p/a/y/e/a/s/e/net/dk2.java
https://h5.m.taobao.com/mlapp/olist.html	p/a/y/e/a/s/e/net/z2.java
http://www.slf4j.org/codes.html	p/a/y/e/a/s/e/net/bs3.java
http://xmllpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/yn2.java
http://%1\$s/gslb/?ver=4.0	p/a/y/e/a/s/e/net/mk2.java
https://github.com/danikula/AndroidVideoCache/issues/88.	p/a/y/e/a/s/e/net/tm.java
https://github.com/danikula/AndroidVideoCache/issues/43.	p/a/y/e/a/s/e/net/tm.java
https://github.com/danikula/AndroidVideoCache/issues.	p/a/y/e/a/s/e/net/tm.java
http://%s:%d/%s	p/a/y/e/a/s/e/net/vm.java
https://github.com/danikula/AndroidVideoCache/issues/134.	p/a/y/e/a/s/e/net/vm.java
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	p/a/y/e/a/s/e/net/gh2.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	p/a/y/e/a/s/e/net/gh2.java
http://cgi.qplus.com/report/report	p/a/y/e/a/s/e/net/hd2.java
https://wspeed.qq.com/w.cgi	p/a/y/e/a/s/e/net/ic2.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	p/a/y/e/a/s/e/net/ic2.java

https://huatuocode.huatuo.qq.com	p/a/y/e/a/s/e/net/fc2.java
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	p/a/y/e/a/s/e/net/yb2.java
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	p/a/y/e/a/s/e/net/yb2.java
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	p/a/y/e/a/s/e/net/yb2.java
https://login.imgcache.qq.com	p/a/y/e/a/s/e/net/yb2.java
https://static.geetest.com/static/appweb/app3-index.html	p/a/y/e/a/s/e/net/j30.java
https://api.xmpush.xiaomi.com/upload/crash_log?file=	p/a/y/e/a/s/e/net/ih2.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	p/a/y/e/a/s/e/net/kb2.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	p/a/y/e/a/s/e/net/kb2.java
https://openmobile.qq.com/oauth2.0/me	p/a/y/e/a/s/e/net/za2.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/zn2.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/ym2.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	p/a/y/e/a/s/e/net/eb2.java
http://resolver.msg.xiaomi.net/psc/?t=a	p/a/y/e/a/s/e/net/er2.java
http://acs.amazonaws.com/groups/s3/LogDelivery	p/a/y/e/a/s/e/net/zw1.java
http://acs.amazonaws.com/groups/global/AllUsers	p/a/y/e/a/s/e/net/zw1.java
http://acs.amazonaws.com/groups/global/AuthenticatedUsers	p/a/y/e/a/s/e/net/zw1.java
https://cn.register.xmpush.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://fr.register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java

https://ru.register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://idmb.register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
http://169.254.169.254	p/a/y/e/a/s/e/net/fy1.java
http://%s:%d/%s	p/a/y/e/a/s/e/net/rm.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	p/a/y/e/a/s/e/net/ac2.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	p/a/y/e/a/s/e/net/ac2.java
http://10.10.10.61:8889	p/a/y/e/a/s/e/net/y21.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	p/a/y/e/a/s/e/net/ob2.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	p/a/y/e/a/s/e/net/qb2.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	p/a/y/e/a/s/e/net/cb2.java
https://openmobile.qq.com/oauth2.0/m_authorize?	p/a/y/e/a/s/e/net/cb2.java
https://openmobile.qq.com/user/user_login_statis	p/a/y/e/a/s/e/net/cb2.java
https://openmobile.qq.com/v3/user/get_info	p/a/y/e/a/s/e/net/cb2.java
http://pv.sohu.com/cityjson	p/a/y/e/a/s/e/net/m11.java
http://pv.sohu.com/cityjson?ie=utf-8	p/a/y/e/a/s/e/net/m11.java
http://ip.chinaz.com/getip.aspx	p/a/y/e/a/s/e/net/m11.java
https://api.ip.sb/geoip	p/a/y/e/a/s/e/net/m11.java
http://playready.directtaps.net/pr/svc/rightsmanager.asmx	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
https://www.wh.com/.well-known/assetlinks.json	摸瓜V1引擎
https://play.google.com/store	摸瓜V1引擎

https://appgallery.cloud.huawei.com/app/	摸瓜V1引擎
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://github.com/vinc3m1	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView.git	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎

 邮箱线索

邮箱地址	所在文件
permission@gmail.com	p/a/y/e/a/s/e/net/zu2.java
danikula@gmail.com	p/a/y/e/a/s/e/net/tm.java
ffmpeg-devel@ffmpeg.org	lib/armeabi-v7a/libijkplayer.so

 手机线索

手机号	所在文件
-----	------

13000000000	com/ehking/sdk/wepay/constant/Constants.java
18222222222	com/tencent/smtt/sdk/j.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

🌸 签名证书

APK已签名
v1 签名: False
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=HK, ST=XDkBnalMtlbj, L=Charlottetown, O=XSWYKEXDbgTAc, OU=XXFQvPIXkgagCo, CN=XOjBUHMpnUxqhch
签名算法: rsassa_pkcs1v15
有效期自: 2025-06-30 12:56:00+00:00
有效期至: 2028-06-29 12:56:00+00:00
发行人: C=HK, ST=XDkBnalMtlbj, L=Charlottetown, O=XSWYKEXDbgTAc, OU=XXFQvPIXkgagCo, CN=XOjBUHMpnUxqhch
序列号: 0x54aa21bf
哈希算法: sha1
md5值: 9498c9f40ce7149a3fd8671364b51779
sha1值: 1c217eab0ef1748c5b3cb43fc09c923ccedb1a4c
sha256值: 03f53aad48324f4e5e9f0e31b885751019131508ffdef095cb7f9b9be00539c1
sha512值: 79f45c7d68c771ebd1c794bd85e8cb4ff7e7d1d15200095d3618a0936ae278d4ef34721b8bd81f1f5d9e59d410192565adf237dce7e2316aa633765c81b98f3a
公钥算法: rsa
密钥长度: 1024
指纹: a03b11cc72ea6074e4257f3cbec2c952b5ef68b2a32938b2a8de844b66e631d2

🔑 硬编码敏感信息

可能的敏感信息
"Enter_your_login_password" : "输入登录密码"
"Please_enter_your_login_password" : "请输入登录密码"
"WeChat_authorization_failed" : "微信授权失败"
"agree_to_authorize" : "同意授权"

"authorization_succeeded" : "授权成功"
"easy_password" : "密码过于简单"
"encryption_to_retrieve_password" : "密保找回密码"
"enter_password" : "输入小程序码"
"fail_pwd_input" : "密码为6到16位数字和字母的组合"
"fail_pwd_input_identical" : "两次输入密码不一致"
"fail_pwd_login_input" : "密码格式不正确"
"fill_in_user_name" : "填写用户名"
"forget_password" : "忘记密码"
"frgot_password" : "忘记密码"
"group_no_private_instructions" : "开启后，群成员点击群内其他成员头像没有反应"
"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"login_input_password" : "请输入密码,6~20位字母或数字"
"login_input_user" : "请输入用户名"
"login_user" : "用户名"
"mark_auth" : "提醒:后续只能绑定该持卡人的银行卡"
"no_private_chat" : "禁止私聊"
"please_enter_your_payment_password" : "请输入支付密码"
"please_input_pwd_ward" : "请输入支付密码，以验证身份"
"please_select_secret_protection_problem" : "请选择密保问题： "

"public_private_group" : "是否为公开群组"
"pwd" : "小程序"
"register_user" : "用户名"
"retrieve_password" : "找回密码"
"secret" : "保密"
"secret_protection_question" : "密保问题"
"select_secret_protection_problem" : "选择密保问题"
"set_pay_password" : "设置支付密码"
"use_pwd" : "使用密码"
"username_is_not_bound_to_secret_security" : "用户名未绑定密保，无法找回密码"
"Enter_your_login_password" : "密码登录输入"
"Please_enter_your_login_password" : "密码登录输入请"
"WeChat_authorization_failed" : "败失权授信微"
"agree_to_authorize" : "权授意同"
"authorization_succeeded" : "功成权授"
"easy_password" : "单简于过码密"
"encryption_to_retrieve_password" : "码密回找保密"
"enter_password" : "码程序小输入"
"fail_pwd_input" : "合组的母字和字数位61到6为码密"
"fail_pwd_input_identical" : "致一不码密入输次两"
"fail_pwd_login_input" : "确正不式格码密"

"fill_in_user_name" : "名户用填写"
"forget_password" : "码密记忘"
"frgot_password" : "码密记忘"
"group_no_private_instructions" : "应反有没像头员成他其内群击点员成群，后启开"
"library_roundedimageview_author" : "iM ecniV"
"library_roundedimageview_authorWebsite" : "1m3cniv/moc.buhtig//:sptth"
"login_input_password" : "字数或母字位02~6,码密入输请"
"login_input_user" : "名户用入输请"
"login_user" : "名户用"
"mark_auth" : "卡行银的人卡持该定绑能只续后:醒提"
"no_private_chat" : "聊私止禁"
"please_enter_your_payment_password" : "码密付支入输请"
"please_input_pwd_ward" : "份身证验以，码密付支入输请"
"please_select_secret_protection_problem" : "： 题问保密择选请"
"public_private_group" : "组群开公为否是"
"pwd" : "序程小"
"register_user" : "名户用"
"retrieve_password" : "码密回找"
"secret" : "密保"
"secret_protection_question" : "题问保密"
"select_secret_protection_problem" : "题问保密择选"

"set_pay_password" : "码密付支置设"
"use_pwd" : "码密用使"
"username_is_not_bound_to_secret_security" : "码密回找法无，保密定绑未名户用"
"Enter_your_login_password" : "[输入登录密码 one two three]"
"Please_enter_your_login_password" : "[请输入登录密码 one two three]"
"WeChat_authorization_failed" : "[微信授权失败 one two three]"
"agree_to_authorize" : "[同意授权 one two]"
"authorization_succeeded" : "[授权成功 one two]"
"easy_password" : "[密码过于简单 one two three]"
"encryption_to_retrieve_password" : "[密保找回密码 one two three]"
"enter_password" : "[输入小程序码 one two three]"
"fail_pwd_input" : "[密码为6到16位数字和字母的组合 one two three four five]"
"fail_pwd_input_identical" : "[两次输入密码不一致 one two three four]"
"fail_pwd_login_input" : "[密码格式不正确 one two three]"
"fill_in_user_name" : "[填写用户名 one two three]"
"forget_password" : "[忘记密码 one two]"
"frgot_password" : "[忘记密码 one two]"
"group_no_private_instructions" : "[开启后，群成员点击群内其他成员头像没有反应 one two three four five six seven]"
"library_roundedimageview_author" : "[víñçé Mí one two]"
"library_roundedimageview_authorWebsite" : "[ñttpš://gîťhûđ.çòrn/Vĩñç3m1 one two three four]"

"login_input_password" : "[请输入密码,6~20位字母或数字 one two three four five]"
"login_input_user" : "[请输入用户名 one two three]"
"login_user" : "[用户名 one two]"
"mark_auth" : "[提醒:后续只能绑定该持卡人的银行卡 one two three four five six]"
"no_private_chat" : "[禁止私聊 one two]"
"please_enter_your_payment_password" : "[请输入支付密码 one two three]"
"please_input_pwd_ward" : "[请输入支付密码，以验证身份 one two three four five]"
"please_select_secret_protection_problem" : "[请选择密保问题： one two three]"
"public_private_group" : "[是否为公开群组 one two three]"
"pwd" : "[小程序 one two]"
"register_user" : "[用户名 one two]"
"retrieve_password" : "[找回密码 one two]"
"secret" : "[保密 one two]"
"secret_protection_question" : "[密保问题 one two]"
"select_secret_protection_problem" : "[选择密保问题 one two three]"
"set_pay_password" : "[设置支付密码 one two three]"
"use_pwd" : "[使用密码 one two]"
"username_is_not_bound_to_secret_security" : "[用户名未绑定密保，无法找回密码 one two three four five]"

加壳分析

加壳类型	所属文件
------	------

登陆摸瓜网站后查看	
-----------	--

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等

android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
com.aykhr.ergwlngweq.qwedfgs_com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs_com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs_com.huawei.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs_com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs_com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存	允许应用程序写入外部存储

		储内容	
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_NOTIFICATION_POLICY	正常		希望访问通知策略的应用程序的标记权限。
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi 状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
com.aykhr.ergwlngweq.qwedfgs.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.aykhr.ergwlngweq.qwedfgs.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统

android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰GPS或其他位置源的操作
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.aykhrg.ergwglngweq.qwedfgs_com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.getmessage.lite.shell.ShellSplashA	Schemes: com.yecskn.dose.mdmz.mokxg://, Hosts: yxxcgi.com, Path Prefixes: /splash,
com.tencent.tauth.AuthActivity	Schemes:.tencent123456789://,