



元道经纬相机 3.2.1.APK 分析报告



APP名称:

元道经纬相机

包名:	com.ydtx.camera
域名线索:	42条
URL线索:	41条
邮箱线索:	0条
分析日期:	2025年6月19日
分析平台:	摸瓜APK反编译平台

文件名: 元道经纬相机.apk
文件大小: 13.37MB
MD5值: e649c7121862e6fe0dc81568e448cc3c
SHA1值: b452343634f8c9b9140ec4f6a3e446d4d612de56
SHA256值: 671ba41551f2c2d11e9685fa14bc3d21eb92e68ef3f7a909e0dc64ed6d11963e

i APP 信息

App名称: 元道经纬相机
包名: com.ydtx.camera
主活动Activity: com.ydtx.camera.SplashActivity
安卓版本名称: 3.2.1
安卓版本: 37

🔍 域名线索

域名	服务器信息
ulogs.umengcloud.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
plbslog.umeng.com.gds.alibabadns.com	IP: 36.156.202.73 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
alogsus.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu

	城市: Nanjing 纬度: 32.061668 经度: 118.777992
api.map.baidu.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jd.com	IP: 116.78.120.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.taobao.com	IP: 101.72.202.200 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
developer.umeng.com	IP: 59.82.112.112 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ofloc.map.baidu.com	IP: 111.206.209.193 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

j.map.baidu.com	IP: 111.206.209.187 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cmnsguider.yunos.com	IP: 203.119.145.40 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
itsdata.map.baidu.com	IP: 111.206.209.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dualstack-na61-na62.wagbridge.alibaba.tanx.com.gds.alibabadns.com	IP: 203.119.213.102 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
loc.map.baidu.com	IP: 111.206.209.175 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
www.baidu.com	IP: 110.242.69.21 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
bbs.lbsyun.baidu.com	没有服务器地理信息.
daohang.map.baidu.com	IP: 111.206.209.190 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
app.navi.baidu.com	IP: 111.206.209.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

alogus.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
client.map.baidu.com	IP: 111.206.209.120 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ouplog.umeng.com	IP: 47.246.110.94 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.360.cn	IP: 101.199.254.116 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
creativecommons.org	IP: 104.20.5.134 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
bjsmms.wintaotel.com.cn	IP: 121.201.107.181 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361

	经度: 113.264572
api.map.n.shifen.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
shortvideo.qiniuapi.com	IP: 121.52.255.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
c.tenor.com	IP: 199.59.148.229 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
connectivitycheck.gstatic.com	IP: 203.208.43.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wapmap.baidu.com	IP: 111.206.209.212 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 173.194.203.132 所属国家: United States of America 地区: California

googlehosted.l.googleusercontent.com	城市: Mountain View 纬度: 37.405991 经度: -122.078514
t.weather.itboy.net	IP: 61.48.83.207 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ulogs.umeng.com.gds.alibabadns.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.gstatic.com	IP: 203.208.43.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
plbslog.umeng.com	IP: 36.156.202.73 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
map.baidu.com	IP: 111.206.208.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

daup.map.baidu.com	IP: 110.242.74.236 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
media.tenor.com	IP: 103.226.246.99 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.ntsc.ac.cn	IP: 159.226.242.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
alogus.umeng.com.gds.alibabadns.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
zyxj.wintaotel.com.cn	没有服务器地理信息.

 URL线索

URL信息	Url所在文件
https://api.map.baidu.com/sdkcs/verify	com/baidu/lbsapi/auth/LBSAuthManager.java

https://api.map.baidu.com/geosearch/v2/detail/	com/baidu/mapapi/cloud/DetailSearchInfo.java
http://api.map.baidu.com/geosearch/v2/detail/	com/baidu/mapapi/cloud/DetailSearchInfo.java
https://api.map.baidu.com/geosearch/v2/local	com/baidu/mapapi/cloud/LocalSearchInfo.java
http://api.map.baidu.com/geosearch/v2/local	com/baidu/mapapi/cloud/LocalSearchInfo.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/cloudrgc/v1	com/baidu/mapapi/cloud/CloudRgcInfo.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/cloudrgc/v1	com/baidu/mapapi/cloud/CloudRgcInfo.java
https://api.map.baidu.com/geosearch/v2/nearby	com/baidu/mapapi/cloud/NearbySearchInfo.java
http://api.map.baidu.com/geosearch/v2/nearby	com/baidu/mapapi/cloud/NearbySearchInfo.java
https://api.map.baidu.com/geosearch/v2/bound	com/baidu/mapapi/cloud/BoundSearchInfo.java
http://api.map.baidu.com/geosearch/v2/bound	com/baidu/mapapi/cloud/BoundSearchInfo.java
http://app.navi.baidu.com/mobile/	com/baidu/mapapi/navi/BaiduMapNavigation.java
http://daohang.map.baidu.com/mobile/	com/baidu/mapapi/navi/BaiduMapNavigation.java
http://map.baidu.com/zt/client/index/?fr=sdk_	com/baidu/mapapi/utils/OpenClientUtil.java
http://api.map.baidu.com/place/detail?uid=	com/baidu/mapapi/utils/poi/BaiduMapPoiSearch.java
http://api.map.baidu.com/place/search?	com/baidu/mapapi/utils/poi/BaiduMapPoiSearch.java
http://api.map.baidu.com/direction?	com/baidu/mapapi/utils/route/BaiduMapRoutePlan.java
http://loc.map.baidu.com/iofd.php	com/baidu/location/h/j.java
http://loc.map.baidu.com/wloc	com/baidu/location/h/j.java

http://loc.map.baidu.com/sdk.php	com/baidu/location/h/j.java
http://loc.map.baidu.com/user_err.php	com/baidu/location/h/j.java
http://loc.map.baidu.com/oqur.php	com/baidu/location/h/j.java
http://loc.map.baidu.com/tcu.php	com/baidu/location/h/j.java
http://loc.map.baidu.com/rtbu.php	com/baidu/location/h/j.java
http://loc.map.baidu.com/sdk_ep.php	com/baidu/location/h/j.java
https://loc.map.baidu.com/sdk.php	com/baidu/location/h/j.java
https://daup.map.baidu.com/cltr/rcvr	com/baidu/location/h/j.java
http://itsdata.map.baidu.com/long-conn-gps/sdk.php	com/baidu/location/a/f.java
http://loc.map.baidu.com/cc.php	com/baidu/location/a/d.java
http://loc.map.baidu.com/indoorlocbuildinginfo.php	com/baidu/location/c/a.java
http://loc.map.baidu.com/apigetindoordata.php	com/baidu/location/c/a/a.java
http://loc.map.baidu.com/gpsz	com/baidu/location/b/a.java
http://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/h.java
http://%/s/%s	com/baidu/location/e/d.java
https://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/d.java
https://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/k.java

https://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/g.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	com/baidu/platform/comapi/radar/c.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	com/baidu/platform/comapi/radar/c.java
http://bbs.lbsyun.baidu.com/forum.php?mod=viewthread&tid=106461\n=====\\n	com/baidu/platform/comapi/util/PermissionCheck.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkws/place/v2/detail	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/riding	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/	com/baidu/platform/domain/a.java
http://j.map.baidu.com/	com/baidu/platform/domain/a.java
http://client.map.baidu.com/imap/share/ps	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s	com/baidu/platform/domain/a.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	com/baidu/platform/domain/b.java

https://api.map.baidu.com/sdkws/place/v2/detail	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/riding	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/	com/baidu/platform/domain/b.java
https://j.map.baidu.com/	com/baidu/platform/domain/b.java
https://client.map.baidu.com/imap/share/ps	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s	com/baidu/platform/domain/b.java
http://wapmap.baidu.com/s?tn=Detail&pid=	com/baidu/platform/core/e/c.java
http://map.baidu.com/?newmap=1&s=	com/baidu/platform/core/e/e.java
https://shortvideo.qiniuapi.com/v1/status/a	com/qiniu/pili/droid/shortvideo/b/g.java
https://shortvideo.qiniuapi.com/v1/zeus?appid=	com/qiniu/pili/droid/shortvideo/b/u.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://ulogs.umeng.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java

https://alogsus.umeng.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://cmnsguider.yunos.com:443/genDeviceToken	com/umeng/commonsdk/statistics/idtracking/s.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/h.java
http://zyxj.wintaotel.com.cn/CommController/showImg?imgPath=	com/ydtx/camera/BigImageViewActivity.java
http://zyxj.wintaotel.com.cn//WMCameraController/authorizeForAndroid	com/ydtx/camera/SplashActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/getFileFolder	com/ydtx/camera/UpFileActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/downloadFile	com/ydtx/camera/UpFileActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/uploadFile	com/ydtx/camera/UpFileActivity.java
http://zyxj.wintaotel.com.cn//WMCameraController/insertDataForAndroid	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/login	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/register.jsp	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/logout	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/editPassword	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/getFileFolder	com/ydtx/camera/MainActivity.java

http://www.baidu.com	com/ydtx/camera/MainActivity.java
http://www.ntsc.ac.cn	com/ydtx/camera/MainActivity.java
http://www.taobao.com	com/ydtx/camera/MainActivity.java
http://www.jd.com	com/ydtx/camera/MainActivity.java
https://www.360.cn/	com/ydtx/camera/MainActivity.java
http://t.weather.itboy.net/api/weather/city/	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/uploadFile	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/getOrgLogo	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/downloadOrgLogo	com/ydtx/camera/MainActivity.java
http://zyxj.wintaotel.com.cn/	com/ydtx/camera/Utils/Util.java
http://bjmms.wintaotel.com.cn/pipeline/camerainterfaceAction!updateVersion?	com/ydtx/camera/Utils/Util.java
http://bjmms.wintaotel.com.cn/camera/cameraAction!loadAndMaxVersion?	com/ydtx/camera/Utils/Util.java
http://bjmms.wintaotel.com.cn/upload	com/ydtx/camera/Utils/Util.java
http://www.baidu.com	com/ydtx/camera/Utils/Util.java
http://api.map.baidu.com/geocoder/v2/	com/ydtx/camera/Utils/Util.java
http://zyxj.wintaotel.com.cn/CommController/showImg?imgPath=	com/ydtx/camera/adapter/DownloadFileListAdapter.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/downloadFile	com/ydtx/camera/Service/DownloadService.java
http://zyxj.wintaotel.com.cn/AndroidClientInterface/uploadFile	com/ydtx/camera/Service/DownloadService.java

http://bjsmms.wintaotel.com.cn/pipeline/camerainterfaceAction	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/riding	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit	摸瓜V3引擎
api.map.baidu.com	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s	摸瓜V3引擎
instantmessaging-pa.googleapis.com	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/CommController/showImg?imgPath=	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/editPassword	摸瓜V3引擎
dualstack-na61-na62.wagbridge.alibaba.tanx.com.gds.alibabadns.com	摸瓜V3引擎
alogus.umeng.com	摸瓜V3引擎
https://api.map.baidu.com/geosearch/v2/bound	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
https://api.map.baidu.com/geosearch/v2/detail/	摸瓜V3引擎
http://api.map.baidu.com/geocoder/v2/	摸瓜V3引擎
http://creativecommons.org/licenses/publicdomain	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s	摸瓜V3引擎

http://api.map.baidu.com/geosearch/v2/detail/	摸瓜V3引擎
http://bjsmms.wintaotel.com.cn/camera/cameraAction	摸瓜V3引擎
https://www.360.cn/	摸瓜V3引擎
https://api.map.baidu.com/sdkws/place/v2/detail	摸瓜V3引擎
https://developer.umeng.com/docs/66632/detail/	摸瓜V3引擎
www.gstatic.com	摸瓜V3引擎
plbslog.umeng.com.gds.alibabadns.com	摸瓜V3引擎
media.tenor.com	摸瓜V3引擎
http://loc.map.baidu.com/cc.php	摸瓜V3引擎
https://shortvideo.qiniuapi.com/v1/zeus?appid=	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion	摸瓜V3引擎
https://ofloc.map.baidu.com/offline_loc	摸瓜V3引擎
https://j.map.baidu.com/	摸瓜V3引擎
ulogs.umeng.com	摸瓜V3引擎
http://www.baidu.com	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	摸瓜V3引擎
http://itsdata.map.baidu.com/long-conn-gps/sdk.php	摸瓜V3引擎
http://loc.map.baidu.com/indoorlocbuildinginfo.php	摸瓜V3引擎

http://zyxj.wintaotel.com.cn/AndroidClientInterface/login	摸瓜V3引擎
http://loc.map.baidu.com/gpsz	摸瓜V3引擎
c.tenor.com	摸瓜V3引擎
android.googleapis.com	摸瓜V3引擎
http://www.jd.com	摸瓜V3引擎
http://t.weather.itboy.net/api/weather/city/	摸瓜V3引擎
googlehosted.l.googleusercontent.com	摸瓜V3引擎
https://api.map.baidu.com/geosearch/v2/nearby	摸瓜V3引擎
https://client.map.baidu.com/imap/share/ps	摸瓜V3引擎
https://github.com/nostra13/Android-Universal-Image-Loader/issues/376	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion	摸瓜V3引擎
clientservices.googleapis.com	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/getOrgLogo	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/register.jsp	摸瓜V3引擎
zyxj.wintaotel.com.cn	摸瓜V3引擎
ulogs.umengcloud.com	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/	摸瓜V3引擎

http://client.map.baidu.com/imap/share/ps	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/getFileFolder	摸瓜V3引擎
http://loc.map.baidu.com/apigetindoordata.php	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/cloudrgc/v1	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/	摸瓜V3引擎
gmscompliance-pa.googleapis.com	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/logout	摸瓜V3引擎
http://www.ntsc.ac.cn	摸瓜V3引擎
ulogs.umeng.com.gds.alibabadns.com	摸瓜V3引擎
https://api.map.baidu.com/sdkcs/verify	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/riding	摸瓜V3引擎
alogus.umeng.com.gds.alibabadns.com	摸瓜V3引擎
api.map.n.shifen.com	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎

https://api.map.baidu.com/sdkproxy/lbs_androidsdk/cloudrgc/v1	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	摸瓜V3引擎
http://j.map.baidu.com/	摸瓜V3引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/downloadOrgLogo	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/	摸瓜V3引擎
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	摸瓜V3引擎
https://shortvideo.qiniuapi.com/v1/status/a	摸瓜V3引擎
http://api.map.baidu.com/sdkws/place/v2/detail	摸瓜V3引擎
growth-pa.googleapis.com	摸瓜V3引擎
http://map.baidu.com/?newmap=1&s=	摸瓜V3引擎
http://www.taobao.com	摸瓜V3引擎
connectivitycheck.gstatic.com	摸瓜V3引擎
http://api.map.baidu.com/geosearch/v2/bound	摸瓜V3引擎
http://bjsmms.wintaotel.com.cn/upload	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/downloadFile	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	摸瓜V3引擎
http://ofloc.map.baidu.com/offline_loc	摸瓜V3引擎

http://api.map.baidu.com/geosearch/v2/nearby	摸瓜V3引擎
http://zyxj.wintaotel.com.cn//WMCameraController/authorizeForAndroid	摸瓜V3引擎
https://api.map.baidu.com/geosearch/v2/local	摸瓜V3引擎
http://developer.umeng.com/docs/66650/cate/66650	摸瓜V3引擎
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2	摸瓜V3引擎
http://api.map.baidu.com/geosearch/v2/local	摸瓜V3引擎
http://wapmap.baidu.com/s?tn=Detail&pid=	摸瓜V3引擎
http://zyxj.wintaotel.com.cn/AndroidClientInterface/uploadFile	摸瓜V3引擎
plbslog.umeng.com	摸瓜V3引擎
http://zyxj.wintaotel.com.cn//WMCameraController/insertDataForAndroid	摸瓜V3引擎

 邮箱线索

 手机线索

手机号	所在文件
18345352118	com/baidu/platform/comapi/util/b.java

 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=aa, ST=aa, L=aa, O=aa, OU=aa, CN=aa
签名算法: rsassa_pkcs1v15
有效期自: 2014-11-26 08:42:21+00:00
有效期至: 2064-11-13 08:42:21+00:00
发行人: C=aa, ST=aa, L=aa, O=aa, OU=aa, CN=aa
序列号: 0x5475926d
哈希算法: sha1
md5值: 9141ea7ed989ad0f66a4782a2a565696
sha1值: c31072a9afb5c1b99a23383ab486edcbf6d3cc15
sha256值: 1df25923f1c092a2451cc92e6fefa89a8a688c5abba307d3f293be71f870359e
sha512值: e3cc26278a6e2c85135691f89ceee5078b6b5edc432b25890e01ab0f4d9c6a59095141df1c10a9f9358c835016cb930598d330621108870e6220601047ad631a
公钥算法: rsa
密钥长度: 1024
指纹: 489b5893c6cea4573b1b18273bcd2df3901e2ae6c75ad3a69beb0d1cf746c65d

硬编码敏感信息

可能的敏感信息
"authorization_cecks": "我已阅读并同意此协议!"
"authorization_protocol_five": "7.深圳市元道通信技术有限公司是该产品版权实际拥有者，负责对该产品所有细则及其他信息进行解释。"
"authorization_protocol_four": "5.禁止反向工程、反向编译和反向汇编：用户不得对本软件产品进行反向工程（ReverseEngineer）、反向编译（Decompile）或反向汇编（Disassembler），同时不得改动编译在程序文件内部的任何资源。除法律、法规明文规定允许上述活动外，用户必须遵守此协议限制。"
"authorization_protocol_last": "1.请你认真阅读完《元道经纬相机》服务条款。"
"authorization_protocol_one": "2.本产品为深圳市元道技术有限公司独立开发，深圳市元道通信技术有限公司，拥有该产品一切产权。任何组织、个人未经深圳市元道通信技术有限公司允许，不得盗用此产品。"

"authorization_protocol_seven": "6.为监测软件在使用中出现的bug，软件加入友盟后台统计功能。"
"authorization_protocol_three": "4.使用此产品可对照片进行经纬度及其他信息加载水印，该产品在后续更新过程中将增加多种水印加载模本，深圳市元道通信技术有限公司是该产品外观、相关程序、水印模板等版权拥有者。"
"authorization_protocol_two": "3.禁止将此产品用于非法用途，如因用户个人原因，将此产品用于非法用途，我司将不承担任何法律责任。"
"authorization_title": "欢迎使用元道经纬相机"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.CHANGE_CONFIGURATION	系统	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小

	需要		
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息

android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
---------------------------------	----	----	----------------

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。