



MoGua

AIX 1.2.1.APK 分析报告



APP名称:

AIX

包名:	app.aix
域名线索:	141条
URL线索:	45条
邮箱线索:	4条
分析日期:	2025年6月17日
分析平台:	摸瓜APK反编译平台

文件名: AIX1.2.1.apk
文件大小: 52.47MB
MD5值: f0d700250b25b84ebf34bf8fa27d5922
SHA1值: 0a9c2c7368d4e9849854e166c3f3b96fdf1e3eae
SHA256值: b5c26bff9245b85f57a93b10011fecac3df199e11af384f15b73185a1d1d2b55

i APP 信息

App名称: AIX
包名: app.aix
主活动Activity: io.dcloud.PandoraEntry
安卓版本名称: 1.2.1
安卓版本: 121

🔍 域名线索

域名	服务器信息
api.etherscan.io	IP: 31.13.112.4 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
m3w.cn	IP: 116.196.150.251 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
	IP: 104.18.31.149 所属国家: United States of America 地区: California

undetectable.ai	城市: San Francisco 纬度: 37.775700 经度: -122.395203
api-optimistic.etherscan.io	IP: 103.42.176.244 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
api.bscscan.com	IP: 91.191.210.250 所属国家: United States of America 地区: Florida 城市: Tampa 纬度: 27.995289 经度: -82.387505
ns.adobe.com	没有服务器地理信息.
www.arterys.com	IP: 3.168.86.26 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
arxiv.org	IP: 151.101.67.42 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
gateway.ipfs.io	IP: 199.96.59.61 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968

	经度: -122.410446
waymo.com	IP: 142.250.217.110 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.anthropic.com	IP: 160.79.104.10 所属国家: United States of America 地区: New Jersey 城市: Hackensack 纬度: 40.887573 经度: -74.049881
ai.meta.com	IP: 31.13.95.33 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
aixwallet.net	IP: 104.26.2.7 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
api-goerli.arbiscan.io	没有服务器地理信息.
api.polygonscan.com	IP: 199.167.149.50 所属国家: United States of America 地区: Florida 城市: Tampa 纬度: 28.007360 经度: -82.515450

www.cognitivescale.com	IP: 194.42.63.167 所属国家: Finland 地区: Uusimaa 城市: Helsinki 纬度: 60.169521 经度: 24.935450
www.butterflynetwork.com	IP: 3.166.228.54 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
huggingface.co	IP: 108.160.163.106 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
vulcansphere.com	IP: 206.189.42.180 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.mindfoundry.ai	IP: 199.60.103.225 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129

	经度: -71.086304
sodipodi.sourceforge.net	IP: 104.18.12.149 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.visteon.com	IP: 162.159.129.11 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.vicarious.com	没有服务器地理信息.
www.bluerivertechnology.com	IP: 52.203.97.246 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
gasstation.polygon.technology	IP: 172.64.146.146 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.inkscape.org	IP: 140.211.9.79 所属国家: United States of America 地区: Oregon 城市: Eugene 纬度: 44.036083 经度: -123.052429

www.caper.ai	IP: 57.180.160.60 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
lame.sf.net	IP: 104.18.20.237 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
bscscan.com	IP: 104.26.13.158 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
upload.kp.io	IP: 3.139.159.151 所属国家: United States of America 地区: Ohio 城市: Columbus 纬度: 39.961380 经度: -82.997749
api.map.baidu.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.clarifai.com	IP: 199.60.103.2 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129

	经度: -71.086304
fontshare.com	IP: 108.139.10.52 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
www.salesforce.com	IP: 23.210.26.145 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
api.arbiscan.io	IP: 104.26.14.203 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.freenome.com	IP: 23.185.0.2 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.792030 经度: -122.406853
www.synthesia.io	IP: 54.238.67.66 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
	IP: 31.13.106.4 所属国家: Ireland 地区: Dublin

www.google.com	城市: Dublin 纬度: 53.344151 经度: -6.267249
api-sepolia.etherscan.io	IP: 108.160.166.137 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
rpc-amoy.polygon.technology	IP: 104.18.41.110 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
api-testnet.polygonscan.com	IP: 172.67.71.154 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
service.dcloud.net.cn	IP: 111.229.199.57 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

www.artisse.ai	IP: 43.198.6.96 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
benevolent.com	IP: 167.99.200.154 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: London 纬度: 51.508530 经度: -0.125740
opencv.ai	IP: 75.2.70.75 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842
www.art-recognition.com	IP: 217.26.55.75 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
peak.ai	IP: 46.101.67.35 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: London 纬度: 51.508530

	经度: -0.125740
x.com	IP: 162.159.140.229 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
bsc-dataseed.bnbchain.org	IP: 54.199.224.107 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
www.facebook.com	IP: 31.13.95.37 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
www.respeecher.com	IP: 199.60.103.30 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129 经度: -71.086304
feross.org	IP: 50.116.11.184 所属国家: United States of America 地区: California 城市: Fremont 纬度: 37.548271 经度: -121.988571
	IP: 104.18.174.91 所属国家: United States of America 地区: California

www.uipath.com	城市: San Francisco 纬度: 37.775700 经度: -122.395203
stability.ai	IP: 198.49.23.144 所属国家: United States of America 地区: New York 城市: New York City 纬度: 40.734699 经度: -74.005898
openai.com	IP: 104.18.33.45 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
runwayml.com	IP: 76.76.21.21 所属国家: United States of America 地区: California 城市: Walnut 纬度: 34.015400 经度: -117.858223
code.google.com	IP: 142.251.188.102 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
aws.amazon.com	IP: 18.65.168.66 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322

er.dcloud.io	没有服务器地理信息.
tronscan.io	IP: 104.18.14.18 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.shadertoy.com	IP: 54.187.128.7 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523460 经度: -122.676468
map.qq.com	IP: 116.130.224.82 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api-testnet.bscscan.com	IP: 104.26.13.158 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.atomwise.com	IP: 141.193.213.20 所属国家: United States of America 地区: Texas 城市: Austin 纬度: 30.271158 经度: -97.741699
	IP: 172.67.1.191 所属国家: United States of America

creativecommons.org	地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
api.trongrid.io	IP: 52.74.175.233 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
fontello.com	IP: 168.119.169.240 所属国家: Germany 地区: Bayern 城市: Gunzenhausen 纬度: 48.323860 经度: 11.601019
android.googlesource.com	IP: 142.251.188.82 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
t.me	IP: 149.154.167.99 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: Warrington 纬度: 52.184460 经度: -0.687590
www.ai21.com	IP: 104.22.15.218 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

api-sepolia.basescan.org	IP: 104.26.13.113 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.microsoft.com	IP: 221.194.156.64 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
scale.com	IP: 76.76.21.22 所属国家: United States of America 地区: California 城市: Walnut 纬度: 34.015400 经度: -117.858223
www.nuro.ai	IP: 52.76.120.174 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.glean.com	IP: 57.180.160.60 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
api-goerli-optimistic.etherscan.io	IP: 108.160.167.148 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
api-amoy.polygonscan.com	IP: 104.26.12.96 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
api-holesky.etherscan.io	IP: 39.109.122.128 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.tempus.com	IP: 146.190.199.140 所属国家: United States of America 地区: New Jersey 城市: North Bergen 纬度: 40.804077 经度: -74.012367
gasstation-testnet.polygon.technology	IP: 104.18.41.110 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ask.dcloud.net.cn	IP: 123.12.235.54 所属国家: China 地区: Henan 城市: Hebi 纬度: 35.899170 经度: 114.192497
	IP: 198.185.159.144 所属国家: United States of America 地区: New York

www.eleuther.ai	城市: New York City 纬度: 40.734699 经度: -74.005898
er.dcloud.net.cn	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
sift.com	IP: 23.185.0.4 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.792030 经度: -122.406853
www.recursion.com	IP: 57.180.160.60 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
www.getnexar.com	IP: 3.168.245.2 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
covariant.ai	IP: 13.52.115.166 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958

cdn.jsdelivr.net	IP: 46.82.174.69 所属国家: Germany 地区: Niedersachsen 城市: Braunschweig 纬度: 52.266121 经度: 10.526730
cloudflare-eth.com	IP: 104.18.11.112 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
polygon-rpc.com	IP: 136.175.126.220 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.788464 经度: -122.394608
www.darktrace.com	IP: 34.210.109.146 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523460 经度: -122.676468
www.h2o.ai	IP: 151.101.91.10 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
apis.map.qq.com	IP: 116.130.224.140 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
aurora.tech	IP: 75.2.60.5 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842
indiantypefoundry.comhttps	没有服务器地理信息.
www.spectre.ai	IP: 172.67.70.22 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
maps.googleapis.com	IP: 142.250.217.74 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.perplexity.ai	IP: 54.89.135.129 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
vuejs.org	IP: 3.33.186.135 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199

api.aixinternal.art	IP: 104.26.1.33 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
fetch.ai	IP: 104.26.14.93 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.preferred.jp	IP: 3.165.102.95 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
cohere.ai	IP: 76.76.21.21 所属国家: United States of America 地区: California 城市: Walnut 纬度: 34.015400 经度: -117.858223
gemini.google.com	IP: 142.250.217.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.jsdelivr.com	IP: 104.21.23.24 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
mistral.ai	IP: 104.18.23.152 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
pytorch.org	IP: 23.185.0.2 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.792030 经度: -122.406853
www.openair.com	IP: 141.148.57.163 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
crbug.com	IP: 216.239.32.29 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 151.101.193.170 所属国家: United States of America

www.palantir.com	地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
x.ai	IP: 128.121.146.235 所属国家: United States of America 地区: California 城市: Sacramento 纬度: 38.581570 经度: -121.494400
tfhub.dev	IP: 35.244.233.98 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
www.pathai.com	IP: 104.18.10.32 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
quilljs.com	IP: 172.66.43.93 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
lame.sf.net64bits	没有服务器地理信息.
replit.com	IP: 104.18.35.46 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
www.ibm.com	IP: 23.35.121.153 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
www.inflection.ai	IP: 104.18.42.219 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
schemas.android.com	没有服务器地理信息.
aleph-alpha.com	IP: 91.99.26.32 所属国家: Finland 地区: Uusimaa 城市: Helsinki 纬度: 60.169521 经度: 24.935450
insilico.com	IP: 185.215.4.66 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
api-goerli.etherscan.io	IP: 118.193.240.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

docs.ethers.org	IP: 18.172.31.57 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
api.basescan.org	IP: 172.67.75.129 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
fontello.comcreated	没有服务器地理信息.
www.aeye.ai	IP: 35.190.31.54 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
www.descarteslabs.com	IP: 199.60.103.254 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129 经度: -71.086304
www.nvidia.com	IP: 23.210.26.154 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
	IP: 111.202.5.199 所属国家: China

webapi.amap.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
encrypted-tbn0.gstatic.com	IP: 142.250.217.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.datarobot.com	IP: 23.185.0.2 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.792030 经度: -122.406853
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
zoox.com	IP: 3.165.102.109 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
www.graphcore.ai	IP: 199.60.103.28 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129 经度: -71.086304

www.raiclabs.com	IP: 74.208.236.101 所属国家: United States of America 地区: Pennsylvania 城市: Philadelphia 纬度: 39.962440 经度: -75.199928
www.adept.ai	IP: 76.76.21.98 所属国家: United States of America 地区: California 城市: Walnut 纬度: 34.015400 经度: -117.858223
writesonic.com	IP: 162.125.34.133 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

 URL线索

URL信息	Url所在文件
http://schemas.android.com/apk/res/android	com/hjq/permissions/AndroidManifestParser.java
http://ns.adobe.com/xap/1.0/\u0000	io/dcloud/common/util/ExifInterface.java
https://m3w.cn/s/	io/dcloud/common/util/ShortCutUtil.java
https://ask.dcloud.net.cn/article/282	io/dcloud/common/constant/DOMException.java
https://ask.dcloud.net.cn/article/35058	io/dcloud/feature/audio/AudioRecorderMgr.java

https://ask.dcloud.net.cn/article/283	io/dcloud/feature/utsplugin/ProxyModule.java
https://er.dcloud.io/sc	io/dcloud/feature/gg/dcloud/ADHandler.java
https://er.dcloud.net.cn/sc	io/dcloud/feature/gg/dcloud/ADHandler.java
https://ask.dcloud.net.cn/article/35627	io/dcloud/p/r.java
https://ask.dcloud.net.cn/article/35877	io/dcloud/p/r.java
https://ask.dcloud.net.cn/article/283	io/dcloud/p/g1.java
https://er.dcloud.io/rv	io/dcloud/p/d0.java
https://er.dcloud.net.cn/rv	io/dcloud/p/d0.java
https://ask.dcloud.net.cn/article/287	io/dcloud/share/IFShareApi.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
https://ask.dcloud.net.cn/article/36199	摸瓜V1引擎
https://apis.map.qq.com/uri/v1/routeplan?type=drive&to=	摸瓜V2引擎
https://www.google.com/maps/?daddr=	摸瓜V2引擎
https://www.google.com/maps/	摸瓜V2引擎
https://tronscan.io/	摸瓜V2引擎
https://bscscan.com/tx/0x	摸瓜V2引擎

https://openai.com	摸瓜V2引擎
https://aixwallet.net	摸瓜V2引擎
https://gemini.google.com	摸瓜V2引擎
https://www.microsoft.com/en/ai	摸瓜V2引擎
https://www.ibm.com/watson	摸瓜V2引擎
https://aws.amazon.com/ai/machine-learning/	摸瓜V2引擎
https://www.nvidia.com/en-us/	摸瓜V2引擎
https://ai.meta.com/	摸瓜V2引擎
https://www.salesforce.com/artificial-intelligence/	摸瓜V2引擎
https://www.clarifai.com	摸瓜V2引擎
https://opencv.ai	摸瓜V2引擎
https://stability.ai	摸瓜V2引擎
https://www.artisse.ai	摸瓜V2引擎
https://www.art-recognition.com	摸瓜V2引擎
https://runwayml.com	摸瓜V2引擎
https://www.synthesia.io	摸瓜V2引擎
https://cohere.ai	摸瓜V2引擎

https://huggingface.co	摸瓜V2引擎
https://www.perplexity.ai	摸瓜V2引擎
https://www.inflection.ai	摸瓜V2引擎
https://mistral.ai	摸瓜V2引擎
https://aleph-alpha.com	摸瓜V2引擎
https://www.eleuther.ai	摸瓜V2引擎
https://writesonic.com	摸瓜V2引擎
https://undetactable.ai	摸瓜V2引擎
https://www.ai21.com	摸瓜V2引擎
https://www.respeecher.com	摸瓜V2引擎
https://www.uipath.com	摸瓜V2引擎
https://www.datarobot.com	摸瓜V2引擎
https://www.h2o.ai	摸瓜V2引擎
https://www.vicarious.com	摸瓜V2引擎
https://www.cognitivescale.com	摸瓜V2引擎
https://www.graphcore.ai	摸瓜V2引擎
https://www.preferred.jp/en/	摸瓜V2引擎
https://www.anthropic.com	摸瓜V2引擎

https://x.ai	摸瓜V2引擎
https://www.adept.ai	摸瓜V2引擎
https://covariant.ai	摸瓜V2引擎
https://www.openair.com	摸瓜V2引擎
https://www.tempus.com	摸瓜V2引擎
https://www.butterflynetwork.com	摸瓜V2引擎
https://www.arterys.com	摸瓜V2引擎
https://www.freenome.com	摸瓜V2引擎
https://www.recursion.com	摸瓜V2引擎
https://www.atomwise.com	摸瓜V2引擎
https://benevolent.com	摸瓜V2引擎
https://www.pathai.com	摸瓜V2引擎
https://zoox.com	摸瓜V2引擎
https://www.nuro.ai	摸瓜V2引擎
https://www.aeye.ai	摸瓜V2引擎
https://aurora.tech	摸瓜V2引擎
https://waymo.com	摸瓜V2引擎

https://www.getnexar.com	摸瓜V2引擎
https://www.visteon.com	摸瓜V2引擎
https://sift.com	摸瓜V2引擎
https://www.darktrace.com	摸瓜V2引擎
https://www.palantir.com	摸瓜V2引擎
https://www.bluerivertechnology.com	摸瓜V2引擎
https://www.descarteslabs.com	摸瓜V2引擎
https://scale.com	摸瓜V2引擎
https://replit.com	摸瓜V2引擎
https://fetch.ai	摸瓜V2引擎
https://www.raiclabs.com	摸瓜V2引擎
https://pytorch.org	摸瓜V2引擎
https://www.glean.com	摸瓜V2引擎
https://www.mindfoundry.ai	摸瓜V2引擎
https://peak.ai	摸瓜V2引擎
https://www.caper.ai	摸瓜V2引擎
https://www.spectre.ai	摸瓜V2引擎
https://insilico.com	摸瓜V2引擎

https://gateway.ipfs.io/ipfs/	摸瓜V2引擎
https://github.com/ethers-io/ethers.js/issues/4537	摸瓜V2引擎
https://gateway.ipfs.io/ipfs/\$	摸瓜V2引擎
https://gasstation.polygon.technology/v2	摸瓜V2引擎
https://gasstation-testnet.polygon.technology/v2	摸瓜V2引擎
https://docs.ethers.org/api-keys/	摸瓜V2引擎
\$	摸瓜V2引擎
https://cloudflare-eth.com/	摸瓜V2引擎
https://api.etherscan.io	摸瓜V2引擎
https://api-goerli.etherscan.io	摸瓜V2引擎
https://api-sepolia.etherscan.io	摸瓜V2引擎
https://api-holesky.etherscan.io	摸瓜V2引擎
https://api.arbiscan.io	摸瓜V2引擎
https://api-goerli.arbiscan.io	摸瓜V2引擎
https://api.basescan.org	摸瓜V2引擎
https://api-sepolia.basescan.org	摸瓜V2引擎
https://api.bscscan.com	摸瓜V2引擎

https://api-testnet.bscscan.com	摸瓜V2引擎
https://api.polygonscan.com	摸瓜V2引擎
https://api-amoy.polygonscan.com	摸瓜V2引擎
https://api-testnet.polygonscan.com	摸瓜V2引擎
https://api-optimistic.etherscan.io	摸瓜V2引擎
https://api-goerli-optimistic.etherscan.io	摸瓜V2引擎
https://polygon-rpc.com/	摸瓜V2引擎
https://rpc-amoy.polygon.technology/	摸瓜V2引擎
https://feross.org/opensource >	摸瓜V2引擎
https://api.trongrid.io	摸瓜V2引擎
https://bsc-dataseed.bnbchain.org	摸瓜V2引擎
https://t.me/aixwalletgroup	摸瓜V2引擎
https://x.com/@AixWallet	摸瓜V2引擎
https://www.facebook.com/AixWallet/	摸瓜V2引擎
https://api.aixinternal.art	摸瓜V2引擎
https://apis.map.qq.com/jsapi?qt=translate&type=1&points=\$	摸瓜V2引擎
https://github.com/uuidjs/uuid	摸瓜V2引擎
https://vuejs.org/error-reference/	摸瓜V2引擎

https://service.dcloud.net.cn/uniapp/feedback.html	摸瓜V2引擎
https://map.qq.com/api/js?v=2.exp&	摸瓜V2引擎
https://maps.googleapis.com/maps/api/js?	摸瓜V2引擎
https://webapi.amap.com/maps?v=2.0&	摸瓜V2引擎
https://api.map.baidu.com/api?type=webgl&v=1.0&	摸瓜V2引擎
https://quilljs.com/	摸瓜V2引擎
https://quilljs.com	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://code.google.com/p/dat-gui	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://upload.kp.io/api/fileDirect/v1/uploadCommonFile'	摸瓜V2引擎
http://127.0.0.1:8807/api/fileDirect/v1/uploadCommonFile'	摸瓜V2引擎
https://cdn.jsdelivr.net/npm/@tensorflow/tfjs-backend-wasm@\$	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/API/Fetch_API	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://tfhub.dev/mediapipe/tfjs-model/face_detection/short/1	摸瓜V2引擎

https://tfhub.dev/mediapipe/tfjs-model/face_detection/full/1	摸瓜V2引擎
https://tfhub.dev	摸瓜V2引擎
https://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://github.com/tensorflow/tfjs/issues	摸瓜V2引擎
https://www.jsdelivr.com/using-sri-with-dynamic-files	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://www.shadertoy.com/view/4djSRW	摸瓜V2引擎
https://github.com/tensorflow/tfjs/issues/1735	摸瓜V2引擎
https://github.com/tensorflow/tfjs/issues/5447	摸瓜V2引擎
https://arxiv.org/abs/1706.02515	摸瓜V2引擎
https://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/API/Fetch_API	摸瓜V2引擎
https://vulcansphere.com	摸瓜V3引擎
https://developer.mozilla.org/en-US/docs/Web/API/Fetch_API	摸瓜V3引擎
http://schemas.android.com/apk/res-auto00androidx.appcompat.widget.ActionBarOverlayLayout	摸瓜V3引擎
https://ask.dcloud.net.cn/article/282	摸瓜V3引擎

http://schemas.android.com/apk/res/android00androidx.appcompat.widget.FitWindowsLinearLayout((androi	摸瓜V3引擎
https://er.dcloud.net.cn/rv	摸瓜V3引擎
http://www.inkscape.org/namespaces/inkscape	摸瓜V3引擎
http://creativecommons.org/ns#	摸瓜V3引擎
https://ask.dcloud.net.cn/article/35627	摸瓜V3引擎
http://fontello.com	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm	摸瓜V3引擎
https://indiantypefoundry.comhttps://www.indiantypefoundry.comThis	摸瓜V3引擎
https://er.dcloud.io/sc	摸瓜V3引擎
http://www.inkscape.org/	摸瓜V3引擎
http://fontello.comCreated	摸瓜V3引擎
http://lame.sf.net	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm-project	摸瓜V3引擎
http://schemas.android.com/apk/res/android//com.taobao.weex.ui.view.listview.WXRecyclerView	摸瓜V3引擎
https://www.apache.org/licenses/LICENSE-2.0	摸瓜V3引擎
https://ask.dcloud.net.cn/article/35058	摸瓜V3引擎
https://ask.dcloud.net.cn/article/35877	摸瓜V3引擎

http://lame.sf.net64bits	摸瓜V3引擎
discover-pa.googleapis.com	摸瓜V3引擎
https://er.dcloud.io/rv	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
https://m3w.cn/s/	摸瓜V3引擎
https://fontshare.com/termsAlternate	摸瓜V3引擎
https://android.googlesource.com/toolchain/clang	摸瓜V3引擎
http://sodipodi.sourceforge.net/DTD/sodipodi-0.dtd	摸瓜V3引擎
https://ask.dcloud.net.cn/article/287	摸瓜V3引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V3引擎
https://ask.dcloud.net.cn/article/283	摸瓜V3引擎
encrypted-tbn0.gstatic.com	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
https://er.dcloud.net.cn/sc	摸瓜V3引擎
https://ask.dcloud.net.cn/article/283 https://ask.dcloud.net.cn/article/287	摸瓜V3引擎
https://crbug.com/v8/8520	lib/armeabi-v7a/libweexjss.so
http://lame.sf.net	lib/armeabi-v7a/liblamemp3.so
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libnative-image-transcoder.so

http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libstatic-webp.so
https://crbug.com/v8/8520	lib/x86/libweexjss.so
http://lame.sf.net	lib/x86/liblamemp3.so
https://crbug.com/v8/8520	lib/arm64-v8a/libweexjss.so
http://lame.sf.net	lib/arm64-v8a/liblamemp3.so

 邮箱线索

邮箱地址	所在文件
rfe@rm.rs 0bje@bm.bwayc me@ricmoo.com official@aixwallets.com	摸瓜V2引擎
ghcs@cnma.ilr	摸瓜V2引擎
official@aixwallets.com	摸瓜V2引擎
jhruby.web@gmail.com	摸瓜V2引擎

 手机线索

 签名证书

指纹: c23319c139cc1d06c6d733ce0d96fddff66be8a0878f644e1db846b8cc976729

可能的敏感信息
"dcloud_common_user_refuse_api" : "the user denies access to the API"
"dcloud_feature_confusion_exception_no_private_key_input" : "no private key input"
"dcloud_io_without_authorization" : "not authorized"
"dcloud_oauth_authentication_failed" : "failed to obtain authorization to log in to the authentication service"
"dcloud_oauth_empower_failed" : "the Authentication Service operation to obtain authorized logon failed"
"dcloud_oauth_logout_tips" : "not logged in or logged out"

"dcloud_oauth_oauth_not_empower" : "oAuth authorization has not been obtained"
"dcloud_oauth_token_failed" : "failed to get token"
"dcloud_permissions_reauthorization" : "reauthorize"
"dcloud_tips_certificate" : "certificate"
"dcloud_common_user_refuse_api" : "用户拒绝该API访问"
"dcloud_feature_confusion_exception_no_private_key_input" : "私钥数据为空"
"dcloud_io_without_authorization" : "没有获得授权"
"dcloud_oauth_authentication_failed" : "获取授权登录认证服务操作失败"
"dcloud_oauth_empower_failed" : "获取授权登录认证服务操作失败"
"dcloud_oauth_logout_tips" : "未登录或登录已注销"
"dcloud_oauth_oauth_not_empower" : "尚未获取oauth授权"
"dcloud_oauth_token_failed" : "获取token失败"
"dcloud_permissions_reauthorization" : "重新授权"
"dcloud_tips_certificate" : "证书"

 加壳分析

加壳类型	所属文件

 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_MEDIA_VISUAL_USER_SELECTED	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
app.aix.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.INSTALL_PACKAGES	系统需要	直接安装应用程序	允许应用程序安装新的或更新的 Android 包。恶意应用程序可以使用它来添加具有任意强大权限的新应用程序
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.CAPTURE_AUDIO_OUTPUT	系统需要		允许应用程序捕获音频输出。
android.permission.CAPTURE_SECURE_VIDEO_OUTPUT	正常		允许应用程序捕获安全视频输出
android.permission.CAPTURE_VIDEO_OUTPUT	正常		允许应用程序捕获视频输出

android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CLEAR_APP_CACHE	系统需要	删除所有应用程序缓存数据	允许应用程序通过删除应用程序缓存目录中的文件来释放手机存储空间。访问通常非常受限于系统进程。
android.permission.CLEAR_APP_USER_DATA	合法	删除其他应用程序数据	允许应用程序清除用户数据
android.permission.DELETE_CACHE_FILES	系统需要	删除其他应用程序缓存	允许应用程序删除缓存文件
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。