



# MoGua

## 优希贝 1.0.0.APK 分析报告



APP名称:	优希贝
包名:	com.ucbay.app
域名线索:	106条
URL线索:	127条
邮箱线索:	1条

分析日期:

2025年1月11日

分析平台:

[摸瓜APK反编译平台](#)

## 文件信息

文件名: youxibei1070019.apk

文件大小: 72.45MB

MD5值: f1e0d2a2086922951e79522978092efa

SHA1值: 67b4bbaa7d102bf352508e248b0c38166d5fad03

SHA256值: e54d540bcf1e0dc5de60e2709eaa7993271320cf9bcc747dff7718f19c6e0e25

## APP 信息

App名称: 优希贝

包名: com.ucbay.app

主活动Activity: io.dcloud.PandoraEntry

安卓版本名称: 1.0.0

安卓版本: 1

## 域名线索

域名	服务器信息

vop.baidu.com	IP: 111.206.209.68 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
avc.qcloud.com	IP: 120.241.139.121 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
mobilegw.alipay.com	IP: 203.209.243.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
up-z2.qbox.me	IP: 183.60.220.4 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
alogsus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
openapi.baidu.com	IP: 110.242.69.36 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
developer.umeng.com	IP: 59.82.29.249 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161583
errnewlog.umeng.com	IP: 223.109.148.180 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
vse.baidu.com	IP: 110.242.68.241 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
wappaygw.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
up.qbox.me	IP: 115.231.29.10 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
plbslog.umeng.com	IP: 36.156.202.68 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
ns.adobe.com	没有服务器地理信息.
quilljs.com	IP: 216.24.57.3 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
schemas.android.com	没有服务器地理信息.
mpsapi.amap.com	IP: 59.82.112.213 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
up-z1.qbox.me	IP: 111.225.209.6 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
service.weibo.com	IP: 180.149.153.242 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgi.qplus.com	没有服务器地理信息.
ulogs.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mst01.is.autonavi.com	IP: 59.82.31.164 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
shop.ucbay.com	IP: 81.69.156.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: -

	纬度: 0.000000 经度: 0.000000
vuejs.org	IP: 54.177.145.149 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
up-na0.qbox.me	IP: 23.236.102.3 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
yuyin.baidu.com	IP: 153.3.237.166 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
wb.amap.com	IP: 59.82.60.60 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
utoken.umeng.com	IP: 218.91.197.67 所属国家: China 地区: Jiangsu 城市: Nantong 纬度: 32.030296 经度: 120.874779
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 223.109.148.179

ulogs.umengcloud.com	所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
upl.baidu.com	IP: 124.237.208.100 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
wprd0d.is.autonavi.com	没有服务器地理信息.
dldir1.qq.com	IP: 36.248.199.213 所属国家: China 地区: Fujian 城市: Xiamen 纬度: 24.479790 经度: 118.081871
m5.amap.com	IP: 106.11.35.98 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.google.com	IP: 45.114.11.25 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
resolver.msg.xiaomi.net	IP: 183.84.5.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 59.82.29.155 所属国家: China 地区: Zhejiang

lbs.amap.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
cfg.imtt.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
c-hzgt2.getui.com	IP: 115.227.15.16 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
open.weixin.qq.com	IP: 175.24.209.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
1255566655.vod2.myqcloud.com	IP: 123.129.202.92 所属国家: China 地区: Shandong 城市: jinan 纬度: 36.668331 经度: 116.997223
aspect-upush.umeng.com	IP: 59.82.31.95 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ask.dcloud.net.cn	IP: 125.64.35.189 所属国家: China 地区: Sichuan 城市: Mianyang 纬度: 31.459375 经度: 104.753128
mse.baidu.com	IP: 180.101.49.124 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

imgcache.qq.com	IP: 101.72.224.38 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
livepull.myqcloud.com	IP: 183.47.114.223 所属国家: China 地区: Guangdong 城市: Huizhou 纬度: 39.509766 经度: 116.693001
sdk-open-phone.getui.com	IP: 115.227.15.237 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
apis.map.qq.com	IP: 109.244.244.223 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
long.open.weixin.qq.com	IP: 109.244.217.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
tcdns.myqcloud.com	IP: 109.244.154.164 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apiinit.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang

	<p>城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
tbsrecovery.imtt.qq.com	<p>IP: 109.244.244.237 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102</p>
up-as0.qbox.me	<p>IP: 23.248.173.32 所属国家: United States of America 地区: California 城市: Diamond Bar 纬度: 34.000141 经度: -117.816177</p>
log.tbs.qq.com	<p>IP: 109.244.244.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102</p>
adiu.amap.com	<p>IP: 59.82.29.156 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
pslog.umeng.com	<p>IP: 59.82.31.210 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
cgicol.amap.com	<p>IP: 27.128.221.40 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717</p>
mcgw.alipay.com	<p>IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717</p>

s.file.myqcloud.com	IP: 125.39.165.235 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
er.dcloud.io	没有服务器地理信息.
ucc.umeng.com	IP: 203.119.169.43 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
h.trace.qq.com	IP: 109.244.244.241 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
next.vuex.vuejs.org	IP: 13.124.181.114 所属国家: Korea (Republic of) 地区: Gyeonggi-do 城市: Icheon 纬度: 37.279179 经度: 127.442421
alogus.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mclient.alipay.com	IP: 27.128.222.217 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
tbs.imtt.qq.com	IP: 43.141.69.239 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 14.152.79.165

api-push.meizu.com	所属国家: China 地区: Guangdong 城市: Dongguan 纬度: 23.048780 经度: 113.745003
wap.amap.com	IP: 42.81.22.184 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
errnewlogos.umeng.com	IP: 47.246.110.96 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
api.weibo.com	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
yuntuapi.amap.com	没有服务器地理信息.
cgi.connect.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.openssl.org	IP: 23.34.36.190 所属国家: Denmark 地区: Hovedstaden 城市: Ballerup 纬度: 55.731651 经度: 12.363280
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
	IP: 47.246.110.96 所属国家: Singapore

errlogos.umeng.com	地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
er.dcloud.net.cn	IP: 123.207.69.251 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
errlog.umeng.com	IP: 223.109.148.180 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
h5.m.taobao.com	IP: 150.138.98.144 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610

	经度: 120.371941
restsdk.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.weixin.qq.com	IP: 175.27.5.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
m3w.cn	IP: 124.236.110.184 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
openmobile.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lame.sf.net	IP: 104.18.34.154 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.mescroll.com	IP: 124.236.110.163 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
render.alipay.com	IP: 27.128.222.218 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
	IP: 120.26.44.77

service.dcloud.net.cn	所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
appsupport.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
crbug.com	IP: 216.239.32.29 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
open.weibo.cn	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
loggw-exsdk.alipay.com	IP: 110.76.3.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
d-gt.getui.com	没有服务器地理信息.
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
playvideo.qcloud.com	IP: 49.7.69.197 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cn.register.xmpush.xiaomi.com	IP: 220.181.106.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

## URL线索

URL信息	Url所在文件
https://ask.dcloud.net.cn/article/35058	io/dcloud/feature/audio/AudioRecorderMgr.java
https://er.dcloud.io/sc	io/dcloud/feature/gg/dcloud/ADHandler.java
https://er.dcloud.net.cn/sc	io/dcloud/feature/gg/dcloud/ADHandler.java
https://api.weibo.com/2/account/get_uid.json?access_token=%s	io/dcloud/feature/oauth/sina/SinaOAuthService.java
https://api.weibo.com/2/users/show.json?access_token=%s&uid=%s	io/dcloud/feature/oauth/sina/SinaOAuthService.java
https://api.weibo.com/oauth2/revokeoauth2	io/dcloud/feature/oauth/sina/SinaOAuthService.java
https://api.weixin.qq.com/sns/auth?access_token=%s&openid=%s	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
https://api.weixin.qq.com/sns/oauth2/access_token?appid=%s&secret=%s&code=%s&grant_type=authorization_code	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java

https://api.weixin.qq.com/sns/userinfo?access_token=%s&openid=%s&lang=zh_CN	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
https://api.weixin.qq.com/sns/oauth2/refresh_token?appid=%s&grant_type=refresh_token&refresh_token=%s	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
https://ask.dcloud.net.cn/article/287	io/dcloud/share/IFShareApi.java
https://api.weibo.com/oauth2/revokeoauth2	io/dcloud/share/sina/SinaWeiboApiManager.java
https://ask.dcloud.net.cn/article/283	io/dcloud/g/b.java
http://ns.adobe.com/xap/1.0/\u0000	io/dcloud/common/util/ExifInterface.java
https://m3w.cn/s/	io/dcloud/common/util/ShortCutUtil.java
https://ask.dcloud.net.cn/article/282	io/dcloud/common/constant/DOMException.java
http://lbs.amap.com/api/android-sdk/guide/error/	io/dcloud/js/map/amap/adapters/AMapLink.java
https://er.dcloud.io/rv	io/dcloud/e/c/h/b.java
https://er.dcloud.net.cn/rv	io/dcloud/e/c/h/b.java
https://ask.dcloud.net.cn/article/35627	io/dcloud/e/b/a.java
https://ask.dcloud.net.cn/article/35877	io/dcloud/e/b/a.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
https://yuyin.baidu.com/voice?osname=voiceopen&action=usereventflow&	com/baidu/speech/utills/analysis/Analysis.java
https://vop.baidu.com/v2	com/baidu/speech/core/ASREngine.java
https://upl.baidu.com//words/add	com/baidu/speech/asr/SlotControl.java
https://vse.baidu.com/v2	com/baidu/speech/asr/SpeechConstant.java
https://vse.baidu.com/echo.fcgi	com/baidu/speech/asr/SpeechConstant.java
http://openapi.baidu.com/oauth/2.0/token?grant_type=client_credentials&client_id=	com/baidu/aip/core/mini/AutoCheck.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/p0003l/hk.java
http://restsdk.amap.com	com/amap/api/col/p0003l/v.java

http://restsdk.amap.com/v4/grasproad/driving?	com/amap/api/col/p0003l/fb.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/amap/api/col/p0003l/je.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/col/p0003l/de.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003l/de.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003l/gu.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003l/gu.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003l/s.java
http://restsdk.amap.com	com/amap/api/col/p0003l/fq.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003l/df.java
http://restsdk.amap.com/v3/place/text?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v3/place/around?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v3/config/district?	com/amap/api/col/p0003l/a.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/p0003l/fh.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/p0003l/fh.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc\	com/amap/api/col/p0003l/l.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003l/cr.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/s/bs.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/s/bs.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/s/cu.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/s/cu.java
http://restsdk.amap.com/v3	com/amap/api/col/s/i.java
https://restsdk.amap.com/v3	com/amap/api/col/s/i.java
http://restsdk.amap.com/v4	com/amap/api/col/s/i.java

https://restsdk.amap.com/v4	com/amap/api/col/s/i.java
http://restsdk.amap.com/v5	com/amap/api/col/s/i.java
https://restsdk.amap.com/v5	com/amap/api/col/s/i.java
http://yuntuapi.amap.com	com/amap/api/col/s/i.java
https://yuntuapi.amap.com	com/amap/api/col/s/i.java
http://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/i.java
https://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/i.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/i.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/i.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wb.amap.com/?n=%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/s/df.java
http://apiinit.amap.com/v3/log/init	com/amap/api/col/s/bt.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/bt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fs.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/en.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ft.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fa.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/az.java

https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/cp.java
https://errlog.umeng.com	com/uc/crashsdk/a/d.java
https://errlogos.umeng.com	com/uc/crashsdk/a/d.java
https://errnewlogos.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://errnewlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://errnewlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/ff/c.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/m/l/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/m/l/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/m/l/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/m/l/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/m/l/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/m/l/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/m/m/a.java
https://mobilegwpre.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java

https://api.weibo.com/oauth2/access_token	com/sina/weibo/sdk/a/e.java
https://service.weibo.com/share/mobilesdk_uppic.php	com/sina/weibo/sdk/a/d.java
https://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/WebActivity.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/web/WebActivity.java
https://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/b/d.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/auth/a.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
http://restsdk.amap.com/rest/lbs/dem/data?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/g.java
http://apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java

<a href="http://abroad.apilocate.amap.com/mobile/binary">http://abroad.apilocate.amap.com/mobile/binary</a>	com/autonavi/aps/amapapi/trans/a.java
<a href="http://dualstack-arestapi.amap.com/v3/geocode/regeo">http://dualstack-arestapi.amap.com/v3/geocode/regeo</a>	com/autonavi/aps/amapapi/trans/c.java
<a href="http://restsdk.amap.com/v3/geocode/regeo">http://restsdk.amap.com/v3/geocode/regeo</a>	com/autonavi/aps/amapapi/trans/c.java
<a href="https://sdk-open-phone.getui.com/api.php">https://sdk-open-phone.getui.com/api.php</a>	com/igexin/push/a.java
<a href="https://c-hzgt2.getui.com/api.php">https://c-hzgt2.getui.com/api.php</a>	com/igexin/push/a.java
<a href="https://d-gt.getui.com/api.htm">https://d-gt.getui.com/api.htm</a>	com/igexin/push/a.java
<a href="http://bi.">http://bi.</a>	com/igexin/push/config/g.java
<a href="http://config.">http://config.</a>	com/igexin/push/config/g.java
<a href="http://bi.">http://bi.</a>	com/igexin/push/config/b.java
<a href="http://config.">http://config.</a>	com/igexin/push/config/b.java
<a href="https://utoken.umeng.com">https://utoken.umeng.com</a>	com/umeng/umzid/ZIDManager.java
<a href="https://plbslog.umeng.com">https://plbslog.umeng.com</a>	com/umeng/commonsdk/stateless/a.java
<a href="https://ulogs.umeng.com">https://ulogs.umeng.com</a>	com/umeng/commonsdk/stateless/a.java
<a href="https://alogus.umeng.com">https://alogus.umeng.com</a>	com/umeng/commonsdk/stateless/a.java
<a href="https://ulogs.umeng.com">https://ulogs.umeng.com</a>	com/umeng/commonsdk/statistics/UMServerURL.java
<a href="https://alogus.umeng.com">https://alogus.umeng.com</a>	com/umeng/commonsdk/statistics/UMServerURL.java
<a href="https://alogsus.umeng.com">https://alogsus.umeng.com</a>	com/umeng/commonsdk/statistics/UMServerURL.java
<a href="https://ulogs.umengcloud.com">https://ulogs.umengcloud.com</a>	com/umeng/commonsdk/statistics/UMServerURL.java
<a href="https://pslog.umeng.com">https://pslog.umeng.com</a>	com/umeng/commonsdk/vchannel/a.java
<a href="https://pslog.umeng.com/">https://pslog.umeng.com/</a>	com/umeng/commonsdk/vchannel/a.java
<a href="https://developer.umeng.com/docs/66632/detail/">https://developer.umeng.com/docs/66632/detail/</a>	com/umeng/commonsdk/debug/UMLogUtils.java
<a href="https://developer.umeng.com/docs/119267/detail/182050">https://developer.umeng.com/docs/119267/detail/182050</a>	com/umeng/commonsdk/debug/UMLogCommon.java
<a href="https://aspect-upush.umeng.com/occa/v1/event/report">https://aspect-upush.umeng.com/occa/v1/event/report</a>	com/umeng/analytics/pro/am.java

https://ucc.umeng.com/v2/inn/fetch	com/umeng/analytics/pro/an.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://pslog.umeng.com/ablog	com/umeng/cconfig/UMRemoteConfig.java
https://ucc.umeng.com/v1/fetch	com/umeng/cconfig/UMRemoteConfig.java
https://ucc.umeng.com/v1/fetch	com/umeng/cconfig/c/b.java
https://pslog.umeng.com/ablog	com/umeng/cconfig/c/b.java
https://errnewlogos.umeng.com/upload	com/umeng/umcrash/UMCrash.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrash.java
https://errnewlog.umeng.com/upload	com/umeng/umcrash/UMCrash.java
https://errnewlog.umeng.com	com/umeng/umcrash/UMCrash.java
https://errnewlog.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utills/o.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utills/o.java
https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utills/o.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utills/o.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utills/o.java
https://mqqqad.html5.qq.com/adjs	com/tencent/smtt/utills/o.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utills/o.java
https://tbsrecovery.imtt.qq.com/getconfig	com/tencent/smtt/utills/o.java
https://tbs.imtt.qq.com/plugin/DebugPlugin_v2.tbs	com/tencent/smtt/utills/d.java
https://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/l.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java

https://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/ui/dialog/d.java
http://%s/%s/%s/timeshift.m3u8?starttime=%s&appid=%s&txKbps=0	com.tencent/liteav/i.java
http://%s/%s/%s/timeshift.m3u8?delay=0&appid=%s&txKbps=0	com.tencent/liteav/i.java
https://avc.qcloud.com/log/appsign.php	com.tencent/liteav/basic/log/a.java
https://avc.qcloud.com/log/report.php	com.tencent/liteav/basic/log/a.java
http://dldir1.qq.com/hudongzhibo/liteavsrcfg/serverconfig_en.zip	com.tencent/liteav/basic/e/b.java
https://livepull.myqcloud.com/getpulladdr	com.tencent/liteav/network/k.java
http://tcdns.myqcloud.com/queryip	com.tencent/liteav/network/c.java
http://playvideo.qcloud.com/getplayinfo/v2	com.tencent/liteav/network/f.java
https://playvideo.qcloud.com/getplayinfo/v2	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/coverBySnapshot/1513156403_1311093072.100_0.jpg?t=5c08d9fa&us=someus&sign=95f34beb353fe32cfe7f8b5e79cc28b1\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/imageSprite/1513156058_533711271_00001.jpg?t=5c08d9fa&us=someus&sign=79449db4e1fb05a3becfa096613659c3\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/imageSprite/1513156058_533711271.vtt?t=5c08d9fa&us=someus&sign=79449db4e1fb05a3becfa096613659c3\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/uAnXX00MLSAA.wmv?t=5c08d9fa&us=someus&sign=659af5dd3f27eb92dc4ed74eb561daa4\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/master_playlist.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f220.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java

http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f230.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f240.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f210.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f10.mp4?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f20.mp4?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
https://openmobile.qq.com/oauth2.0/me	com.tencent/connect/UnionInfo.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com.tencent/connect/common/BaseApi.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com.tencent/connect/common/BaseApi.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com.tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com.tencent/connect/auth/AuthAgent.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com.tencent/connect/auth/a.java
https://cgi.qplus.com/report/report	com.tencent/connect/avatar/ImageActivity.java
https://imgcache.qq.com/open/mobile/request/sdk_request.html?	com.tencent/open/SocialApiml.java
https://imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com.tencent/open/SocialApiml.java
https://imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com.tencent/open/SocialApiml.java
https://imgcache.qq.com	com.tencent/open/SocialApiml.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com.tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com.tencent/open/SocialOperation.java
https://openmobile.qq.com/	com.tencent/open/Utils/HttpUtils.java

<a href="https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf">https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf</a>	com/tencent/open/utills/i.java
<a href="https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report">https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report</a>	com/tencent/open/b/h.java
<a href="https://h.trace.qq.com/kv">https://h.trace.qq.com/kv</a>	com/tencent/open/b/b.java
<a href="https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&amp;noncestr=%s&amp;timestamp=%s&amp;scope=%s&amp;signature=%s">https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&amp;noncestr=%s&amp;timestamp=%s&amp;scope=%s&amp;signature=%s</a>	com/tencent/mm/opensdk/diffdev/a/b.java
<a href="https://long.open.weixin.qq.com/connect//qrconnect?f=json&amp;uuiid=%s">https://long.open.weixin.qq.com/connect//qrconnect?f=json&amp;uuiid=%s</a>	com/tencent/mm/opensdk/diffdev/a/c.java
<a href="https://ask.dcloud.net.cn/article/36199">https://ask.dcloud.net.cn/article/36199</a>	Mogua Engine V1
<a href="https://apis.map.qq.com/jsapi?qt=translate&amp;type=1&amp;points=\$">https://apis.map.qq.com/jsapi?qt=translate&amp;type=1&amp;points=\$</a>	Mogua Engine V2
<a href="http://www.w3.org/2000/svg">http://www.w3.org/2000/svg</a>	Mogua Engine V2
<a href="http://www.w3.org/1999/xlink">http://www.w3.org/1999/xlink</a>	Mogua Engine V2
<a href="https://service.dcloud.net.cn/uniapp/feedback.html">https://service.dcloud.net.cn/uniapp/feedback.html</a>	Mogua Engine V2
<a href="https://apis.map.qq.com/uri/v1/routeplan?type=drive&amp;to=">https://apis.map.qq.com/uri/v1/routeplan?type=drive&amp;to=</a>	Mogua Engine V2
<a href="https://www.google.com/maps?daddr=">https://www.google.com/maps?daddr=</a>	Mogua Engine V2
<a href="https://www.google.com/maps/">https://www.google.com/maps/</a>	Mogua Engine V2
<a href="https://github.com/uuidjs/uuid">https://github.com/uuidjs/uuid</a>	Mogua Engine V2
<a href="https://next.vuex.vuejs.org/">https://next.vuex.vuejs.org/</a>	Mogua Engine V2
<a href="https://vuejs.org/images/icons/favicon-96x96.png">https://vuejs.org/images/icons/favicon-96x96.png</a>	Mogua Engine V2
<a href="https://up.qbox.me">https://up.qbox.me</a>	Mogua Engine V2
<a href="https://up-z1.qbox.me">https://up-z1.qbox.me</a>	Mogua Engine V2
<a href="https://up-z2.qbox.me">https://up-z2.qbox.me</a>	Mogua Engine V2
<a href="https://up-na0.qbox.me">https://up-na0.qbox.me</a>	Mogua Engine V2
<a href="https://up-as0.qbox.me">https://up-as0.qbox.me</a>	Mogua Engine V2
<a href="https://shop.ucbay.com/index.php?s=/api/">https://shop.ucbay.com/index.php?s=/api/</a>	Mogua Engine V2
<a href="http://www.w3.org/2000/svg">http://www.w3.org/2000/svg</a>	Mogua Engine V2
<a href="https://www.mescroll.com/img/mescroll-totop.png">https://www.mescroll.com/img/mescroll-totop.png</a>	Mogua Engine V2

https://quilljs.com/	Mogua Engine V2
https://quilljs.com	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
https://vse.baidu.com/echo.fcgi	lib/x86/libBaiduSpeechSDK.so
https://mse.baidu.com/echo.fcgi	lib/x86/libBaiduSpeechSDK.so
https://vop.baidu.com/echo.fcgi	lib/x86/libBaiduSpeechSDK.so
https://openapi.baidu.com/oauth/2.0/token	lib/x86/libBaiduSpeechSDK.so
https://upl.baidu.com/auth.php	lib/x86/libBaiduSpeechSDK.so
https://crbug.com/v8/8520	lib/x86/libweexjss.so
http://lame.sf.net	lib/x86/liblamemp3.so
http://www.openssl.org/support/faq.html	lib/x86/libijkffmpeg.so

## ✉ 邮箱线索

邮箱地址	所在文件
ffmpeg-devel@ffmpeg.org	lib/x86/libijkplayer.so

## ☰ 手机线索

手机号	所在文件
17179869184	com/tencent/ijk/media/player/IjkMediaMeta.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

## ☀ 签名证书

APK已签名  
v1 签名: True  
v2 签名: True  
v3 签名: False  
找到 1 个唯一证书  
主题: C=q, ST=q, L=q, O=q, OU=q, CN=q  
签名算法: rsassa\_pkcs1v15  
有效期自: 2023-08-24 07:01:17+00:00  
有效期至: 2048-08-17 07:01:17+00:00  
发行人: C=q, ST=q, L=q, O=q, OU=q, CN=q  
序列号: 0x6e5952aa  
哈希算法: sha256  
md5值: 977a956d6a7f458c23b3a05f472d944b  
sha1值: 1379fbaa03222831983db17f73ba385d174cde35  
sha256值: 3724d57a21a3b931a87e45548d6817bb6cd4642dbc74998fd6155315d20a2103  
sha512值: 13ef6076d32260602a5bc453eefd7fdaa47069076ed1c9f3efc90c991202f0ffeacaeaf6683b83612893b3da30ffe8428e917fd1129de88400d207e1c684a60  
公钥算法: rsa  
密钥长度: 2048  
指纹: 9a0d7de469a8e0880899a321b5e4ee0bedf2bec06e23b4f8f8966ff14f2e3cbb

## 硬编码敏感信息

可能的敏感信息
"dcloud_common_user_refuse_api" : "the user denies access to the API"
"dcloud_feature_oauth_sina_plugin_description" : "sina weibo"
"dcloud_feature_oauth_weixin_plugin_description" : "wechat"
"dcloud_io_without_authorization" : "not authorized"
"dcloud_oauth_authentication_failed" : "failed to obtain authorization to log in to the authentication service"
"dcloud_oauth_empower_failed" : "the Authentication Service operation to obtain authorized logon failed"
"dcloud_oauth_logout_tips" : "not logged in or logged out"
"dcloud_oauth_oauth_not_empower" : "oAuth authorization has not been obtained"
"dcloud_oauth_token_failed" : "failed to get token"
"dcloud_permissions_reauthorization" : "reauthorize"
"dcloud_common_user_refuse_api" : "用户拒绝该API访问"
"dcloud_feature_oauth_sina_plugin_description" : "新浪微博"

"dcloud_feature_oauth_weixin_plugin_description": "微信"
"dcloud_io_without_authorization": "没有获得授权"
"dcloud_oauth_authentication_failed": "获取授权登录认证服务操作失败"
"dcloud_oauth_empower_failed": "获取授权登录认证服务操作失败"
"dcloud_oauth_logout_tips": "未登录或登录已注销"
"dcloud_oauth_oauth_not_empower": "尚未获取oauth授权"
"dcloud_oauth_token_failed": "获取token失败"
"dcloud_permissions_reauthorization": "重新授权"

## 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

## 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态

android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
getui.permission.GetuiService.com.ucbay.app	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VISUAL_USER_SELECTED	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.ucbay.app.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.ucbay.app.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference

freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
com.ucbay.app.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference

## 应用内通信

活动(ACTIVITY)	通信(INTENT)
com.tencent.tauth.AuthActivity	Schemes: QQ的appid://,
io.dcloud.PandoraEntryActivity	Schemes: ://,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。