



MoGua

KUBET 1.0.293.APK 分析报告



APP名称:

KUBET

包名:	com.obestseed.ku.vn
域名线索:	125条
URL线索:	78条
邮箱线索:	4条
分析日期:	2025年5月1日
分析平台:	摸瓜APK反编译平台

文件名: ku (1).apk
文件大小: 79.74MB
MD5值: f33934e56bdbd3618bc473360f3c2977
SHA1值: bc9b4d083d5f950c25bfdecee87bb9b66a924112
SHA256值: cda6e63f8c006cc9c8cef46dc85ad305ab26fef853bc340ddff7d07862ca284f

i APP 信息

App名称: KUBET
包名: com.obestseed.ku.vn
主活动Activity: net.ku.ku.activity.update.StartActivity
安卓版本名称: 1.0.293
安卓版本: 100293

🔍 域名线索

域名	服务器信息
hwbj.jzsub01.net	没有服务器地理信息.
thmdapi3.storegu.com	IP: 104.17.254.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
dev.wmspanel.comrn	没有服务器地理信息.
apicf.ntapi77.net	IP: 104.18.34.48 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

mdapi2.storegu.com	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
www.vb9969c.net	IP: 34.96.141.8 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
txgz.jzapi.net	没有服务器地理信息.
www.exness.com	IP: 31.13.88.169 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.smpte-ra.org	IP: 52.20.185.129 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
	IP: 119.42.35.39

apiws.tz886.net	所属国家: Australia 地区: Victoria 城市: Melbourne 纬度: -37.814007 经度: 144.963165
www.cnouyi.care	IP: 31.13.95.35 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
t.me	IP: 149.154.167.99 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: Warrington 纬度: 52.184460 经度: -0.687590
app.sm88i.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
txcd.jzapi.net	没有服务器地理信息.
computer.ta22.net	没有服务器地理信息.

www.vb6359d.net	IP: 154.194.12.1 所属国家: Indonesia 地区: Jakarta Raya 城市: Jakarta 纬度: -6.208678 经度: 106.845490
gcphk.jzsub01.net	没有服务器地理信息.
www.bitstamp.net	IP: 31.13.85.2 所属国家: Brazil 地区: Sao Paulo 城市: Sao Paulo 纬度: -23.547121 经度: -46.637184
bittrex.com	IP: 75.126.33.156 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
www.okx.com	IP: 169.254.0.2 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
jdom.org	IP: 208.95.104.182 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842
	IP: 18.167.87.227 所属国家: Hong Kong

d.mbd18obs.net	地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
mapi.seb121.net	IP: 34.92.179.254 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
www.gate.io	IP: 75.126.33.156 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
f2.h22302.xyz	IP: 104.26.3.138 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
playready.directtaps.net	IP: 104.45.231.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418

betlive.wd777.net	IP: 172.64.153.242 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
uat.sm88i.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
image.wd22.net	IP: 104.16.3.61 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mball.dff33.net	没有服务器地理信息.
vnt.sm88f.net	IP: 172.64.149.122 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
coinone.co.kr	IP: 31.13.69.169 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
	IP: 104.26.2.103

ubaby.io	所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
thmdapi2.storegu.com	IP: 138.113.153.218 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
tg88.net	IP: 107.154.81.21 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
mball.hf131.net	IP: 119.42.35.27 所属国家: Australia 地区: Victoria 城市: Melbourne 纬度: -37.814007 经度: 144.963165
v.ku6588.net	IP: 103.224.212.216 所属国家: Australia 地区: Victoria 城市: Beaumaris 纬度: -37.982201 经度: 145.038940
www.astropay.com	IP: 52.199.221.217 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499

	经度: 139.692322
www.ccil.org	IP: 142.251.211.243 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
vnmdapi3.storegu.com	IP: 138.113.153.219 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
alphachat1.storegu.com	IP: 104.17.253.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mdapi1.storegu.com	IP: 104.17.254.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
idmdapi3.storegu.com	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
	IP: 104.16.44.99 所属国家: United States of America

tools.ietf.org	地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.kraken.com	IP: 199.59.149.205 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
mdc.html5.qq.com	IP: 125.39.196.199 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
play.google.com	IP: 142.251.215.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
img.meisukang.com	IP: 18.167.133.69 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724

cnmdapi1.storegu.com	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
app.sm88f.net	IP: 172.64.149.122 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
img.sm88i.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
kuapi.ga55.net	IP: 119.42.35.20 所属国家: Australia 地区: Victoria 城市: Melbourne 纬度: -37.814007 经度: 144.963165
mapi.ku558.net	IP: 138.113.73.13 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
idmdapi1.storegu.com	IP: 104.17.253.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
en.bithumb.com	IP: 108.160.169.54 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
md2api3.storegu.com	IP: 104.17.254.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mdapi3.storegu.com	IP: 104.17.253.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 138.113.153.218

md2api2.storegu.com	所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
app.sm88t.net	IP: 119.42.35.40 所属国家: Australia 地区: Victoria 城市: Melbourne 纬度: -37.814007 经度: 144.963165
wup.imtt.qq.com	IP: 125.39.104.63 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
log.tbs.qq.com	IP: 124.95.224.248 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
apicd.tz886.net	IP: 138.113.153.220 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
app.sm88n.net	IP: 138.113.153.218 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528

img.sm88s.net	IP: 14.128.1.32 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.oohking.com	没有服务器地理信息.
apitf.ntapi77.net	IP: 119.42.35.40 所属国家: Australia 地区: Victoria 城市: Melbourne 纬度: -37.814007 经度: 144.963165
www.vb3969c.net	IP: 14.128.1.32 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
	IP: 173.236.182.137

www.htx.com.ru	所属国家: United States of America 地区: California 城市: Brea 纬度: 33.930222 经度: -117.888420
vnt.sm88n.net	IP: 138.113.153.220 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
www.kucoin.com	IP: 108.160.162.98 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mapi.ku333.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
cnmdapi2.storegu.com	IP: 138.113.153.219 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
www.youtube.com	IP: 157.240.17.35 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790

www.slf4j.org	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709
awshk.jzsub01.net	没有服务器地理信息.
hwsh.jzapi.net	没有服务器地理信息.
cnmdapi3.storegu.com	IP: 104.17.253.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
uat.sm88f.net	IP: 172.64.149.122 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.huobi.com	IP: 108.160.170.39 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.vb6995c.net	没有服务器地理信息.
mball.vq111.net	IP: 138.113.73.13 所属国家: Canada 地区: Ontario 城市: North York

	纬度: 43.771862 经度: -79.331528
d.mbd18tf.net	IP: 119.42.35.67 所属国家: Australia 地区: Victoria 城市: Melbourne 纬度: -37.814007 经度: 144.963165
vnmdapi1.storegu.com	IP: 104.17.253.107 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
vnt.sm88i.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
auth.alipay.com	IP: 203.209.247.64 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 138.113.153.220

img.sm88n.net	所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
mapi.ku998.net	IP: 98.159.108.61 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052986 经度: -118.263687
d.mbd18in.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
www.tw588.net	IP: 107.154.81.21 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
sgrapi.ku6688.net	IP: 59.188.250.54 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.vb9553v.net	IP: 154.194.12.5 所属国家: Indonesia 地区: Jakarta Raya 城市: Jakarta 纬度: -6.208678 经度: 106.845490

soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
ds.alipay.com	IP: 221.204.65.143 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
pro.coinbase.com	IP: 31.13.83.34 所属国家: Spain 地区: Madrid, Comunidad de 城市: Madrid 纬度: 40.416817 经度: -3.684733
md2api1.storegu.com	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
im.qq.com	IP: 116.130.223.178 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
27.123.229.19	IP: 27.123.229.19 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
img.sm88f.net	IP: 104.18.38.134 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
app.sm88s.net	IP: 138.113.153.220 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
logback.qos.ch	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
www.bitfinex.com	IP: 208.101.60.87 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
	IP: 45.223.148.204 所属国家: United States of America

thmdapi1.storegu.com	地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
image.ke888.net	没有服务器地理信息.
kuapi.ja11.net	没有服务器地理信息.
vnmdapi2.storegu.com	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
idmdapi2.storegu.com	IP: 138.113.153.219 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528
schemas.microsoft.com	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
aka.ms	IP: 23.54.121.160 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
	IP: 45.223.148.204 所属国家: United States of America

apiin.tz886.net	地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
www.binance.com	IP: 0.0.0.0 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.vb5999c.net	IP: 45.223.148.204 所属国家: United States of America 地区: California 城市: Redwood City 纬度: 37.532440 经度: -122.248833
remitano.com	IP: 104.18.29.12 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
d.mbd18cd.net	IP: 14.128.1.32 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
img.sm88t.net	IP: 61.4.118.6 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692

img.aimjxx.com	IP: 156.225.111.25 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
----------------	--

URL线索

URL信息	Url所在文件
http://logback.qos.ch/codes.html	ch/qos/logback/core/CoreConstants.java
http://logback.qos.ch/manual/	ch/qos/logback/core/CoreConstants.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/FileAppender.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/OutputStreamAppender.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/net/SyslogAppenderBase.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/net/AbstractSocketAppender.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/net/SMTPAppenderBase.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/joran/action/AppenderRefAction.java
http://xml.org/sax/features/validation	ch/qos/logback/core/joran/event/SaxEventRecorder.java
http://xml.org/sax/features/namespace	ch/qos/logback/core/joran/event/SaxEventRecorder.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/rolling/SizeBasedTriggeringPolicy.java

http://logback.qos.ch/codes.html	ch/qos/logback/core/rolling/TimeBasedRollingPolicy.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/rolling/RollingFileAppender.java
http://logback.qos.ch/manual/appenders.html	ch/qos/logback/core/rolling/SizeAndTimeBasedFNATP.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/rolling/FixedWindowRollingPolicy.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicyBase.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/rolling/helper/RenameUtil.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/pattern/parser/Parser.java
http://logback.qos.ch/codes.html	ch/qos/logback/core/sift/SiftingJoranConfiguratorBase.java
http://logback.qos.ch/css/classic.css	ch/qos/logback/classic/html/UrlCssBuilder.java
http://logback.qos.ch/codes.html	ch/qos/logback/classic/net/SocketReceiver.java
http://xmlpull.org/v1/doc/features.html	com/caverock/androidsvg/SVGParser.java
http://xml.org/sax/features/external-general-entities	com/caverock/androidsvg/SVGParser.java
http://xml.org/sax/properties/lexical-handler	com/caverock/androidsvg/SVGParser.java
http://www.smpite-ra.org/schemas/2052-1/2010/smpite-tt	com/googlecode/mp4parser/authoring/tracks/SMPTETTTTrackImpl.java
https://aka.ms/signalr-core-differences	com/microsoft/signalr/NegotiateResponse.java
https://mdapi1.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://mdapi2.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://mdapi3.storegu.com	com/ob/cslive/base/CSLiveSdk.java

https://md2api1.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://md2api2.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://md2api3.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://cnmdapi1.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://cnmdapi2.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://cnmdapi3.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://vnmdapi1.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://vnmdapi2.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://vnmdapi3.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://thmdapi1.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://thmdapi2.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://thmdapi3.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://idMdAPI1.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://idMdAPI2.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://idMdAPI3.storegu.com	com/ob/cslive/base/CSLiveSdk.java
https://mdapi1	com/ob/cslive/base/CSLiveSdk.java
https://mdapi2	com/ob/cslive/base/CSLiveSdk.java

https://mdapi3	com/ob/cslive/base/CSLiveSdk.java
https://alphachat1.storegu.com/images/emojione/	com/ob/cslive/emoji/EmojiClient.java
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/ag.java
http://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/a/d.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utls/s.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utls/s.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utls/s.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utls/s.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utls/s.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utls/s.java
http://mqqqad.html5.qq.com/adjs	com/tencent/smtt/utls/s.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utls/s.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utls/i.java
http://dev.wmspanel.com\r\n	com/wmspanel/libsl dp/SldpConnection.java
https://tools.ietf.org/html/rfc7518	io/jsonwebtoken/SignatureAlgorithm.java

https://github.com/jwt/jwt	io/jsonwebtoken/impl/DefaultClaims.java
https://tools.ietf.org/html/rfc7518	io/jsonwebtoken/security/Keys.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://www.exness.com/vi/	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://www.kucoin.com/vi	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://pro.coinbase.com	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://remitano.com/home/vn	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://www.binance.com/vi	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://www.gate.io/vi/	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://www.okx.com/vi	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java
https://www.huobi.com/vi-vi/	net/ku/ku/activity/deposit/fragment/DepositViDelegate.java

https://www.kraken.com	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://www.kucoin.com	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://pro.coinbase.com	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://en.bithumb.com	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://bittrex.com	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://www.oohking.com/cn	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://www.htx.com.ru/zh-cn/	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://ubaby.io/index	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://coinone.co.kr	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://www.bitfinex.com	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://www.bitstamp.net	net/ku/ku/activity/deposit/fragment/DepositCnDelegate.java
https://f2.h22302.xyz/login	net/ku/ku/activity/deposit/fragment/token/DepositRCoinFragment.java
https://auth.alipay.com/login/index.htm	net/ku/ku/activity/deposit/fragment/alipay/DepositAlipayExclusiveFragment.java
https://www.astropay.com/?lang=zh-hans	net/ku/ku/activity/deposit/fragment/astropay/DepositAstropayFragment.java
https://im.qq.com/download/	net/ku/ku/activity/sub/fragment/ServiceFragment.java
https://play.google.com/store/apps/details?id=com.viber.voip	net/ku/ku/activity/sub/fragment/ServiceFragment.java
https://return/	net/ku/ku/activity/webView/NewWebViewActivity.java
https://ds.alipay.com/	net/ku/ku/activity/webView/fragment/WebDepositDialogFragment.java

http://\	net/ku/ku/activity/main/KuCache.java
https://\	net/ku/ku/activity/main/KuCache.java
https://v.ku6588.net/Mobile/avEvent.html	net/ku/ku/util/AvEventView.java
https://www.youtube.com/	net/ku/sm/activity/view/forum/player/YouTubePlayer.java
https://www.youtube.com/embed/	net/ku/sm/activity/view/forum/richView/SMRichEditView.java
https://mimg	net/ku/sm/api/SmApi\$Companion\$speedTestImgAPI\$1\$task\$1.java
http://mimg	net/ku/sm/api/SmApi\$Companion\$speedTestImgAPI\$1\$task\$1.java
http://w3.org/1999/xhtml	org/htmlcleaner/HtmlCleaner.java
http://jdom.org/jdom2/transform/JDOMResult/feature	org/jdom2/JDOMConstants.java
http://jdom.org/jdom2/transform/JDOMSource/feature	org/jdom2/JDOMConstants.java
http://xml.org/sax/features/external-general-entities	org/jdom2/JDOMConstants.java
http://xml.org/sax/features/namespaces	org/jdom2/JDOMConstants.java
http://xml.org/sax/features/namespace-prefixes	org/jdom2/JDOMConstants.java
http://xml.org/sax/features/validation	org/jdom2/JDOMConstants.java
http://xml.org/sax/properties/declaration-handler	org/jdom2/JDOMConstants.java
http://xml.org/sax/handlers/DeclHandler	org/jdom2/JDOMConstants.java
http://xml.org/sax/properties/lexical-handler	org/jdom2/JDOMConstants.java

http://xml.org/sax/handlers/LexicalHandler	org/jdom2/JDOMConstants.java
http://xml.org/sax/features/namespace-prefixes	org/jdom2/output/SAXOutputter.java
http://xml.org/sax/features/namespaces	org/jdom2/output/SAXOutputter.java
http://xml.org/sax/features/validation	org/jdom2/output/SAXOutputter.java
http://xml.org/sax/properties/lexical-handler	org/jdom2/output/SAXOutputter.java
http://xml.org/sax/properties/lexical-handler	org/jdom2/output/support/AbstractSAXOutputProcessor.java
http://xml.org/sax/properties/lexical-handler	org/jdom2/input/SAXBuilder.java
http://xml.org/sax/features/external-general-entities	org/jdom2/input/SAXBuilder.java
http://xml.org/sax/features/validation	org/jdom2/input/sax/XMLReaderSAX2Factory.java
http://xml.org/sax/features/namespaces	org/jdom2/input/sax/XMLReaderSAX2Factory.java
http://xml.org/sax/features/namespace-prefixes	org/jdom2/input/sax/XMLReaderSAX2Factory.java
http://jdom.org/jdom2/transform/JDOMSource/feature	org/jdom2/transform/JDOMSource.java
http://jdom.org/jdom2/transform/JDOMResult/feature	org/jdom2/transform/JDOMResult.java
http://temporary	org/jdom2/adapters/AbstractDOMAdapter.java
http://jdom.org/jaxp/xpath/jdom	org/jdom2/xpath/XPath.java
http://www.slf4j.org/codes.html	org/slf4j/MDC.java
http://www.slf4j.org/codes.html	org/slf4j/LoggerFactory.java
http://logback.qos.ch/codes.html	org/slf4j/impl/StaticLoggerBinder.java

http://www.ccil.org/	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/xml-1.1	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/external-general-entities	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/external-parameter-entities	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/is-standalone	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/lexical-handler/parameter-entities	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/properties/lexical-handler	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/namespace-prefixes	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/namespaces	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/resolve-dtd-uris	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/string-interning	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/unicode-normalization-checking	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/use-attributes2	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/use-entity-resolver2	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/use-locator2	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/validation	org/ccil/cowan/tagsoup/Parser.java
http://xml.org/sax/features/xmlns-uris	org/ccil/cowan/tagsoup/Parser.java

http://xml.org/sax/features/namespaces	org/ccil/cowan/tagsoup/CommandLine.java
http://xml.org/sax/properties/lexical-handler	org/ccil/cowan/tagsoup/CommandLine.java
http://xml.org/sax/features/namespaces	org/ccil/cowan/tagsoup/jaxp/SAXParserImpl.java
http://xml.org/sax/features/validation	org/ccil/cowan/tagsoup/jaxp/SAXParserImpl.java
http://playready.directtaps.net/pr/svc/rightsmanager.asmx	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
https://github.com/vinc3m1	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView.git	摸瓜V1引擎
https://t.me/CSKU19	摸瓜V1引擎
https://sgrapi.ku6688.net	摸瓜V1引擎
https://www.cnouyi.care/download?first_ref=www.okx.com&channelId=27128786	摸瓜V1引擎
https://www.okx.com/download/guide1	摸瓜V1引擎
https://mball.hf131.net/KU_APPAPI	摸瓜V2引擎
https://mball.dff33.net/KU_APPAPI	摸瓜V2引擎
https://mball.vq111.net/KU_APPAPI	摸瓜V2引擎
https://gcphk.jzsub01.net:8083	摸瓜V2引擎
https://txgz.jzapi.net:8083	摸瓜V2引擎

https://hwbj.jzsub01.net:8083	摸瓜V2引擎
https://txcd.jzapi.net:8083	摸瓜V2引擎
https://awshk.jzsub01.net:8083	摸瓜V2引擎
https://hwsh.jzapi.net:8083	摸瓜V2引擎
https://betlive.wd777.net/Index.aspx	摸瓜V2引擎
https://image.wd22.net/	摸瓜V2引擎
https://image.ke888.net/	摸瓜V2引擎
https://mball.hf131.net	摸瓜V2引擎
https://mball.dff33.net	摸瓜V2引擎
https://mball.vq111.net	摸瓜V2引擎
https://www.tw588.net	摸瓜V2引擎
https://tg88.net	摸瓜V2引擎
https://kuapi.ga55.net	摸瓜V2引擎
https://kuapi.ja11.net	摸瓜V2引擎
https://computer.ta22.net	摸瓜V2引擎
https://apicd.tz886.net	摸瓜V2引擎
https://apitf.ntapi77.net	摸瓜V2引擎

https://apiin.tz886.net	摸瓜V2引擎
https://apicf.ntapi77.net	摸瓜V2引擎
https://apiws.tz886.net	摸瓜V2引擎
https://d.mbd18cd.net	摸瓜V2引擎
https://d.mbd18tf.net	摸瓜V2引擎
https://d.mbd18in.net	摸瓜V2引擎
https://d.mbd18obs.net	摸瓜V2引擎
https://mapi.ku998.net	摸瓜V2引擎
https://mapi.ku333.net	摸瓜V2引擎
https://mapi.ku558.net	摸瓜V2引擎
https://mapi.seb121.net	摸瓜V2引擎
https://www.vb5999c.net	摸瓜V2引擎
https://www.vb9969c.net	摸瓜V2引擎
https://www.vb3969c.net	摸瓜V2引擎
https://www.vb9553v.net	摸瓜V2引擎
https://www.vb6995c.net	摸瓜V2引擎
https://www.vb6359d.net	摸瓜V2引擎
http://27.123.229.19:6126/	摸瓜V2引擎

https://app.sm88n.net	摸瓜V2引擎
https://app.sm88i.net	摸瓜V2引擎
https://app.sm88t.net	摸瓜V2引擎
https://app.sm88f.net	摸瓜V2引擎
https://app.sm88s.net	摸瓜V2引擎
https://img.sm88n.net	摸瓜V2引擎
https://img.sm88i.net	摸瓜V2引擎
https://img.sm88f.net	摸瓜V2引擎
https://img.sm88t.net	摸瓜V2引擎
https://img.aimjxx.com	摸瓜V2引擎
https://img.sm88s.net	摸瓜V2引擎
https://img.meisukang.com	摸瓜V2引擎
https://uat.sm88f.net	摸瓜V2引擎
https://uat.sm88i.net	摸瓜V2引擎
https://vnt.sm88n.net	摸瓜V2引擎
https://vnt.sm88i.net	摸瓜V2引擎
https://vnt.sm88f.net	摸瓜V2引擎

邮箱线索

邮箱地址	所在文件
this@modifypsdfragment.javaclass	net/ku/ku/activity/member/memberProfile/fragment/ModifyPsdFragment\$initVerifyWithdrawalDialog\$1\$1.java
this@modifypsdfragmentvi.javaclass	net/ku/ku/activity/member/memberProfile/fragment/ModifyPsdFragmentVi\$initVerifyWithdrawalDialog\$1\$1.java
this@usdtfragment.javaclass	net/ku/ku/activity/withdrawals/fragment/UsdtFragment.java
ku11dotnet@gmail.com	摸瓜V1引擎

手机线索

手机号	所在文件
17179869184	com/caverock/androidsvg/SVG.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java
13454345500	摸瓜V2引擎
13454345500	摸瓜V2引擎

签名证书

无法读取代码签名证书.

硬编码敏感信息

可能的敏感信息
"AccountIDKey" : "AccountIDKey"
"ApiCheckPwdAndWithdrawalPWD" : "/Api/v1/MemberInfo/CheckPwdAndWithdrawalPWD"
"ApiGetMemberAccountNameWithIsUseWithdrawalPWD" : "/Api/v1/MemberInfo/GetMemberAccountNameWithIsUseWithdrawalPWD"
"ApiGetMemberIsUseWithdrawalPWD" : "/Api/v1/MemberInfo/GetMemberIsUseWithdrawalPWD"
"ApiVerifyCaptchaForgetPwd" : "/Api/v1.1/Verify/VerifyCaptchaForgetPwd"
"ApiVerifyWithdrawPWD" : "/Api/v1/Verify/VerifyWithdrawPWD"
"CellPhoneKey" : "CellPhoneKey"
"bind_bank_card_pwd" : "Mật khẩu bảo mật"
"deposit_token" : "Tiền mã hóa"
"deposit_token_USDT" : "USDT"
"deposit_token_actual_pay" : ""
"deposit_token_no_protocol" : ""
"deposit_token_no_protocol_a" : "Không có mạng lưới"
"deposit_token_protocol" : "Mạng lưới"
"deposit_token_quick_access" : "Truy cập sàn giao dịch"

"deposit_token_quick_access_okx_help" : "欧易网址无法开启？ "
"deposit_token_rate_change" : "Tỷ giá hiện tại đã thay đổi,tỷ giá hiện tại 1USDT=%s điểm, vui lòng xác nhận làm lệnh!"
"deposit_token_select_protocol" : "Chọn mạng lưới"
"deposit_token_terms" : "Vui lòng nạp tiền đúng mạng lưới đã chọn, nếu không, chúng tôi sẽ không thể nhận được và không chịu trách nhiệm."
"deposit_token_terms_a" : "Tỷ giá tham khảo hiện tại 1USDT = %s điểm"
"deposit_token_type" : ""
"dialog_withdrawal_pwd_erro" : "Mật khẩu bảo mật sai!"
"dialog_withdrawal_pwd_input_size_err" : "6 ~ 10 ký tự chữ và số"
"dialog_withdrawal_pwd_is_null" : "Hãy nhập mật khẩu rút tiền"
"forget_choose_pwd_type" : "Vui lòng chọn loại mật khẩu"
"forget_password" : "Mật khẩu đăng nhập mới"
"forget_password_cannot_same_as_withdrawal_password" : "Mật khẩu đăng nhập phải khác mật khẩu bảo mật"
"forget_withdrawal_password" : "Mật khẩu bảo mật mới"
"forget_withdrawal_password_cannot_same_as_password" : "Phải khác mật khẩu đăng nhập"
"ku_key" : "Q156fe23b48h6xFDS"
"ku_login_password" : "Mật khẩu"
"ku_setting_protect_password" : "Mật khẩu bảo mật"

"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"member_profile_forget_password" : "Quên mật khẩu"
"member_profile_is_use_protect_password" : "Khi rút tiền có sử dụng mật khẩu bảo mật hay không"
"member_profile_member_ppwd_waring" : "6 ~ 10 ký tự chữ và số"
"member_profile_nickname_password" : "Biệt danh / Mật khẩu"
"member_profile_please_input_withdrawal_password" : "6 ~ 10 ký tự chữ và số"
"member_profile_use_withdrawal_password" : "Sử dụng mật khẩu bảo mật"
"member_profile_withdrawal_password" : "Mật khẩu bảo mật"
"member_transfer_withdrawal_pwd" : "Mật khẩu bảo mật"
"member_transfer_withdrawal_pwd_cannot" : "Không sử dụng"
"modify_content_after_pwd" : "*****"
"modify_content_before_pwd" : "*****"
"modify_content_field_display_name_is_use_withdrawal_pwd" : "使用保護密碼"
"modify_content_field_display_name_pwd" : "登錄密碼"
"modify_content_field_display_name_withdrawal_pwd" : "保護密碼"
"modify_content_field_is_use_withdrawal_pwd" : "IsUseWithdrawalPWD"
"modify_content_field_name_pwd" : "PWD"

"modify_content_field_name_withdrawal_pwd" : "WithdrawalPWD"
"quickLoginSetting_accPwd" : "Mật khẩu tài khoản"
"register_alert_easy_password" : "Mật khẩu quá đơn giản, hãy thiết lập lại"
"register_alert_password" : "6 ~ 10 ký tự chữ và số"
"register_alert_pwd_same_account" : "新登录密码与会员帐号不可相同"
"register_alert_pwd_same_withdrawal" : "新保护密码与会员帐号不可相同"
"register_password" : "Mật khẩu"
"registered_additionally_pwd_same_to_withdrawals_pwd" : "Phải khác mật khẩu đăng nhập"
"sm_forum_select_mode_author" : "搜尋作者"
"sm_get_private_point_dialog_no_enough" : "餘額不足"
"sm_get_private_point_dialog_success" : "购买成功"
"sm_get_private_point_dialog_term_a" : "1. 酷映點數及免費贈點點數，皆可購買私密直播時數。"
"sm_get_private_point_dialog_term_b" : "3. 私密直播時數購買後恕不退回。"
"sm_get_private_point_dialog_term_c" : "2. 私密直播時數僅限於私密直播間使用，消費方式為%s點/1分鐘。"
"sm_get_private_point_dialog_term_title" : "注意事項:"
"sm_get_private_point_dialog_time_unit_min" : "分鐘"
"sm_get_private_point_dialog_title" : "私密直播時數"

"sm_get_private_point_dialog_use_point_tip_free" : "使用免费赠礼點數 %s"
"sm_get_private_point_dialog_use_point_tip_sm" : "使用酷映点数點數 %s"
"sm_member_window_private_time_title" : "私密时数"
"sm_private_beauty_buy_point_1" : "購買私密時數"
"sm_private_beauty_buy_point_2" : "時數不足，請立即購買時數"
"sm_private_beauty_enter" : "進入私密直播"
"sm_private_beauty_min" : "分"
"sm_private_beauty_playing" : "精彩私密直播中"
"sm_private_beauty_point_per_min" : "%s點 / 1分鐘"
"sm_private_beauty_record_can_have_used_time" : "%s已觀看時數： "
"sm_private_beauty_record_can_use_time" : "可觀看時數： "
"sm_private_beauty_record_get_title" : "購買記錄"
"sm_private_beauty_record_item_get_cost_title" : "點數"
"sm_private_beauty_record_item_get_no_data" : "暂无购买记录"
"sm_private_beauty_record_item_get_order" : "單號： "
"sm_private_beauty_record_item_get_time" : "時間： "
"sm_private_beauty_record_item_get_time_title" : "購買時間"
"sm_private_beauty_record_item_get_value_title" : "購買時數"

"sm_private_beauty_record_item_use_cost_title" : "觀看時數"
"sm_private_beauty_record_item_use_name_title" : "私密主播"
"sm_private_beauty_record_item_use_no_data" : "暂无时数记录"
"sm_private_beauty_record_item_use_value_end" : "結束時間： "
"sm_private_beauty_record_item_use_value_start" : "開始時間： "
"sm_private_beauty_record_item_use_value_title" : "觀看時間"
"sm_private_beauty_record_use_title" : "時數記錄"
"sm_private_beauty_sec" : "秒"
"sm_private_beauty_time_limit" : "倒數結束後，將離開直播間"
"withdrawals_forget_pwd" : ""
"withdrawals_password" : "MK bảo mật"
"sm_forum_select_mode_author" : "Mencari Penulis"
"sm_get_private_point_dialog_no_enough" : "Saldo tidak mencukupi"
"sm_get_private_point_dialog_success" : "Pembelian berhasil"
"sm_get_private_point_dialog_term_a" : "1. Poin Cool-in dan poin pemberian poin gratis dapat digunakan untuk membeli durasi live private."
"sm_get_private_point_dialog_term_b" : "3. Durasi live private tidak bisa dikembalikan setelah pembelian."
"sm_get_private_point_dialog_term_c" : "2. Durasi live private hanya bisa digunakan pada ruang live stream private, dengan metode pembelian X poin untuk 1 menit."

"sm_get_private_point_dialog_term_title" : "Hal yang harus diperhatikan:"
"sm_get_private_point_dialog_time_unit_min" : "Menit"
"sm_get_private_point_dialog_title" : "Durasi Live Streaming private"
"sm_get_private_point_dialog_use_point_tip_free" : "Menggunakan Poin Free Gift Poin %s"
"sm_get_private_point_dialog_use_point_tip_sm" : "Menggunakan Poin Cool-in Poin %s"
"sm_member_window_private_time_title" : "Durasi private"
"sm_private_beauty_buy_point_1" : "Pembelian durasi private"
"sm_private_beauty_buy_point_2" : "Durasi tidak cukup, Silakan segera membeli durasi"
"sm_private_beauty_enter" : "Masuk Live Streaming Private"
"sm_private_beauty_min" : "Menit"
"sm_private_beauty_playing" : "Live Streaming private yang luar biasa"
"sm_private_beauty_point_per_min" : "%s Poin 1 menit"
"sm_private_beauty_record_can_have_used_time" : "Durasi tontonan dalam %s: "
"sm_private_beauty_record_can_use_time" : "Jam tayang yang tersedia: "
"sm_private_beauty_record_get_title" : "Riwayat pembelian"
"sm_private_beauty_record_item_get_cost_title" : "Poin"
"sm_private_beauty_record_item_get_no_data" : "Tidak Ada Riwayat Pembelian"

"sm_private_beauty_record_item_get_order" : "No: "
"sm_private_beauty_record_item_get_time" : "Waktu: "
"sm_private_beauty_record_item_get_time_title" : "Waktu pembelian"
"sm_private_beauty_record_item_get_value_title" : "Durasi Pembelian"
"sm_private_beauty_record_item_use_cost_title" : "Durasi tontonan"
"sm_private_beauty_record_item_use_name_title" : "MC private"
"sm_private_beauty_record_item_use_no_data" : "Tidak Ada Riwayat Durasi"
"sm_private_beauty_record_item_use_value_end" : "Waktu berakhir: "
"sm_private_beauty_record_item_use_value_start" : "Waktu mulai: "
"sm_private_beauty_record_item_use_value_title" : "Waktu menonton"
"sm_private_beauty_record_use_title" : "Riwayat durasi"
"sm_private_beauty_sec" : "Detik"
"sm_private_beauty_time_limit" : "Setelah hitung mundur selesai, akan meninggalkan ruang live streaming"
"sm_forum_select_mode_author" : "ค้นหาผู้เขียน"
"sm_get_private_point_dialog_no_enough" : "ยอดเงินคงเหลือไม่พอ"
"sm_get_private_point_dialog_success" : "ซื้อสำเร็จ"
"sm_get_private_point_dialog_term_a" : "1. แด้มCOOL-INและแด้มส่งของขวัญฟรี สามารถซื้อเวลาเวลาไลฟ์สดส่วนตัวได้"
"sm_get_private_point_dialog_term_b" : "3. เมื่อซื้อเวลาไลฟ์สดส่วนตัวแล้วไม่สามารถขอคืนได้"

"sm_get_private_point_dialog_term_c" : "2. เวลาไลฟ์สดส่วนตัวใช้ได้เฉพาะห้องไลฟ์สดส่วนตัวเท่านั้น รูปแบบการคิดเป็น %s แด้ม/ 1 นาที"
"sm_get_private_point_dialog_term_title" : "ข้อควรระวัง:"
"sm_get_private_point_dialog_time_unit_min" : "นาที"
"sm_get_private_point_dialog_title" : "เวลาไลฟ์สดส่วนตัว"
"sm_get_private_point_dialog_use_point_tip_free" : "ใช้ ส่งของขวัญฟรี แด้ม %s"
"sm_get_private_point_dialog_use_point_tip_sm" : "ใช้ แด้มCOOL-IN แด้ม %s"
"sm_member_window_private_time_title" : "เวลาส่วนตัว"
"sm_private_beauty_buy_point_1" : "ซื้อเวลาไลฟ์สดส่วนตัว"
"sm_private_beauty_buy_point_2" : "เวลาไม่เพียงพอ โปรดซื้อเวลาเพิ่ม"
"sm_private_beauty_enter" : "เข้าสู่การไลฟ์สดส่วนตัว"
"sm_private_beauty_min" : "นาที"
"sm_private_beauty_playing" : "การไลฟ์สดส่วนตัวที่ยอดเยี่ยม"
"sm_private_beauty_point_per_min" : "%sแด้ม/1 นาที"
"sm_private_beauty_record_can_have_used_time" : "%s เวลาที่รับชมแล้ว: "
"sm_private_beauty_record_can_use_time" : "เวลาที่รับชมได้: "
"sm_private_beauty_record_get_title" : "บันทึกการซื้อ"
"sm_private_beauty_record_item_get_cost_title" : "แด้ม"

"sm_private_beauty_record_item_get_no_data" : "ขณะนี้ไม่มีบันทึกการซื้อ"
"sm_private_beauty_record_item_get_order" : "เลขบิล: "
"sm_private_beauty_record_item_get_time" : "เวลา: "
"sm_private_beauty_record_item_get_time_title" : "ซื้อเวลา"
"sm_private_beauty_record_item_get_value_title" : "ซื้อเวลา"
"sm_private_beauty_record_item_use_cost_title" : "เวลารับชม"
"sm_private_beauty_record_item_use_name_title" : "ไลฟ์สดส่วนตัว"
"sm_private_beauty_record_item_use_no_data" : "ขณะนี้ไม่มีบันทึกเวลา"
"sm_private_beauty_record_item_use_value_end" : "จบเวลา: "
"sm_private_beauty_record_item_use_value_start" : "เริ่มเวลา: "
"sm_private_beauty_record_item_use_value_title" : "เวลารับชม"
"sm_private_beauty_record_use_title" : "บันทึกเวลา"
"sm_private_beauty_sec" : "นาที"
"sm_private_beauty_time_limit" : "เมื่อเวลาหมดแล้ว จะถูกออกจากห้องไลฟ์สด"
"sm_forum_select_mode_author" : "搜寻作者"
"sm_get_private_point_dialog_no_enough" : "餘額不足"
"sm_get_private_point_dialog_success" : "购买成功"
"sm_get_private_point_dialog_term_a" : "1. 酷映点数及免费赠点点数，皆可购买私密直播时数。"

"sm_get_private_point_dialog_term_b" : "3. 私密直播时数购买后恕不退回。"
"sm_get_private_point_dialog_term_c" : "2. 私密直播时数仅限于私密直播间使用，消费方式为%s点/1分钟。"
"sm_get_private_point_dialog_term_title" : "注意事项:"
"sm_get_private_point_dialog_time_unit_min" : "分钟"
"sm_get_private_point_dialog_title" : "私密直播时数"
"sm_get_private_point_dialog_use_point_tip_free" : "使用免费赠礼点数 %s"
"sm_get_private_point_dialog_use_point_tip_sm" : "使用酷映点数点数 %s"
"sm_member_window_private_time_title" : "私密时数"
"sm_private_beauty_buy_point_1" : "购买私密时数"
"sm_private_beauty_buy_point_2" : "時数不足，请立即购买时数"
"sm_private_beauty_enter" : "进入私密直播"
"sm_private_beauty_min" : "分"
"sm_private_beauty_playing" : "精彩私密直播中"
"sm_private_beauty_point_per_min" : "%s点 / 1分钟"
"sm_private_beauty_record_can_have_used_time" : "%s已观看时数： "
"sm_private_beauty_record_can_use_time" : "可观看时数： "
"sm_private_beauty_record_get_title" : "购买记录"

"sm_private_beauty_record_item_get_cost_title" : "点数"
"sm_private_beauty_record_item_get_no_data" : "暂无购买记录"
"sm_private_beauty_record_item_get_order" : "单号： "
"sm_private_beauty_record_item_get_time" : "时间： "
"sm_private_beauty_record_item_get_time_title" : "购买时间"
"sm_private_beauty_record_item_get_value_title" : "购买时数"
"sm_private_beauty_record_item_use_cost_title" : "观看时数"
"sm_private_beauty_record_item_use_name_title" : "私密主播"
"sm_private_beauty_record_item_use_no_data" : "暂无时数记录"
"sm_private_beauty_record_item_use_value_end" : "结束时间： "
"sm_private_beauty_record_item_use_value_start" : "开始时间： "
"sm_private_beauty_record_item_use_value_title" : "观看时间"
"sm_private_beauty_record_use_title" : "时数记录"
"sm_private_beauty_sec" : "秒"
"sm_private_beauty_time_limit" : "倒数结束后， 将离开直播间"
"sm_forum_select_mode_author" : "Tìm kiếm tác giả"
"sm_get_private_point_dialog_no_enough" : "Số dư không đủ"
"sm_get_private_point_dialog_success" : "Mua thành công"

"sm_get_private_point_dialog_term_a" : "1. Điểm số Cool-In và điểm số quà tặng miễn phí, có thể được dùng để mua số giờ Live riêng tư."
"sm_get_private_point_dialog_term_b" : "3. Số giờ Live riêng tư đã mua không được hoàn lại."
"sm_get_private_point_dialog_term_c" : "2. Số giờ Live riêng tư được giới hạn sử dụng trong các phòng Live riêng tư, phương thức thanh toán là %s điểm / 1 phút."
"sm_get_private_point_dialog_term_title" : "Điều cần lưu ý:"
"sm_get_private_point_dialog_time_unit_min" : "Phút"
"sm_get_private_point_dialog_title" : "Số giờ Live riêng tư"
"sm_get_private_point_dialog_use_point_tip_free" : "Dùng quà tặng miễn phí Điểm số %s"
"sm_get_private_point_dialog_use_point_tip_sm" : "Dùng điểm số Cool-In Điểm số %s"
"sm_member_window_private_time_title" : "Thời gian riêng tư"
"sm_private_beauty_buy_point_1" : "Mua số giờ riêng tư"
"sm_private_beauty_buy_point_2" : "Số giờ không đủ, xin vui lòng mua thêm"
"sm_private_beauty_enter" : "Vào Live riêng tư"
"sm_private_beauty_min" : "Phút"
"sm_private_beauty_playing" : "Đặc sắc trong lúc Live riêng tư"
"sm_private_beauty_point_per_min" : "%sđiểm / 1 phút"
"sm_private_beauty_record_can_have_used_time" : "%s số giờ đã xem: "
"sm_private_beauty_record_can_use_time" : "Số giờ có thể xem: "

"sm_private_beauty_record_get_title" : "Lượt mua kỷ lục"
"sm_private_beauty_record_item_get_cost_title" : "Điểm số"
"sm_private_beauty_record_item_get_no_data" : "Tạm thời không có lượt mua kỷ lục"
"sm_private_beauty_record_item_get_order" : "Mã đơn: "
"sm_private_beauty_record_item_get_time" : "Thời gian: "
"sm_private_beauty_record_item_get_time_title" : "Mua thời gian"
"sm_private_beauty_record_item_get_value_title" : "Mua thời gian"
"sm_private_beauty_record_item_use_cost_title" : "Xem số giờ"
"sm_private_beauty_record_item_use_name_title" : "Riêng tư với MC"
"sm_private_beauty_record_item_use_no_data" : "Tạm thời không có số giờ kỷ lục"
"sm_private_beauty_record_item_use_value_end" : "Thời gian kết thúc: "
"sm_private_beauty_record_item_use_value_start" : "Thời gian bắt đầu: "
"sm_private_beauty_record_item_use_value_title" : "Thời gian lượt xem"
"sm_private_beauty_record_use_title" : "Thời gian kỷ lục"
"sm_private_beauty_sec" : "Giây"
"sm_private_beauty_time_limit" : "Sau khi đếm ngược kết thúc, sẽ rời khỏi phòng Live"
"sm_get_private_point_dialog_no_enough" : "餘額不足"
"sm_get_private_point_dialog_success" : "購買成功"

"sm_get_private_point_dialog_term_a" : "1. 酷映點數及免費贈點點數，皆可購買私密直播時數。"
"sm_get_private_point_dialog_term_b" : "3. 私密直播時數購買後恕不退回。"
"sm_get_private_point_dialog_term_c" : "2. 私密直播時數僅限於私密直播間使用，消費方式為%s點/1分鐘。"
"sm_get_private_point_dialog_term_title" : "注意事項:"
"sm_get_private_point_dialog_time_unit_min" : "分鐘"
"sm_get_private_point_dialog_title" : "私密直播時數"
"sm_get_private_point_dialog_use_point_tip_free" : "使用免費贈禮點數 %s"
"sm_get_private_point_dialog_use_point_tip_sm" : "使用酷映點數點數 %s"
"sm_member_window_private_time_title" : "私密時數"
"sm_private_beauty_buy_point_1" : "購買私密時數"
"sm_private_beauty_buy_point_2" : "時數不足，請立即購買時數"
"sm_private_beauty_enter" : "進入私密直播"
"sm_private_beauty_min" : "分"
"sm_private_beauty_playing" : "精彩私密直播中"
"sm_private_beauty_point_per_min" : "%s點 / 1分鐘"
"sm_private_beauty_record_can_have_used_time" : "%s已觀看時數： "
"sm_private_beauty_record_can_use_time" : "可觀看時數： "

"sm_private_beauty_record_get_title" : "購買記錄"
"sm_private_beauty_record_item_get_cost_title" : "點數"
"sm_private_beauty_record_item_get_no_data" : "暫無購買記錄"
"sm_private_beauty_record_item_get_order" : "單號： "
"sm_private_beauty_record_item_get_time" : "時間： "
"sm_private_beauty_record_item_get_time_title" : "購買時間"
"sm_private_beauty_record_item_get_value_title" : "購買時數"
"sm_private_beauty_record_item_use_cost_title" : "觀看時數"
"sm_private_beauty_record_item_use_name_title" : "私密主播"
"sm_private_beauty_record_item_use_no_data" : "暫無時數記錄"
"sm_private_beauty_record_item_use_value_end" : "結束時間： "
"sm_private_beauty_record_item_use_value_start" : "開始時間： "
"sm_private_beauty_record_item_use_value_title" : "觀看時間"
"sm_private_beauty_record_use_title" : "時數記錄"
"sm_private_beauty_sec" : "秒"
"sm_private_beauty_time_limit" : "倒數結束後，將離開直播間"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.RECEIVE_SMS	危险	接收短信	允许应用程序接收和处理 SMS 消息。恶意应用程序可能会监视您的消息或将其删除而不向您显示
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度

android.permission.FOREGROUND_SERVICE	正常	允许常规应用程序使用 Service.startForeground。
---------------------------------------	----	-------------------------------------

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。