



# MoGua

## 欢乐游戏 1.0.0.APK 分析报告



APP名称:

欢乐游戏

包名:	com.hlyxnb.otogas
域名线索:	54条
URL线索:	49条
邮箱线索:	0条
分析日期:	2025年1月27日
分析平台:	<a href="#">摸瓜APK反编译平台</a>

文件名: hlan.apk

文件大小: 43.68MB

MD5值: f4ea4bdb83e1eef7c1f0408fa3a39603

SHA1值: d77a21e83d6e22836fa5e069e1576d4ede9b68be

SHA256值: 78e4949e094f3566d28a08213ceec9976dce091b6e41250840c7c905e5f8945c

## i APP 信息

App名称: 欢乐游戏

包名: com.hlyxnb.otogas

主活动Activity: com.hlyxnb.otogas.MainActivity

安卓版本名称: 1.0.0

安卓版本: 11

## 🔍 域名线索

域名	服务器信息
cfg.imtt.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
log.tbs.qq.com	IP: 109.244.244.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
huatuocode.huatuo.qq.com	没有服务器地理信息.
	IP: 39.98.67.122

api.sharetrace.com	<b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161583
cgi.connect.qq.com	<b>IP:</b> 175.27.9.43 <b>所属国家:</b> China <b>地区:</b> Beijing <b>城市:</b> Beijing <b>纬度:</b> 39.907501 <b>经度:</b> 116.397102
mobilegw.alipay.com	<b>IP:</b> 203.209.247.65 <b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161583
120.24.210.161	<b>IP:</b> 120.24.210.161 <b>所属国家:</b> China <b>地区:</b> Guangdong <b>城市:</b> Shenzhen <b>纬度:</b> 22.545673 <b>经度:</b> 114.068108
apilocate.amap.com	<b>IP:</b> 59.82.31.183 <b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161583
debugtbs.qq.com	<b>IP:</b> 175.27.9.46 <b>所属国家:</b> China <b>地区:</b> Beijing <b>城市:</b> Beijing <b>纬度:</b> 39.907501 <b>经度:</b> 116.397102

mta.oa.com	IP: 193.123.33.15 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mcgw.alipay.com	IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
upl.baidu.com	IP: 110.242.68.242 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
ssgw.updrips.com	没有服务器地理信息.
apilocatesrc.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 175.27.9.46 所属国家: China

mdc.html5.qq.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.uca.cloud.unity3d.com	IP: 101.32.104.143 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
open.weixin.qq.com	IP: 175.24.219.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
vse.baidu.com	IP: 110.242.68.242 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
graph.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

mobilegw-1-64.test.alipay.net	没有服务器地理信息.
tsis.jpush.cn	IP: 121.36.74.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
adiu.amap.com	IP: 59.82.29.231 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
m.alipay.com	IP: 203.209.245.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 175.27.9.14 所属国家: China

openmobile.qq.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pms.mb.qq.com	IP: 109.244.173.227 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
config.uca.cloud.unity3d.com	IP: 34.111.113.40 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
mobilegw.aaa.alipay.net	没有服务器地理信息.
wup.imtt.qq.com	IP: 42.187.184.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h5.m.taobao.com	IP: 220.181.135.167 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mse.baidu.com	IP: 180.101.49.124 所属国家: China 地区: Jiangsu



	<b>城市:</b> Nanjing <b>纬度:</b> 32.061668 <b>经度:</b> 118.777992
mobilegw.stable.alipay.net	没有服务器地理信息.
fusion.qq.com	<b>IP:</b> 175.27.9.24 <b>所属国家:</b> China <b>地区:</b> Beijing <b>城市:</b> Beijing <b>纬度:</b> 39.907501 <b>经度:</b> 116.397102
abroad.apilocate.amap.com	<b>IP:</b> 59.82.44.11 <b>所属国家:</b> China <b>地区:</b> Shanghai <b>城市:</b> Shanghai <b>纬度:</b> 31.224333 <b>经度:</b> 121.468948
soft.tbs.imtt.qq.com	<b>IP:</b> 119.167.147.86 <b>所属国家:</b> China <b>地区:</b> Shandong <b>城市:</b> Qingdao <b>纬度:</b> 36.098610 <b>经度:</b> 120.371941
qzs.qq.com	<b>IP:</b> 221.204.18.250 <b>所属国家:</b> China <b>地区:</b> Shanxi <b>城市:</b> Taiyuan <b>纬度:</b> 37.869438 <b>经度:</b> 112.561508
appsupport.qq.com	<b>IP:</b> 175.27.9.14 <b>所属国家:</b> China <b>地区:</b> Beijing <b>城市:</b> Beijing <b>纬度:</b> 39.907501

	经度: 116.397102
splash-ads.unitychina.cn	IP: 60.220.213.168 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
182.92.20.189	IP: 182.92.20.189 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
yuyin.baidu.com	IP: 153.3.237.166 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pingma.qq.com	IP: 119.45.78.184 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 220.181.135.162 所属国家: China

mclient.alipay.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cdp.cloud.unity3d.com	IP: 101.32.113.127 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
long.open.weixin.qq.com	IP: 109.244.217.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wappaygw.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
splash.unity.cn	IP: 172.81.232.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
openapi.baidu.com	IP: 110.242.69.36 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280

restapi.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
vop.baidu.com	IP: 111.206.209.68 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lbs.amap.com	IP: 59.82.29.232 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

## URL线索

URL信息	Url所在文件
https://ssgw.updrips.com/oauth2/checkAppInfo	org/xianliao/im/sdk/net/model/LoginInfoRequest.java
http://120.24.210.161:52234/gateway/red/dispatcher	org/xianliao/im/sdk/net/model/GetBillIdRequest.java
https://api.sharetrace.com	肌縵/肌縵/肌縵/肌縵/蒟申漳胝映鋤籽惚鎗瑜/C0033.java
https://tsis.jp.push.cn	cn/jiguang/c/a.java
http://182.92.20.189:9099/	cn/jiguang/a/a/c/i.java

<a href="http://yuyin.baidu.com/voice?osname=voiceopen&amp;action=usereventflow&amp;">http://yuyin.baidu.com/voice?osname=voiceopen&amp;action=usereventflow&amp;</a>	com/baidu/speech/utils/analysis/Analysis.java
<a href="http://vop.baidu.com/v2">http://vop.baidu.com/v2</a>	com/baidu/speech/core/ASREngine.java
<a href="https://upl.baidu.com//words/add">https://upl.baidu.com//words/add</a>	com/baidu/speech/asr/SlotControl.java
<a href="https://vse.baidu.com/v2">https://vse.baidu.com/v2</a>	com/baidu/speech/asr/SpeechConstant.java
<a href="https://vse.baidu.com/echo.fcgi">https://vse.baidu.com/echo.fcgi</a>	com/baidu/speech/asr/SpeechConstant.java
<a href="http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/">http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/</a>	com/amap/api/location/AMapLocation.java
<a href="https://splash-ads.unitychina.cn/webview/release/native/config.json">https://splash-ads.unitychina.cn/webview/release/native/config.json</a>	com/unity3d/splash/services/core/properties/SdkProperties.java
<a href="https://splash.unity.cn/api/register-game-launch">https://splash.unity.cn/api/register-game-launch</a>	com/unity3d/player/UnityPlayer.java
<a href="https://splash.unity.cn/api/diagnosis">https://splash.unity.cn/api/diagnosis</a>	com/unity3d/player/k.java
<a href="https://mobilegw.alipay.com/mgw.htm">https://mobilegw.alipay.com/mgw.htm</a>	com/alipay/sdk/cons/a.java
<a href="https://mobilegw.alipaydev.com/mgw.htm">https://mobilegw.alipaydev.com/mgw.htm</a>	com/alipay/sdk/cons/a.java
<a href="http://m.alipay.com/?action=h5quit">http://m.alipay.com/?action=h5quit</a>	com/alipay/sdk/cons/a.java
<a href="https://wappaygw.alipay.com/home/exterfaceAssign.htm?">https://wappaygw.alipay.com/home/exterfaceAssign.htm?</a>	com/alipay/sdk/cons/a.java
<a href="https://mclient.alipay.com/home/exterfaceAssign.htm?">https://mclient.alipay.com/home/exterfaceAssign.htm?</a>	com/alipay/sdk/cons/a.java
<a href="http://h5.m.taobao.com/trade/paySuccess.html?bizOrderId=\$OrderId\$&amp;">http://h5.m.taobao.com/trade/paySuccess.html?bizOrderId=\$OrderId\$&amp;</a>	com/alipay/sdk/data/a.java
<a href="https://mcgw.alipay.com/sdklog.do">https://mcgw.alipay.com/sdklog.do</a>	com/alipay/sdk/packet/impl/c.java
<a href="http://mobilegw.stable.alipay.net/mgw.htm">http://mobilegw.stable.alipay.net/mgw.htm</a>	com/alipay/apmobilesecuritysdk/b/a.java
<a href="https://mobilegw.alipay.com/mgw.htm">https://mobilegw.alipay.com/mgw.htm</a>	com/alipay/apmobilesecuritysdk/b/a.java

http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/dn.java
https://restapi.amap.com/v3/iasdkauth	com/loc/m.java
http://restapi.amap.com/v3/iasdkauth	com/loc/m.java
https://adiu.amap.com/ws/device/adius	com/loc/bj.java
http://restapi.amap.com	com/loc/s.java
http://apilocate.amap.com/mobile/binary	com/loc/di.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/di.java
http://restapi.amap.com/v3/place/text?	com/loc/a.java
http://restapi.amap.com/v3/place/around?	com/loc/a.java
http://restapi.amap.com/v3/config/district?	com/loc/a.java
http://restapi.amap.com/v3/geocode/regeo	com/loc/dd.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/db.java
http://apilocatesrc.amap.com/mobile/binary	com/loc/db.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/b/a/e.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/b/a/a.java

https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utls/v.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com.tencent/smtt/utls/v.java
http://wup.imtt.qq.com:8080	com.tencent/smtt/utls/v.java
https://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utls/v.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utls/v.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utls/v.java
http://mqqqad.html5.qq.com/adjs	com.tencent/smtt/utls/v.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utls/v.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utls/i.java
http://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/ag.java
http://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/a/d.java
https://graph.qq.com/oauth2.0/me	com.tencent/connect/UnionInfo.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com.tencent/connect/share/QQShare.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com.tencent/connect/share/QzoneShare.java
http://openmobile.qq.com/oauth2.0/m_jump_by_version?	com.tencent/connect/common/BaseApi.java

http://qzs.qq.com/open/mobile/login/qzsjump.html?	com/tencent/connect/common/BaseApi.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com/tencent/connect/auth/a.java
http://mta.qq.com/	com/tencent/wxop/stat/StatServiceImpl.java
http://mta.oa.com/	com/tencent/wxop/stat/StatServiceImpl.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/common/StatConstants.java
http://qzs.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApiml.java
http://qzs.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApiml.java
http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApiml.java
http://qzs.qq.com	com/tencent/open/SocialApiml.java
https://openmobile.qq.com/	com/tencent/open/utis/HttpUtils.java
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utis/f.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/tencent/open/b/g.java
https://huatuocode.huatuo.qq.com	com/tencent/open/b/d.java



https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/d.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uid=%s	com/tencent/mm/opensdk/diffdev/a/f.java
https://api.uca.cloud.unity3d.com/v1/events	lib/armeabi-v7a/libunity.so
https://cdp.cloud.unity3d.com/v1/events	lib/armeabi-v7a/libunity.so
https://config.uca.cloud.unity3d.com	lib/armeabi-v7a/libunity.so
https://vse.baidu.com/echo.fcgi	lib/armeabi-v7a/libBaiduSpeechSDK.so
https://mse.baidu.com/echo.fcgi	lib/armeabi-v7a/libBaiduSpeechSDK.so
https://vop.baidu.com/echo.fcgi	lib/armeabi-v7a/libBaiduSpeechSDK.so
https://openapi.baidu.com/oauth/2.0/token	lib/armeabi-v7a/libBaiduSpeechSDK.so
http://upl.baidu.com/auth.php	lib/armeabi-v7a/libBaiduSpeechSDK.so

## 邮箱线索

## 手机线索

## 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: True

找到 1 个唯一证书

主题: C=c, ST=cd, L=cd, O=ycj, OU=ycj, CN=ycj

签名算法: rsassa\_pkcs1v15

有效期自: 2017-01-21 12:30:21+00:00

有效期至: 2071-10-25 12:30:21+00:00

发行人: C=c, ST=cd, L=cd, O=ycj, OU=ycj, CN=ycj

序列号: 0x6d7ffd50

哈希算法: sha256

md5值: aa57a9d10715452db8edbc3bbfa59995

sha1值: 8f70f8b691bd72e48c84dff0be9c6c80e66d0b4

sha256值: 45ea0600010de79c1229d47e184ce527b6c9d9f715967e7df8627c7aa8a8103d

sha512值: e17119b492bad182a247a694f06ee18983f56f3a22ab5572337c7e9177b68426e63be62f5df88f4834c988db4eaae051df0b31d4ac01bfb8bd969a5b3c2ca330

公钥算法: rsa

密钥长度: 2048

指纹: 6a9281c4ccc7e86685234b39d9c3cc8178232e4e8d5a616b593b6fc1761c89ef

## 硬编码敏感信息

## 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

## ☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置 (如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它发现有关您使用手机做什么的一般信息,可能包括个人或私人信息

android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.hlyxnb.otogas.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息

android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径

## 应用内通信

活动(ACTIVITY)	通信(INTENT)
com.hlyxnb.otogas.MainActivity	Schemes: dtkwx://, Hosts: dthy, Ports: 8888, Paths: /join,
com.tencent.tauth.AuthActivity	Schemes:.tencent1107228740://,
com.hlyxnb.otogas.sgapi.SGEntryActivity	Schemes: paraches://, Hosts: xianliaoldL9CsA0EtAfm8HR,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。